

Contents

| | |
|--|-----|
| Preface | iv |
| QUILTY, P.G. — The Pliocene environment of Antarctica | 1 |
| HILL, R.S. & JORDAN, G.J. — Macrofossils as indicators of Plio-Pleistocene climates in Tasmania and Antarctica | 9 |
| CHINN, T.J. — The Southern Hemisphere glacial record — Antarctica and New Zealand. | 17 |
| ADAMSON, D.A., SELKIRK, P.M., PRICE, D.M., WARD, N. & SELKIRK, J.M. — Pleistocene uplift and palaeoenvironments of Macquarie Island: evidence from palaeobeaches and sedimentary deposits | 25 |
| COLHOUN, E.A., HANNAN, D. & KIERNAN, K. — Late Wisconsin glaciation of Tasmania | 33 |
| HARRIS, P.T., O'BRIEN, P.E., SEDWICK, P. & TRUSWELL, E.M. — Late Quaternary History of sedimentation on the Mac. Robertson Shelf, East Antarctica: problems with ¹⁴ C-dating of marine sediment cores | 47 |
| SHEVENELL, A.E., DOMACK, E.W. & KERNAN, G.M. — Record of Holocene palaeoclimate change along the Antarctic Peninsula: evidence from glacial marine sediments, Lallemand Fjord | 55 |
| COOK, E.R., FRANCEY, R.J., BUCKLEY, B.M. & D'ARRIGO, R.D. — Recent increases in Tasmanian Huon pine ring widths from a subalpine stand: natural climate variability, CO ₂ fertilisation, or greenhouse warming? | 65 |
| GIBSON, J.A.E. & BURTON, H.R. — Meromictic Antarctic lakes as recorders of climate change: the structures of Ace and Organic Lakes, Vestfold Hills, Antarctica | 73 |
| O'BRIEN, P.E. & HARRIS, P.T. — Patterns of glacial erosion and deposition in Prydz Bay and the past behaviour of the Lambert Glacier | 79 |
| RAO, C.P., AMINI, Z.Z. & FRANKLIN, D.C. — Comparison between modern polar and temperate skeletal carbonate mineralogy and oxygen and carbon isotopes, Antarctic and Tasmanian shelves | 87 |
| SIMMONDS, I. — Climatic role of Southern Hemisphere extratropical cyclones and their relationship with sea ice | 95 |
| SALINGER, M.J. & JONES, P.D. — Southern Hemisphere climate: the modern record | 101 |