
REFERENCES

- ALLEN, J.R., 1984, Sedimentary structures: their character and physical basis: *Developments in Sedimentology*, v. 20, Amsterdam, Elsevier, 663 p.
- ALLEN, P.A. AND ALLEN, J.R., 1990, Basin analysis: principles and applications: Blackwell Scientific Publications, Oxford, 552 p.
- ANDERSON, T.F. AND ARTHUR, M.A., 1983, Stable isotopes of oxygen and carbon and their application to sedimentological and paleoenvironmental problems, *in* *Stable Isotopes in Sedimentary Geology*, Society of Economic Paleontologists and Mineralogists Short Course, v. 10, p. 1.1-1.151.
- ASMEROM, Y., JACOBSEN, S.B., KNOLL, A.H., BUTTERFIELD, N.J. AND SWETT, K., 1991, Strontium isotopic variations of Neoproterozoic seawater: implications for crustal evolution: *Geochimica et Cosmochimica Acta*, v. 55, p. 2883-2894.
- AUSTRALIAN BUREAU OF METEOROLOGY, 1988, Climatic averages, Australia: Australian Government Printing Service, Canberra.
- BATES, R.L. AND JACKSON, J.A., 1987, Glossary of Geology (3rd ed.): American Geological Institute, Alexandria, Virginia.
- BATHURST, R.G.C., 1987, Diagenetically enhanced bedding in argillaceous platform limestones: stratified cementation and selective compaction: *Sedimentology*, v. 34, p. 749-778.
- BERGER, W.H., 1982, Increases of carbon dioxide during deglaciation: the coral reef hypothesis: *Naturwissenschaften*, v. 69, p. 87-88.
- BERGER, W.H., EKDALE, A.A. AND BRYANT, P.P., 1979, Selective preservation of burrows in deep-sea carbonates: *Marine Geology*, v. 32, p. 205-230.
- BERNER, R.A., 1975, The role of magnesium in the crystal growth of calcite and aragonite from seawater: *Geochimica et Cosmochimica Acta*, v. 39, p. 489-504.
- BERNOULI, D. AND JENKINS, H.C., 1974, Alpine, Mediterranean, and central Atlantic Mesozoic facies in relation to the early evolution of the Tethys, *in* Dott, R.H. and Shaver, R.H. (eds), *Modern and Ancient Geosynclinal Sedimentation*, Society of Economic Paleontologists and Mineralogists Special Publication, v. 19, p. 129-160.
- BERTRAND-SAFATI, J. AND MOUSSINE-POUCKINE, A., 1985, Evolution and environmental conditions of *Conophyton-Jacutophyton* associations in the Atar dolomite (Upper Proterozoic, Mauritania): *Precambrian Research*, v. 29, p. 207-234.
- BEUKES, N.J. AND KLEIN, C., 1993, Models for iron-formation deposition, *in* Schopf, J.W., and Klein, C. (eds), *The Proterozoic Biosphere*: Cambridge University Press, Cambridge, p. 147-151.
- BLAKE, D.H., 1987, Geology of the Mount Isa Inlier and environs, Queensland and the Northern Territory: Bureau of Mineral Resources (Australia) Bulletin 225.
- BORNMAN, J.C., 1982, Final Report on exploration, Leila Yard, Shell Company of Australia Ltd: Northern Territory Department of Mines and Energy, Open File Company Report 83/18 (unpublished).
- BRASIER, M.D. AND LINDSAY, J.F., 1998, A billion years of environmental stability and the emergence of eukaryotes: new data from northern Australia: *Geology*, v. 26, p. 555-558.
- BROCK, T.D., 1976, Environmental microbiology of living stromatolites, *in* WALTER, M.R., (ed.), *Stromatolites: Developments in sedimentology*: Amsterdam, Elsevier, v. 20, p. 251-259.
- BROEKER, W.S., 1982, Ocean chemistry during glacial times: *Geochimica et Cosmochimica Acta*, v. 46, p. 1682-1705.
- BROWN, M.C., CLAXTON, C.W. AND PLUMB, K.A., 1978, The Proterozoic Barney Creek Formation and some associated units of the McArthur Group, Northern Territory: Bureau of Mineral Resources (Australia) Record 1969/145, 59 p.

- BUCZYNSKI, C. AND CHAFETZ, H.S., 1991, Habit of bacterially induced precipitates of calcium carbonate and the influence of medium viscosity on mineralogy: *Journal of Sedimentary Petrology*, v. 61, p. 226-233.
- BUICK, R., DES MARAIS, D.J. AND KNOLL, A.H., 1995, Stable isotope compositions of carbonates from the Mesoproterozoic Bangemall Group, northwestern Australia: *Chemical Geology*, v. 123, p. 153-171.
- BULL, S.W., 1995, Towards a regional depositional model for the Palaeoproterozoic Barney Creek Formation, southern McArthur Basin, Northern Territory: P384 AMIRA/ARC Final Report, p. 133-157 (unpublished).
- BULL, S.W., 1998, Sedimentology of the Palaeoproterozoic Barney Creek Formation in DDH BMR McArthur 2, southern McArthur Basin, Northern Territory: *Australian Journal of Earth Sciences*, v. 45, p. 21-31.
- BULL, S.W. AND LARGE, R.L., 1995, Sedimentology, geochemistry, alteration patterns, and C/O isotope chemostratigraphy, DDH BMR McArthur 2, McArthur Basin, Northern Territory: P384 AMIRA/ARC Final Report, p. 159-181 (unpublished).
- BULL, S.W. AND ROGERS, J.R., 1996, Recognition and significance of an early compressional deformation event in the Tawallah Group, McArthur Basin, Northern Territory (abs.), *in* Baker, T., Rotherham, J.K., Richmond, J.M., Mark, G., and Williams, P.J. (eds.), MIC '96 - New Developments in Metallogenic Research: The McArthur-Mount Isa-Cloncurry Minerals Province: ERGU Contribution 55, James Cook University, Queensland, 161 p.
- BULL, S.W. AND SCOTT, R.J., 1998, Geology of the BCDC in the Myrtle Basin area, southern McArthur Basin, Northern Territory: P384A AMIRA/ARC Final Report, v. 2, p. 9-39 (unpublished).
- BULL, S.W., COOKE, D. AND WINEFIELD, P. R., 1997, Progress report: sedimentology and mineralisation at the Berjaya Prospect P384A AMIRA/ARC Report No. 3, p. 21-29 (unpublished).
- BURDETT, J.W., GROTZINGER, J.P. AND ARTHUR, M.A., 1990, Did major changes in the stable isotope composition of Proterozoic seawater occur?: *Geology*, v. 18, p. 227-230.
- BURNE, R.V. AND MOORE, L.S., 1987, Microbialites: organo-sedimentary deposits of benthic microbial communities: *Palaios*, v. 2, p. 241-254.
- BURRUSS, R.C., CERONE, K.R. AND HARRIS, P.M., 1985, Timing of hydrocarbon migration: evidenced from fluid inclusions in calcite cements, tectonics and burial history, *in* Schneidermann, N and Harris, P.M., (eds), *Carbonate Cements: Society of Economic Palaeontologists and Mineralogists Special Publication No. 36*, p. 277-289.
- CALVER, C.R., 1998, Isotope stratigraphy of the Neoproterozoic Togari Group, Tasmania: *Australian Journal of Earth Sciences*, v. 45, p. 865-874.
- CHAFETZ, H.S., 1986, Marine peloids: a product of bacterially induced precipitation of calcite: *Journal of Sedimentary Petrology*, v. 56, p. 812-817.
- CHILINGAR, G.V., 1956, Ca/Mg ratio and geologic age: *American Association of Petroleum Geologists Bulletin*, v. 40, p. 2256-2266.
- CHOQUETTE, P.W. AND STEINEN, R.P., 1980, Mississippian non-supratidal dolomite, Ste. Genevieve Limestone, Illinois Basin, *in* Zenger, D.H., Dunham, J.B. and Ethington, R.H. (eds), *Concepts and Models of Dolomitization: Society of Economic Paleontologists and Mineralogists Special Publication*, v. 28, p. 168-196.
- CHOQUETTE, P.W. AND JAMES, N.P., 1990, Limestones - the Burial Diagenetic Environment *in* McIlreath, I.A. and Morrow, D.W (eds), *Diagenesis: Geoscience Canada, Reprint Series*, v. 4., p. 75-112.
- CHRISTIE-BLICK, N., GROTZINGER, J.P. AND VON DER BORCH, C.C., 1988, Sequence stratigraphy in Proterozoic successions: *Geology*, v.16, p. 100-104.
- CLOUD, P., 1968, Atmospheric and hydrospheric evolution on the primitive earth: *Science*, v. 160, p. 729-736.

- CONGLIO, M., 1986, Synsedimentary submarine slope failure and tectonic deformation in deep-water carbonates, Cow Head Group, western Newfoundland: Canadian Journal of Earth Sciences, v. 23, p. 215-230.
- CONIGLIO, M. AND DEX, G.R., 1992, Carbonate Slopes, in Walker, R.G. and James, N.P. (eds), Facies models: Response to Sea Level Change: Geoscience Canada Reprint Series, Geological Association of Canada, p. 349-373.
- COOK, H.E., McDANIEL, P.N., MOUNTJOY, E.W. AND PRAY, L.C., 1972, Allochthonous carbonate debris flows at Devonian Bank ('Reef') Margins, Alberta, Canada: Bulletin of Canadian Petroleum Geology, v. 20, p. 439-497.
- COOKE, D.R., 1997a, Iron transport in sedimentary brines - implications for SEDEX deposits: P384A AMIRA/ARC Report No. 3, p. 71-75 (unpublished).
- COOKE, D.R., 1997b, Salinity controls on mineral stabilities and metal solubilities in 150°C sedimentary brines: P384A AMIRA/ARC Report No. 3, p. 77-83 (unpublished).
- CRICK, I.H., 1989, Petrological and maturation characteristics of organic matter from the middle Proterozoic McArthur Basin, Australia. Unpublished PhD Thesis, University of Wollongong, 412 p.
- CRICK, I.H., BOREHAM, C.J., COOK, A.C. AND POWELL, T.G., 1988, Petroleum geology and geochemistry of middle Proterozoic McArthur Basin, northern Australia II: assessment of source rock potential: American Association of Petroleum Geologists Bulletin, v. 72, p. 1495-1514.
- CROWELL, J.C., 1976, Implications of crustal stretching and shortening of the coastal Ventura basin, California, in Howell, D.G. (ed.), Aspects of the geologic history of the California borderland: Pacific Section, American Association of Petroleum Geologists Miscellaneous Publication, v. 24, p. 365-382.
- CROXFORD, N.J.W. AND JEPHCOTT, S., 1972, The McArthur lead-zinc-silver deposit, Northern Territory, Australia: Australasian Institute of Mining and Metallurgy Proceedings, no. 243, p. 1-26.
- CURTIS, C.D., 1977, Sedimentary geochemistry - environments and processes dominated by involvement of an aqueous phase: Royal Society of London, Philosophical Transactions, v. 286-A, p. 353-372.
- DALY, R.A., 1907, The limeless ocean of Precambrian time: American Journal of Science, v. 23, p. 93-115.
- DASHLOOTY, S.A., 1982, Annual Report on EL's 1330, 1331 & 1943, Shell Company of Australia Ltd: Northern Territory Department of Mines and Energy Open File Company Report, 83/48 (unpublished)
- DAVIDSON, G.J., 1998, Alkali alteration styles and mechanisms, and their implications for a 'brine factory' source of base-metals in the rift-related McArthur Group, Australia: Australian Journal of Earth Sciences, v. 45, p. 33-49.
- DAVIDSON, G.J. AND DASHLOOTY, S.A., 1993, The Glyde Sub-basin: a volcanoclastic-bearing pull-apart basin coeval with the McArthur River base-metal deposit, Northern Territory: Australian Journal of Earth Sciences, v. 40, p. 527-543.
- DECKER, P.L., 1990, Structural style and mechanics of liquefaction-related deformation in the Lower Abrasoka Volcanic Supergroup (Eocene), east-central Abrasoka Range, Wyoming: Geological Society of America Special Paper, n. 1087, 310 p.
- DEMICO, R.V. AND HARDIE, L.A., 1994, Sedimentary Structures and Early Diagenetic Features of Shallow Marine Carbonate Deposits: Society of Economic Paleontologists and Mineralogists Atlas No. 1, 265 p.
- DICKSON, J.A.D., 1966, Carbonate identification and genesis as revealed by staining: Journal of Sedimentary Petrology, v. 36, p. 491-505.
- DONALDSON, J.A., 1976, Paleocology of *Conophyton* and associated stromatolites in the Precambrian Dismal Lakes and Rae Groups, Canada, in Walter, M.R. (ed.), Stromatolites: Developments in Sedimentology, Amsterdam, Elsevier, p. 523-534.
- DÖRLING, S.L., DENTITH, M.C., GROVES, D.I., PLAYFORD, P.E., VEARNCOMBE, J.R., MUHLING, P. AND WINDRIM, D., 1996, Heterogeneous brittle deformation in the

- Devonian carbonate rocks of the Pillara Range, Canning Basin: implications for the structural evolution of the Lennard Shelf: *Australian Journal of Earth Sciences*, v. 43, p. 15-29
- DUHIG, N., 1995, A microprobe study of carbonates from DDH BMR McArthur 2: P384 AMIRA/ARC Final Report, p. 283-287 (unpublished).
- DUNHAM, R.J., 1962, Classification of carbonate rocks according to depositional texture, *in* Ham, W.E. (ed.), *Classification of carbonate rocks: American Association of Petroleum Geologists Memoir No. 1*, p. 108-121.
- DUNSTER, J.D., 1997, The Lady Loretta Formation: sedimentology and stratiform sediment-hosted base metal mineralisation: Unpublished PhD thesis, University of Tasmania, 293 p.
- ELDRIDGE, C.S., WILLIAMS, N. AND WALSCHE, J.L., 1993, Sulfur isotope variability in sediment-hosted massive sulfide deposits as determined using the ion microprobe SHRIMP II: A study of the HYC deposit at McArthur River, Northern Territory, Australia. *Economic Geology*: v. 88, p. 1-26.
- ETHERIDGE, M.A. AND WALL, V.J., 1994, Tectonics and structural evolution of the Australian Proterozoic (abs): *Geological Society of Australia Abstracts No. 37*, p. 103-103.
- FAHLEY, J.J., 1962, Saline minerals of the Green River Formation: United States Geological Survey Professional Paper, no. 405.
- FAIRCHILD, I.J., 1991, Origins of carbonate in Neoproterozoic stromatolites and the identification of modern analogues: *Precambrian Research*, v. 53, p. 281-299.
- FAIRCHILD, I.J. AND HERRINGTON, P.M., 1989, A tempestite-stromatolite-evaporite association (Late Venedian, East Greenland): a shorefacies-lagoon model: *Precambrian Research*, v. 43, p. 101-127.
- FAIRCHILD, I.J., MARSHALL, J.D. AND BERTRAND-SARFATI, J., 1990, Stratigraphic shifts in carbon isotopes from Proterozoic stromatolitic carbonates (Mauritania): Influences of primary mineralogy and diagenesis: *American Journal of Science*, v. 290-A, p. 46-79.
- FAIRCHILD, I.J., EINSELE, G. AND SONG, T., 1997, Possible origin of molar tooth structures in Neoproterozoic carbonate ramp deposits, north China: *Sedimentology*, v. 44, p. 611-626.
- FIELDING, C.R., STEPHENS, C.J. AND HOLCOMBE, R.J., 1997, Submarine mass-wasting deposits as an indicator of the onset of foreland thrust loading - Late Permian Bowen Basin, Queensland, Australia: *Terra Nova*, v. 9, p. 14-18.
- FRANK, J.R., CARPENTER, A.B. AND OGLESBY, T.W., 1982, Cathodoluminescence and composition of calcite cement in the Taum Sauk Limestone (Upper Cambrian), southeast Missouri: *Journal of Sedimentary Petrology*, v. 52, p. 631-638.
- FRYKMAN, P., 1986, Diagenesis of Silurian bioherms in the Klinteberg Formation, Gotland, Sweden, *in* Schroder, J.H. and Purser, B.H. (eds), *Reef Diagenesis: Springer-Verlag, Berlin*, p. 399-423.
- FURNISS, G., RITTEL, J.F. AND WINSTON, D., 1998, Gas bubble and expansion crack origin of 'molar-tooth' calcite structures in the middle Proterozoic Belt Supergroup, Western Montana: *Journal of Sedimentary Research*, v. 68, p. 104-114.
- GEORGE, A.D., PLAYFORD, P.E. AND POWELL, C. MCA., 1995, Platform-margin collapse during Famennian reef evolution, Canning Basin, Western Australia: *Geology*, v. 23, p. 691-694.
- GINSBURG, R.N. AND JAMES, N.P., 1976, Holocene carbonate sediments of continental shelves, *in* Burk, C.A., and Drake, C.L. (eds), *The Geology of Continental Margins: Springer-Verlag, New York*, p. 137-155.
- GIVEN, R.K. AND WILKINSON, B.H., 1985, Kinetic control of morphology, composition, and mineralogy of abiogenic sedimentary carbonates: *Journal of Sedimentary Petrology*, v. 55, p. 109-119.

- GOYET, C., BRADSHAW, A.L. AND BREWER, P.G., 1991, The carbonate system in the Black Sea: Deep-Sea Research, v. 38, p. 1049-1068.
- GREY, K., 1994, Stromatolites from the Palaeoproterozoic Earraheedy Group, Earraheedy Basin, Western Australia: *Alcheringa*, v. 18, p. 187-218.
- GREY, K. AND MOORE, L.S., 1992, Conical stromatolites in a lacustrine environment, Lake Preston, Western Australia: Abstracts of the International Geological Correlation Program 261 - Stromatolites, Plenary Session, Beijing, October, 1992.
- GROTZINGER, J.P., 1986a, Cyclicity and paleoenvironmental dynamics, Rocknest platform, northwest Canada: *Geological Society of America Bulletin*, v. 97, p. 1208-1231.
- GROTZINGER, J.P., 1986b, Evolution of early Proterozoic passive-margin carbonate platform: Rocknest Formation, Wopmay Orogen, N.W.T. Canada: *Journal of Sedimentary Petrology*, v. 56, p. 831-847.
- GROTZINGER, J.P., 1989, Facies and evolution of Precambrian carbonate depositional systems: emergence of the modern platform archetype, *in* Crevello, P.D., Wilson, J.L., Sarg, J.F. and Read, J.R., (eds), *Controls on Carbonate Platform and Basin Development: Society of Economic Paleontologists and Mineralogists Special Publication No. 44*, p. 79-106.
- GROTZINGER, J.P. 1990, Geochemical model for Proterozoic stromatolite decline: *American Journal of Science*, v. 290-A, p. 80-103.
- GROTZINGER, J.P. AND READ, J.F., 1983, Evidence for primary aragonite precipitation, lower Proterozoic (1.9 Ga) dolomite, Wopmay Orogen, north-west Canada: *Geology*, v. 11, p. 710-713.
- GROTZINGER, J.P. AND FRIEDMAN, J.S., 1989, Occurrence of thick crusts of botryoidal aragonite, Rifle and Beechey Formations (1.97 Ga), Kilohigok Basin, N.W.T.: *Geological Association of Canada Program with Abstracts*, v. 14, p. A77.
- GROTZINGER, J.P. AND KASTING, J.F., 1993, New constraints on Precambrian ocean composition: *Journal of Geology*, v. 101, p. 235-243.
- GROTZINGER, J.P. AND KNOLL, A.H., 1995, Anomalous Carbonate Precipitates: Is the Precambrian the Key to the Permian?: *Palaios*, v. 10, p. 578-596.
- GROVER, G. AND READ, J.F., 1983, Palaeoaquifer and deep-burial related cements defined by regional cathodoluminescent patterns, Middle Ordovician carbonates, Virginia: *American Association of Petroleum Geologists Bulletin*, v. 67, p. 1275-1303.
- HAGAN, G.M. AND LOGAN, B.W., 1975, Prograding tidal flat sequences: Hutchinson Embayment, Shark Bay, Western Australia, *in* GINSBURG, R.N. (ed.), *Tidal Deposits: Springer-Verlag, Berlin*, p. 215-222.
- HAINES, P.W., PIETSCH, B.A., RAWLINGS, D.J., AND MADIGAN, T.L., 1993, Mount Young: 1:250,000 Geological Map Series. Northern Territory Geological Survey Explanatory Notes SE53-15
- HAQ, B.U., HARDENBOL, J. AND VAIL, P.R., 1987, Chronology of fluctuating sea levels since the Triassic: *Science*, v. 235, p. 1156-1167.
- HASLETT, P.G., 1976, Lower Cambrian stromatolites from open and sheltered intertidal environments, Wirrealpa, South Australia, *in* Walter, M.R., (ed.), *Stromatolites: Developments in Sedimentology*, Elsevier, Amsterdam, p. 565-584.
- HEGENBERGER, W., 1993, Stratigraphy and sedimentology of the late Precambrian Witvlei and Nama Groups, east of Windhoek: *Geological Survey of Namibia Memoir*, no. 17, 82 p.
- HESSE, R., 1990, Silica diagenesis: origin of inorganic and replacement cherts, *in* McIlreath, I.A. and Morrow, D.W. (eds), *Diagenesis*, *Geoscience Canada, Reprint Series*, v. 4, p. 253-276.
- HINE, A.C., LOCKER, S.D., TENDESCO, L.P., MULLINS, H.T., HALLOCK, P., BELKNAP, D.F., GONZALES, J.L., NEUMANN, A.C. AND SNYDER, S.W., 1992, Megabreccia shedding from modern, low relief carbonate platforms, Nicaraguan Rise: *Geological Society of America Bulletin*, v. 104., p. 928-943.

- HINMAN, M., 1995, Structure and kinematics of the HYC-Cooley zone at McArthur River: Australian Geological Survey Organisation Record, 95/5 (unpublished)
- HINMAN, M., 1996, Constraints, timing and processes of stratiform base-metal mineralisation at the HYC Ag-Pb-Zn deposit, McArthur River (abs), *in* Baker, T., Rotherham, J.K., Richmond, J.M., Mark, G., and Williams, P.J. (eds), MIC '96 - New Developments in Metallogenic Research: The McArthur-Mount Isa-Cloncurry Minerals Province: ERGU Contribution 55, James Cook University, Queensland, 161 p.
- HINMAN, M., 1997, The essential interplay between deformation, sedimentation and fluid-flow for the formation of the HYC Ag-Pb-Zn deposit at McArthur River, Northern Territory (abstract): Geological Society of Australia, Abstracts No. 47, p. 16-18.
- HINMAN, M., 1998, Speculations on syn-diagenetic processes of sulphate reduction at the HYC Pb-Zn deposit, Northern Territory (abs.): Geological Society of Australia Abstracts No. 49, p. 212.
- HINMAN, M., WALL, V. AND HEINRICH, C., 1994, The interplay between sedimentation, deformation and hydrothermal activity at McArthur Pb-Zn(Cu) deposit (abstract), *in* AMF Australian Research on Ore Genesis Symposium Proceedings, v. 12, p. 1-12.4.
- HOFFMAN, P., 1974, Shallow and Deepwater Stromatolites in Lower Proterozoic Platform-to-Basin Facies Change, Great Slave Lake, Canada: American Association of Petroleum Geologists Bulletin, v. 58, p. 856-867.
- HOFMANN, H.J., 1971, Precambrian fossils, pseudofossils, and problematica in Canada: Geological Survey of Canada Bulletin, v. 189, 146 p.
- HOFMANN, H.J. AND JACKSON, G.D., 1987, Proterozoic ministromatolites with radial-fibrous fabric: *Sedimentology*, v. 34, p. 963-971.
- HOLLAND, H.D. AND MALININ, S.D., 1979, The solubility and occurrence of non-ore minerals, *in* BARNES, H.L. (ed.), *Geochemistry of Hydrothermal Ore Deposits* (2nd ed.), Wiley Interscience, New York, p. 461-508.
- HOLLAND, H.D. AND BEUKES, N.J., 1990, A paleoweathering profile from Griqualand West, South Africa: Evidence for a dramatic rise in atmospheric oxygen between 2.2 and 1.9 b.y.b.p.: *American Journal of Science*, v. 290-A, p. 1-34.
- HOLSER, W.T., 1984, Gradual and abrupt shifts in ocean chemistry during Phanerozoic time, *in* Holland, H.D. and Trendall, A.F. (eds), *Patterns of change in Earth evolution*: Springer-Verlag, Berlin, p. 123-143.
- HORODYSKI, R.J., 1976, Stromatolites of the upper Siyeh Limestone (Middle Proterozoic), Belt Supergroup, Glacier National Park, Montana: *Precambrian Research*, v.3. p. 517-536.
- HORODYSKI, R.J., 1977, *Lyngbya* mats at Laguna Mormona, Baja California, Mexico: comparison with Proterozoic stromatolites: *Journal of Sedimentary Petrology*, v. 47, p. 1303-1320.
- IDNURM, M., 1997, Apparent Polar Wander as indicator of Palaeo-Mesoproterozoic tectonism in Northern Australia (abs.): Australian Geological Survey Organisation Record 1997/12.
- IDNURM, M. AND GIDDINGS, J.W., 1988, Australian Precambrian Polar Wander: A review: *Precambrian Research*, v. 40/41, p. 61-88.
- IDNURM, M., GIDDINGS, J.W. AND PLUMB, K.A., 1993, Palaeomagnetism of the southeastern McArthur Basin: poles, overprints and reversals: *Exploration Geophysics*, v. 24, p. 227-230.
- IDNURM, M., GIDDINGS, J.W. AND PLUMB, K.A., 1995, Apparent polar wander and reversal stratigraphy of the Palaeo-Mesoproterozoic southeastern McArthur Basin, Australia: *Precambrian Research*, v. 72, p. 1-41.

- INTERNATIONAL SUBCOMMISSION ON STRATIGRAPHIC CLASSIFICATION, 1987, Unconformity-bounded stratigraphic units: Geological Society of America Bulletin, v. 98, p. 232-237.
- JACKSON, M.J., MUIR, M.D. AND PLUMB, K.A., 1987, Geology of the southern McArthur Basin, Northern Territory: Bureau of Mineral Resources (Australia) Bulletin 220, 173p.
- JACKSON, M.J., SWEET, I.P. AND POWELL, T.G., 1988, Studies on petroleum geology and geochemistry, middle Proterozoic, McArthur Basin, northern Australia I: petroleum potential: Australian Petroleum Exploration Association (APEA) Journal, v. 28, p. 283-302.
- JACKSON, M.J. AND SOUTHGATE, P., 1997, Lower McArthur Group (abs.): Australian Geological Survey Organisation Record 1997/12.
- JACKSON, M.J., SOUTHGATE, P. AND PAGE, R.W., in press, Gamma ray logs and U-Pb zircon geochronology-essential tool to constrain lithofacies interpretation of Palaeoproterozoic depositional systems: Society of Economic Paleontologists and Mineralogists Special Publication on Precambrian Carbonates.
- JAMES, N.J. AND CHOQUETTE, P.W., 1990, Limestones - the Sea Floor Diagenetic Environment, *in* McIlreath, I.A. and Morrow, D.W (eds), Diagenesis: Geoscience Canada, Reprint Series, v. 4, p. 13-35.
- JAMES, N.P., NARBONNE, G.M. AND SHERMAN, A.G., 1998, Molar-tooth carbonates: shallow subtidal facies of the mid- to late Proterozoic: Journal of Sedimentary Research, v. 68, p. 716-722.
- KARHU, J.A. AND HOLLAND, H.D., 1996, Carbon isotopes and the rise of atmospheric oxygen: Geology, v. 24, p. 867-870.
- KASTENS, K.A., 1984, Earthquakes as a triggering mechanism for debris flows and turbidites on the Calabrian Ridge: Marine Geology, v. 55, p. 13-33.
- KAUFMAN, A.J., HAYES, J.M., KNOLL, A.H. AND GERMS, G.J.B., 1991, Isotopic compositions of carbonates and organic carbon from upper Proterozoic successions in Namibia: stratigraphic variation and the effects of diagenesis and metamorphism: Precambrian Research, v. 49, p. 301-327.
- KAUFMAN, A.J., KNOLL, A.H. AND AWRAMIK, S.M., 1992, Biostratigraphic and chemostratigraphic correlation of Neoproterozoic sedimentary successions: Upper Tindir Group, northwestern Canada, as a test case: Geology, v. 20, p. 181-185.
- KAUFMAN, A.J. AND KNOLL, A.H., 1995, Neoproterozoic variations in the C-isotopic composition of seawater: stratigraphic and biogeochemical implications: Precambrian Research, v. 73, p. 27-49.
- KEMPE, S., 1990, Alkalinity: The link between anaerobic basins and shallow water carbonates?: Naturwissenschaften, v. 77, p. 426-427.
- KEMPE, S. AND DEGENS, E.T., 1985, An early soda ocean?: Chemical Geology, v. 53, p. 95-108.
- KEMPE, S. AND KAZIMIERCZAK, J., 1994, The role of alkalinity in the evolution of ocean chemistry, organisation of living systems, and biocalcification processes, *in* Doumerge, F. (ed.), Past and Present Biomineralisation Processes: Monaco Musee Oceanographie, Bulletin 13, p. 61-116.
- KENDALL, C.G. ST C. AND SKIPWORTH, P.A.D'E., 1968, Recent algal mats of a Persian Gulf Lagoon: Journal of Sedimentary Petrology, v. 38, p. 1040-1058.
- KENDALL, A.C., 1985, Radiaxial fibrous calcite: a reappraisal, *in* Schneidermann, N and Harris, P.M. (eds), Carbonate Cements: Society of Economic Paleontologists and Mineralogists Special Publication, v. 36, p. 59-77.
- KENDALL, A.C. AND TUCKER, M.E., 1973, Radiaxial fibrous calcite: a replacement after acicular carbonate: Sedimentology, v. 20, p. 365-389.
- KENNEDY, M.J., 1996, Stratigraphy, sedimentology, and isotopic geochemistry of Australian Neoproterozoic Post-glacial Cap Dolostones: deglaciation, $\delta^{13}\text{C}$

- excursions, and carbonate precipitation: *Journal of Sedimentary Research*, v. 66, p. 1050-1064.
- KENTER, J.A.M., 1990, Carbonate platform flanks: slope angle and sediment fabric: *Sedimentology*, v. 37, p. 777-794.
- KNEALE, C.M., MACDONALD, I.A., SHANNON, C.H.C. AND ZEISSINK, H.E., 1979, Annual report on Exploration Licenses 1203, 1226, 1437, 1438 and 1486, AO Australia Pty Ltd: Northern Territory Department of Mines and Energy, Open File Company Report 79/8 (unpublished).
- KNEALER, B.C. AND BRANNEY, M.J., 1995, Sustained high-density turbidity currents and the deposition of massive sands: *Sedimentology*, v. 42, p. 607-616.
- KNOLL, A.H. AND SWETT, K., 1990, Carbonate deposition during the late Proterozoic era: an example from Spitsbergen: *American Journal of Science*, v. 290-A, p. 104-132.
- KNOLL, A.H. AND WALTER, M.R., 1992, Latest Proterozoic stratigraphy and Earth history: *Nature*, v. 356, p. 673-678.
- KNOLL, A.H., HAYES, J.M., KAUFMAN, A.J., SWETT, K. AND LAMBERT, I.B., 1986, Secular variation in carbon isotope ratios from upper Proterozoic successions of Svalbard and East Greenland: *Nature*, v. 321, p. 832-838.
- KNOLL, A.H., FAIRCHILD, I.J. AND SWETT, K., 1993, Calcified microbes in Neoproterozoic carbonates: Implications for our understanding of the Proterozoic/Cambrian transition: *Palaios*, v. 8, p. 512-525.
- KRALIK, M., 1982, Rb-Sr age determinations on Precambrian carbonate rocks of the Carpenterian McArthur Basin, Northern Territory, Australia: *Precambrian Research*, v. 18, p. 157-170.
- KUMP, L.R., 1991, Interpreting carbon-isotope excursions: Strangelove oceans: *Geology*, v. 19, p. 299-302.
- LAMBERT, I.B. AND SCOTT, K.M., 1973, Implications of geochemical investigations of sedimentary rocks within and around the zinc-lead-silver deposit, Northern Territory, Australia: *Journal of Geochemical Exploration*, v. 2, p. 307-330.
- LAND, L.S., 1985, Environments of limestone and dolomite diagenesis - some geochemical considerations: Notes for a short course of carbonate diagenesis, Colorado School of Mines, Golden, Colorado, April 8-10, 1985.
- LARGE, R.L. AND DUHIG, N., 1995, Ankerite halo to the HYC deposit: P384 AMIRA/ARC Final Report, p. 273-281 (unpublished).
- LARGE, R.L. AND MCGOLDRICK, 1993, Primary geochemical halos related to Proterozoic sediment hosted Pb-Zn deposits and applications to exploration: P384 AMIRA/ARC Report No. 3, p. 63-126 (unpublished).
- LARGE, R.L. AND MCGOLDRICK, P.J., 1998, Litho-geochemical haloes and geochemical vectors to stratiform sediment-hosted Zn-Pb-Ag deposits, 1: Lady Loretta deposit, Queensland: *Journal of Geochemical Exploration*, v. 63, p. 37-56
- LARGE, R.R., BULL, S.W., COOKE, D.R., AND MCGOLDRICK, P.J., 1998, A genetic model for the HYC deposit, Australia: based on regional sedimentology, geochemistry and sulfide-sediment relationships: *Economic Geology*, v. 93, p. 1345-1368.
- LASH, G.G., 1984, Density-modified grain-flow deposits from an early Paleozoic passive margin: *Journal of Sedimentary Petrology*, v. 54, p. 557-562.
- LEAMAN, D.E., 1998, Structure, contents and setting of Pb-Zn mineralisation in the McArthur Basin, northern Australia: *Australian Journal of Earth Sciences*, v. 45, no. 1, p. 3-20.
- LEES, A., 1975, Possible influences of salinity and temperature on modern shelf carbonate sedimentation: *Marine Geology*, v. 19, p. 159-198.
- LEHNER, B.L., 1991, Neptunian dykes along a drowned carbonate platform margin: an indication for recurrent extensional tectonic activity?: *Terra Nova*, v. 3, p. 593-602.
- LINK, M.H., 1982, Provenance, paleocurrents, and paleogeography of Ridge Basin, southern California, in Crowell, J.C., Link, M.H., (eds), *Geologic history of the*

- Ridge Basin, southern California: Pacific Section, Society of Economic Paleontologists and Mineralogists, Los Angeles, p. 265-276.
- LOGAN, R.G., 1979, The geology and mineralogical zoning of the HYC Ag-Pb-Zn deposit, McArthur River, Northern Territory, Australia: Unpublished MSc thesis, Australian National University, 187 p.
- LOGAN, R.G. AND WILLIAMS, N., 1984, Sedimentary controls on the hydrothermal system that formed the H.Y.C. deposit at McArthur River, Northern Territory (abs.): Geological Society of Australia Abstracts, No. 3, p. 8-9.
- LOHMANN, K.C. AND MEYERS, W.J., 1977, Microdolomite inclusions in cloudy prismatic calcites - a proposed criterion for former high magnesium calcites: *Journal of Sedimentary Petrology*, v. 47, p. 1078-1088.
- LOREAU, J.P. AND PURSER, B.H., 1973, Distribution and ultrastructure of Holocene ooids in the Persian Gulf, *in* Purser, B.H. (ed.), *The Persian Gulf*: Springer-Verlag, p. 279-328.
- LOUCKS, R.G. AND FOLK, R.L., 1976, Fan-like rays of former aragonite in Permian Capitan Reef pisolite: *Journal of Sedimentology*, v. 46, p. 483-485.
- LOUITT, T.S., WYBORN, L.A.I., HINMAN, M.C. AND IDNURM, M., 1994, Palaeomagnetic, tectonic, magmatic and mineralisation events in the Proterozoic of northern Australia: Australasian Institute of Mining and Metallurgy Annual Conference Technical Program Proceedings, p. 123-128.
- LOWE, D.R., 1976, Grain flow and grain flow deposits: *Journal of Sedimentary Petrology*, v. 46, p. 188-199.
- LOWE, D.R., 1982, Sediment gravity flows: II. Depositional models with special reference to the deposits of high-density turbidity currents: *Journal of Sedimentary Petrology*, v. 52, p. 279-297.
- LOWENSTAM, H.A. AND WEINER, S., 1982, Mineralization by organisms and the evolution of biomineralization, *in* Westbroek, P. and de Jong, E.W., (eds), *Biomineralization and Biological Metal Accumulation*: Reidel Publishing Co., Boston, p. 191-203.
- McGOLDRICK, P.J., 1998, Geochemical data sets for northern Australian Proterozoic sedimentary rocks: background variations in lithogeochemical vectors to sedimentary Zn-Pb deposits: P384A Final Report, v. 2, p. 91-95.
- McGOLDRICK, P.J., DUNSTER, J., COOKE, D., AND AHEIMER, M., 1996, New observations from the Lady Loretta Zn-Pb-Ag deposit: towards a new genetic model (abstract), *in* Baker, T., Rotherham, J.K., Richmond, J.M., Mark, G., and Williams, P.J. (eds.), *MIC '96 - New Developments in Metallogenic Research: The McArthur-Mount Isa-Cloncurry Minerals Province*: ERGU Contribution 55, James Cook University, Queensland, 161 p.
- McILREATH, I.A. AND JAMES, N.P., 1979, Carbonate slopes, *in* Walker, R.G., (ed.), *Facies Models*: Geological Association of Canada, Geoscience Canada Reprint Series, v. 1, p. 133-149.
- McLAUGHLIN, J.J. AND NILSEN, T.H., 1982, Neogene non-marine sedimentation and tectonics in small pull-apart basins of the San Andreas fault system, Sonoma County, California: *Sedimentology*, v. 29, p. 865-876.
- McMANUS, A. AND WALLACE, M.W., 1992, Age of Mississippi Valley-type sulfides determined using cathodoluminescence cement stratigraphy, Lennard Shelf, Canning Basin, Western Australia: *Economic Geology*, v. 87, p. 189-193.
- MACHEL, H.G., 1985, Cathodoluminescence in calcite and dolomite and its chemical interpretation: *Geoscience Canada*, v. 12, p. 139-147.
- MALFAIT, B.T. AND VAN ANDEL, T.J., 1980, A modern oceanic hardground on the Carnegie Ridge in the eastern Equatorial Pacific: *Sedimentology*, v. 27, p. 497-496.
- MALTMAN, A.J., 1994, *The Geological Deformation of Sediments*: Chapman and Hall, London, 362 p.

- MARTIN, A., NISBET, E.G. AND BICKLE, M.J., 1980, Archaean stromatolites of the Belingwe Greenstone Belt, Zimbabwe (Rhodesia): *Precambrian Research*, v. 13, p. 337-362.
- MATTES, D.H. AND MOUNTJOY, E.W., 1980, Burial dolomitization of the Upper Devonian Miette buildup, Jasper National Park, Alberta, *in* Zenger, D.H., Dunham, J.B. and Ethington, R.L., *Concepts and Models of Dolomitization: Society of Economic Paleontologists and Mineralogists Special Publication*, v. 28, p. 259-297.
- MAZZULLO, S.J., 1980, Calcite pseudospar replacive of marine acicular aragonite, and implications for aragonite cement diagenesis: *Journal of Sedimentary Petrology*, v. 50, p. 409-422.
- MAZZULLO, S.J. AND CYS, J.M., 1979, Marine aragonite sea-floor growths and cements in Permian Phylloid algal mounds, Sacramento Mountains, New Mexico: *Journal of Sedimentary Petrology*, v. 49, no. 3, p. 917-936.
- MEYERS, W.J. AND LOHMANN, K.C., 1985, Isotope geochemistry of regionally extensive calcite cement zones and marine components in Mississippian Limestones, New Mexico, *in* Schneidermann, N. and Harris, P.M. (eds.), *Carbonate Cements: Society of Economic Paleontologists and Mineralogists Special Publication*, v. 36, p. 223-239.
- MIDDLETON, G.V. AND HAMPTON, M.A., 1976, Subaqueous sediment transport and deposition by sediment gravity flows, *in* Stanley, D.J. and Swift, D.J.P. (eds), *Marine Sediment Transport and Environmental Management: John Wiley*, New York, p.197-218.
- MONTY, C.L.V., 1976, The origin and development of crypt-algal fabrics, *in* Walter, M.R., (ed.), *Stromatolites: Developments in Sedimentology*, Elsevier, Amsterdam, p. 193-250.
- MOORE, C.H., 1985, Upper Jurassic cements: a case history, *in* Schneidermann, N. and Harris, P.M. (eds), *Carbonate Cements: Society of Economic Paleontologists and Mineralogists Special Publication*, v. 36, p. 291-308.
- MUIR, M.D., 1979, A sabkha model for deposition of part of the Proterozoic McArthur Group of the Northern Territory, and implications for mineralisation: *Bureau of Mineral Resources Journal of Australian Geology and Geophysics*, v. 4, p. 149-162.
- MUIR, M.D., 1983, Depositional environments of host rock to northern Australian lead-zinc deposits, with special reference to McArthur River: *Mineralogical Association of Canada Short Course Handbook*, v. 8, p. 141-174.
- MUIR, M.D., ARMSTRONG, K.J. AND JACKSON, M.J., 1980, Precambrian hydrocarbons in the McArthur Basin, Northern Territory: *Bureau of Mineral Resources Journal of Australian Geology and Geophysics*, v. 5, p. 301-304.
- MULLINS, H.T. AND VAN BUREN, 1979, Modern modified carbonate grain flow deposits: *Journal of Sedimentary Petrology*, v. 48, p. 747-752.
- MULLINS, H.T., AND HINE, A.C., 1989, Scalloped bank margins: Beginning of the end for carbonate platforms?: *Geology*, v. 17, p. 30-33.
- MULLINS, H.T., GARDULSKI, A.F. AND HINE, A.C., 1986, Catastrophic collapse of the west Florida carbonate platform margin: *Geology*, v. 14, p. 167-170.
- NARBONNE, G.M., KAUFMAN, A.J. AND KNOLL, A.H., 1994, Integrated chemostratigraphy and biostratigraphy of the Windermere Supergroup, northwestern Canada: Implications for Neoproterozoic correlations and the evolution of animals: *Geological Society of America Bulletin*, v. 106, p. 1281-1292.
- NEMEC, W. AND STEEL, R.J., 1984, Alluvial and coastal conglomerates: their significant features and some comments on gravelly mass-flow deposits, *in* Koster, E.H., and Steel, R.J. (eds), *Sedimentology of Gravels and Conglomerates: Canadian Society of Petroleum Geologists, Memoir 10*, p. 1-31.
- NEUDERT, M. AND MCGEOUGH, M., 1996, A tectonostratigraphic framework for the deposition of the upper McArthur Group, N.T. (abs), *in* Baker, T., Rotherham, J.K., Richmond, J.M., Mark, G., and Williams, P.J., (eds.), *MIC '96 - New*

- Developments in Metallogenic Research: The McArthur-Mount Isa-Cloncurry Minerals Province: ERGU Contribution 55, James Cook University, Queensland, 161 p.
- NIELSEN, P., SWEENEY, R., DICKSON, J.A.D., FALICK, A.E. AND KEPPENS, E., 1997, Spheroidal dolomites in Visean karst system - bacterial induced origin?: *Sedimentology*, v. 44, p. 177-195.
- NILSEN, T.H. AND MCLAUGHLIN, R.J., 1985, Comparison of tectonic framework and depositional patterns of the Hornelen strike-slip basin of Norway and the Ridge and Little Sulphur Creek strike-slip basins of California: *Society of Economic Paleontologists and Mineralogists Special Publication*, v. 37, p. 79-103.
- NILSEN, T.H. AND SYLVESTER, A.G., 1995, Strike-slip basins, *in* Busby, C.J. and Ingersoll, R.V. (eds), *Tectonics of Sedimentary Basins*: Blackwell Science, Cambridge, USA, p. 425-458.
- OEHLER, J.H. AND LOGAN, R.G., 1977, Microfossils, cherts and associated mineralisation in the Proterozoic McArthur (H.Y.C.) Lead-Zinc-Silver Deposit: *Economic Geology*, v. 72, p. 1393-1409.
- OPDYKE, B.N. AND WALKER, J.C.G., 1992, Return of the coral reef hypothesis: basin to shelf partitioning of CaCO_3 and its effect on atmospheric CO_2 : *Geology*, v. 20, p. 733-736
- PAGE, R.W., 1997, Geological constraints provided by U-Pb Zircon Dating of Basin Phases in the Lawn Hill and McArthur Basins (abs.): *Australian Geological Survey Organisation Record 1997/12*.
- PAVLOV, A.W., 1896, On dykes of Oligocene sandstone in the Neocomian clays of the district of Altayr in Russia: *Geological Magazine*, v. 3, p. 49-53.
- PIERRE, C. AND ROUCHY, J.M., 1988, The carbonate replacements after sulphate evaporites in the middle Miocene of Egypt: *Journal of Sedimentary Petrology*, v. 58, p. 446-456.
- PIETSCH, B.A., RAWLINGS, D.J., CREASER, P.M., KRUSE, P.D., AHMAD, P., FERERCZI, P.A. AND FINDHAMMER, T.L.R., 1991a, Bauhinia Downs: 1:250,000 Geological Map Series. Northern Territory Geological Survey Explanatory Notes SE53-3.
- PIETSCH, B.A., WYCHE, S., RAWLINGS, D.J., CREASER, P.M. AND FINDHAMMER, T.L.R., 1991b, McArthur River Region: 1:100,000 Geological Map Series. Northern Territory Geological Survey Explanatory Notes SE53-3.
- PIETSCH, B.A., PLUMB, K.A., PAGE, R.W., HAINES, P.W., RAWLINGS, D.J. AND SWEET, I.P., 1994, A revised stratigraphic framework for the McArthur Basin, Northern Territory (abs.): *Australasian Institute of Mining and Metallurgy Annual Conference Technical Program Proceedings*, Darwin, p. 135-138.
- PLAYFORD, P.E., 1984, Platform-margin and marginal-slope relationships in Devonian Reef Complexes of the Canning Basin, *in* Purcell, P.G., (ed.), *The Canning Basin, Western Australia: Proceedings of the Geological Society of Australia and the Petroleum Exploration Society of Australia Symposium*, Perth, p. 189-214.
- PLAYFORD, P.E. AND LOWRY, D.C., 1966, Devonian reef complexes of the Canning Basin, Western Australia.: *Geological Survey of Western Australia Bulletin 118*, 150 p.
- PLUMB, K.A., 1979, Structure and tectonic style of the Precambrian shields and platforms of northern Australia: *Tectonophysics*, v. 58, p. 291-325.
- PLUMB, K.A., 1994, Structural evolution of the McArthur Basin, Northern Territory, *in* Hallenstein, C.P., (ed.), *Australian mining looks north - the challenges and choices: Australasian Institute of Mining and Metallurgy Annual Conference Technical Program Proceedings*, p. 139-145.
- PLUMB, K.A. AND BROWN, M.C., 1973, Revised correlations and stratigraphic nomenclature in the Proterozoic carbonate complex of the McArthur Group, Northern Territory: *Bureau of Mineral Resources Bulletin 139*, p. 103-115.
- PLUMB, K.A. AND DERRICK, G.M., 1975, Geology of the Proterozoic rocks of the Kimberley to Mount Isa region, *in* Knight, C.L. (ed.), *Economic Geology of*

- Australia and Papua New Guinea I: Metals: Australasian Institute of Mining and Metallurgy Monograph, v. 5, p. 217-252.
- PLUMB, K.A. AND WELLMAN, P., 1987, McArthur Basin, Northern Territory: mapping of deep troughs using gravity and magnetic anomalies: Bureau of Mineral Resources Journal of Australian Geology and Geophysics, v. 10, p. 243-251.
- PLUMB, K.A., AHMAD, M. AND WYGRALAK, A.S., 1990, Mid-Proterozoic Basins of the North Australian Craton - Regional Geology and Mineralisation, *in* Hughes, F.E., (ed.), Geology of the Mineral Deposits of Australia and Papua New Guinea: Australasian Institute of Mining and Metallurgy Monograph, no. 14, p. 881-902.
- POPP, B.N. AND WILKINSON, B.H., 1983, Holocene lacustrine ooids from Pyramid Lake, Nevada, *in* Peryt, T.M., (ed.), Coated grains: Springer-Verlag, Berlin, p. 142-153.
- POWELL, T.G., JACKSON, M.J., SWEET, I.P., CRICK, I.H., BOREHAM, C.J. AND SUMMONS, R.E., 1987, Petroleum Geology and Geochemistry, Middle Proterozoic McArthur Basin: Bureau of Mineral Resources Record, 1987/48.
- PREZBINDOWSKI, D.R., 1985, Burial cementation - is it important? A case study, Stuart City trend, south-central Texas, *in* Schnedermann, N. and Harris, P.M., Carbonate cements: Society of Economic Paleontologists and Mineralogists Special Publication, v. 36, p. 241-264.
- RADKE, B.H. AND MATHIS, R.L., 1980, On the formation and occurrence of saddle dolomite: Journal of Sedimentary Petrology, v. 50, p. 1149-1168.
- RAWLINGS, D.J., *in prep*, Stratigraphic resolution of a multi-phase intracratonic basin system: the McArthur Basin, northern Australia.
- RAWLINGS, D.J., MADIGAN, T.L., PIETSCH, B.A. AND HAINES, P.W., 1993, Tawallah Range: 1:100,000 Geological Map Series. Northern Territory Geological Survey Explanatory Notes 6066
- RAWLINGS, D.J., HAINES, P.W., MADIGAN, T.L.A., PIETSCH, B.A., SWEET, I.P., PLUMB, K.A. AND KRASSAY, A.A., 1997, Arnhem Bay-Gove: 1:250,000 Geological Map Series. Northern Territory Survey Explanatory Notes SD 53-3,4.
- REID, R.P., MACINTYRE, I.G. AND JAMES, N.P., 1990, Internal precipitation of microcrystalline carbonate: a fundamental problem for sedimentologists: Sedimentary Geology, v. 68, p. 163-170.
- ROGERS, J.R. AND BULL, S.W., 1994, A tectono-stratigraphic model for the southern McArthur Basin (abs): Geological Society of Australia Abstracts, v. 37, p. 382.
- ROGERS, J.R., 1996, Geology and tectonic setting of the Tawallah Group, southern McArthur Basin, Northern Territory: Unpublished PhD thesis, University of Tasmania, 234 p.
- ROSSI, C. AND CANAVERAS, J.C., 1999, Pseudospherulitic fibrous calcite in paleo-groundwater, unconformity-related diagenetic carbonates (Paleocene of the Ager Basin and Miocene of the Madrid Basin, Spain): Journal of Sedimentary Research, v. 69, p. 224-238.
- SALLER, A.H., 1986, Radial calcite in lower Miocene strata, subsurface Enewetak Atoll: Journal of Sedimentary Petrology, v. 56, p. 743-762.
- SAMI, T.T. AND JAMES, N.P., 1993, Evolution of an early Proterozoic foreland basin carbonate platform, lower Pethei Group, Great Slave Lake, north-west Canada: Sedimentology, v. 40, p. 403-430.
- SAMI, T.T. AND JAMES, N.P., 1994, Peritidal carbonate platform growth and cyclicity in an early Proterozoic foreland basin, Upper Pethei Group, northwest Canada: Journal of Sedimentary Research, v. 64, p. 111-131.
- SAMI, T.T. AND JAMES, N.P., 1996, Synsedimentary cements as Paleoproterozoic platform building blocks, Pethei Group, northwestern Canada: Journal of Sedimentary Research, v. 66, p. 209-222.
- SANDBERG, P., 1975, New interpretations of Great Salt Lake ooids and of ancient non-skeletal carbonate mineralogy: Sedimentology, v. 22, p. 497-538.

- SANDBERG, P.A., 1983, An oscillating trend in Phanerozoic non-skeletal carbonate mineralogy: *Nature*, v. 305, p. 19-22.
- SANDBERG, P.A., 1985, Aragonite cements and their occurrence in ancient limestones, *in* Schneidermann, N and Harris, P.M. (eds.), *Carbonate Cements: Society of Economic Paleontologists and Mineralogists Special Publication No. 36*, p. 33-57.
- SCHEIBER, J., 1986, The possible role of benthic microbial mats during the formation of carbonaceous shales in shallow Mid-Proterozoic basins: *Sedimentology*, v. 33, p. 531-536.
- SCHLAGER, W. AND CAMBER, O., 1986, Submarine slope angles, drowning unconformities and self-erosion of limestone escarpments: *Geology*, v. 14, p. 762-765.
- SCHOPF, J.W. AND KLEIN, C. (eds.), 1992, *The Proterozoic biosphere - a multidisciplinary study*: Cambridge University Press, United Kingdom.
- SCHUBERT, C., 1980, Late-Cenozoic pull-apart basins, Bocono fault zone, Venezuelan Andes: *Journal of Structural Geology*, v. 2, p. 463-468.
- SCHUBERT, C., 1984, Basin formation along the Borono-Moron-El Pilar fault system, Venezuela: *Journal of Geophysical Research*, v. 89, p. 5711-5718.
- SELLEY, D., 1998, BCDC basin evolution: implications of macroscopic compressional geometries: AMIRA/ARC P384A Final Report, v. 2, p. 41-49 (unpublished).
- SEPKOSKI, J.J., 1982, Flat-pebble conglomerates, storm deposits, and the Cambrian bottom fauna, *in* Einsele, G. and Seilacher A., (eds), *Cyclic and Event Stratification*: New York, Springer-Verlag, p. 371-385.
- SHANMUGAM, 1996, High-density turbidity currents: are they sandy debris flows: *Journal of Sedimentary Research*, v. 66, p. 2-10.
- SIMS, J.D., 1975, Determining earthquake recurrence intervals from deformational structures in young lacustrine sediments: *Tectonophysics*, v. 29, p. 141-152.
- SOUTHGATE, P.N., BRADSHAW, B.E., JACKSON, M.J., KRASSAY, A.A., MCCONACHIE, B.A., SCOTT, D.L. AND WELLS, A.T., 1996, Integrated Proterozoic basin analysis: constructing a regional structural and sequence stratigraphic framework for northern Australia, *in* Baker, T., Rotherham, J.K., Richmond, J.M., Mark, G. and Williams, P.J. (eds.), *MIC '96 - New Developments in Metallogenic Research: The McArthur-Mount Isa-Cloncurry Minerals Province: ERGU Contribution 55*, James Cook University, Queensland, 161 p.
- SOUTHGATE, P.N., JACKSON, M.J. AND WINEFIELD, P.R., 1997, Sequence stratigraphy of the upper McArthur Group - Teena Dolomite to Looking Glass Formations (abs.): *Australian Geological Survey Organisation Record 1997/12*.
- SOUTHGATE, P.N., BRADSHAW, B.E., DOMAGALA, J., JACKSON, M.J., LINDSAY, J., IDNURM, M., KRASSAY, A.A., MCCONACHIE, B.A., PAGE, R., SAMI, T. AND SCOTT, D., in prep, Unravelling the stratigraphic architecture of Palaeoproterozoic Basins, northern Australia: *Australian Journal of Earth Sciences*.
- SPENCE, G.H. AND TUCKER, M.E., 1997, Genesis of limestone megabreccias and their significance in carbonate sequence stratigraphic models: a review: *Sedimentary Geology*, v. 112, p. 163-193.
- SPERO, H.J., BIJMA, J., LEA, D.W. AND BEMIS, B.E., 1997, Effect of seawater carbonate concentration on foraminiferal carbon and oxygen isotopes: *Nature*, v. 390, p. 497-500.
- STANLEY, H.E., 1991, Fractals and multifractals: the interplay of physics and geometry, *in* Bunde, A. and Havlin, S. (eds), *Fractals and Disordered Systems*: Springer-Verlag, Berlin, p. 1-49.
- STEEL, R. AND GLOPPEN, T.G., 1980, Late Caledonian (Devonian) basin formation, western Norway: signs of strike-slip tectonics during infilling: *International Association of Sedimentology Special Publication*, v. 4, p. 79-103.
- STEPHENS, D.I., 1997, EL's 9022, 9023 and 9325 - Willeray Project, McArthur Basin (Final Report): Northern Territory Department of Mines and Energy, Open File Company Report, p. 97-781 (unpublished).

- STEWART, W.D., DIXON, O.A. AND RUST, B.R., 1993, Middle Cambrian carbonate-platform collapse, southeastern Canadian Rocky Mountains: *Geology*, v. 21, p. 687-690.
- STRAUCH, F., 1966, Sedimentgänge von Tjörnes (Nord-Island) und ihre geologische Bedeutung: *N. Jb. Geol. Paläont. Abh.*, v. 124/3, p. 259-288.
- SUMNER, D.Y., 1995, Facies, Paleogeography and Carbonate Precipitation on the Archean (2520 Ma) Campbellrand-Malrani Carbonate Platform, Transvaal Supergroup, South Africa: Unpublished PhD Thesis, Massachusetts Institute of Technology, Cambridge, U.S.A., 516p.
- SUMNER, D.Y. AND GROTZINGER, J.P., 1996a, Were kinetics of Archean calcium carbonate precipitation related to oxygen concentration?: *Geology*, v. 24, no. 2, p. 119-122.
- SUMNER, D.Y. AND GROTZINGER, J.P., 1996b, Herringbone calcite: petrography and environmental significance: *Journal of Sedimentary Research*, v. 66, no. 3, p. 419-429.
- TEN HAVE, T. AND HEIJEN, W., 1985, Cathodoluminescence activation and zonation in carbonate rocks: an experimental approach: *Geologie en Mijnbouw*, v. 64, p. 297-310.
- TRENDALL, A.F. AND COCKBAIN, A.E., 1990, Introduction (Chapter 4), *in* *Geology and Mineral Resources of Western Australia*: Western Australia Geological Survey, Memoir 3, p. 291-293.
- TUCKER, M.E., 1982, Precambrian dolomites: petrographic and isotopic evidence that they differ from Phanerozoic dolomites: *Geology*, v. 10, p. 7-12.
- TUCKER, M.E., 1983, Diagenesis, geochemistry and origin of a Precambrian dolomite: the Beck Spring Dolomite of eastern California: *Journal of Sedimentary Petrology*, v. 53, p. 1097-1119.
- TUCKER, M.E. AND WRIGHT, V.P., 1990, *Carbonate Sedimentology*: Oxford, Blackwell Scientific Publications, 482 p.
- TURNER, E.C., NARBONNE, G.M. AND JAMES, N.P., 1993, Neoproterozoic reef microstructures from the Little Dal Group, northwestern Canada: *Geology*, v. 21, p. 259-262.
- VAIL, P.R., MITCHUM, R.M., TODD, R.G., WIDMIER, J.M., THOMPSON, S., SANGREE, J.B., BUBB, J.N. AND HATLELID, W.G., 1977, Seismic stratigraphy - applications to hydrocarbon exploration: *American Association of Petroleum Geologists Memoir*, v. 26, p. 49-212.
- VAN WAGONER, J.C., POSAMENTIER, H.W., MITCHUM, R.M., VAIL, P.R., SARG, J.F., LOUITT, T.S., AND HARDENBOL, J., 1987, An overview of the fundamentals of sequence stratigraphy and key definitions, *in* Wilgus, C.K., Posamentier, H.W., van Wagoner, J.C., Ross, A. and Kendall, C.G.St.C., (eds.), *Sea-level changes - an integrated approach*: Society of Economic Paleontologists and Mineralogists Special Publication, 42, p. 39-45.
- VASCONCELOS, C. AND MCKENZIE, J.A., 1997, Microbial mediation of modern dolomite precipitation and diagenesis under anoxic conditions (Lagoa Vermelha, Rio de Janeiro, Brazil): *Journal of Sedimentary Research*, v. 67, p. 378-390.
- VEIZER, J., 1983, Chemical diagenesis of carbonates: theory and application of trace element technique, *in* *Stable Isotopes in Sedimentary Geology*, Society of Economic Paleontologists and Mineralogists Short Course, no. 10, p. 3.1-3-100.
- VEIZER, J., PLUMB, K.A., CLAYTON, R.N., HINTON, R.W. AND GROTZINGER, J.P., 1992, Geochemistry of Precambrian carbonates, V. Late Palaeoproterozoic seawater: *Geochimica et Cosmochimica Acta*, v. 56, p. 2487-2501.
- VERA, J.A., MOLINA, J.M., MOLINA-DIAZ, A. AND RUIZ-ORTIZ, P.A., 1987, Bauxitas karsticas jurasicas en la zona subbetica (Zaradilla de Totana, prov. de Murcia, sureste de Espana): *Interpretacion paleogeografica: Acta geol. Hisp.*, v. 21-22, p. 351-360.

- WALKER, R.G., 1975, Generalized facies models for resedimented conglomerates of turbidite association: Geological Society of America Bulletin, v. 86, p. 737-748.
- WALKER, R.G. AND JAMES, N.P. (eds.), 1992, Facies models: Response to Sea Level Change: Geological Association of Canada, Geoscience Canada Reprint Series, v. 4, 409 p.
- WALKER, R.N., LOGAN, R.G. AND BINNEKAMP, J.G., 1978, Recent geological advances the HYC and associated deposits, McArthur River, Northern Territory: Journal of Geological Society of Australia, v. 24, p. 365-380.
- WALKER, R.N., MUIR, M.D., DIVER, W.L., WILLIAMS, N. AND WILKINS, N., 1977, Evidence of major sulphate evaporite deposits in the Proterozoic McArthur Group, Northern Territory, Australia: Nature, v. 265, p. 526-529.
- WALKER, R.N., GULSON, B. AND SMITH, J., 1983, The Coxco Deposit - a Proterozoic Mississippi Valley-Type Deposit in the McArthur River district, Northern Territory, Australia: Economic Geology, v. 78, p. 214-249.
- WALLACE, M.W., 1987, Sedimentology and diagenesis of Upper Devonian carbonates, Canning Basin, Western Australia: Unpublished PhD Thesis, University of Tasmania, 184 p.
- WALLACE, M.W., PLAYFORD, P.E. AND KERANS, C., 1991, Diagenesis in the Upper Devonian reef complexes of the Geikie Gorge Region, Canning Basin, Western Australia: American Association of Petroleum Geologists Bulletin, v. 75, p. 1018-1038.
- WALTER, M.R., 1996, Ancient hydrothermal ecosystems on Earth: a new palaeobiological frontier, *in* Bock, G.R. and Goode, J.A. (eds.), Evolution of hydrothermal ecosystems on Earth (and Mars?): John Wiley and Sons Inc., New York, p. 112-130.
- WALTER, M.R., GROTZINGER, J.P. AND SCHOPF, J.W., 1992, Proterozoic stromatolites, *in* Schopf, J.W. and Klein, C. (eds), The Proterozoic Biosphere: a multidisciplinary study: Cambridge University Press, New York, p. 507-509.
- WARREN, J.K., 1996, Evaporites, brines and base metals: what is an evaporite? Defining the rock matrix: Australian Journal of Earth Sciences, v. 43, p. 115-132.
- WARREN, J.K. AND KENDALL, C.G. ST C., 1985, Comparison of sequences formed in marine sabkha (subaerial) and salina (subaqueous) settings; modern and ancient: American Association of Petroleum Geologists Bulletin, v. 69, p. 1013-1023.
- WELLS, N.A., 1984, Sheet debris flow and sheetflood conglomerates in Cretaceous cool-maritime alluvial fans, South Orkney Islands, Antarctica, *in* Koster, E.H. and Steel, R.J., (eds.), Sedimentology of Gravels and Conglomerates: Canadian Society of Petroleum Geologists, Memoir 10, p. 133-145.
- WENDT, J., 1971, Genese und Fauna submariner und sedimentärer Spalten-füllungen im mediterranen Jura: Palaeontographica, v. 136, p. 122-192.
- WILKINSON, B.H., BUCZYNSKI, C. AND OWEN, R.M., 1984, Chemical control of carbonate phases: implications from Upper Pennsylvanian calcite-aragonite ooids of southeastern Kansas: Journal of Sedimentary Petrology, v. 54, p. 932-947.
- WILKINSON, B.H. AND GIVEN, R.K., 1986, Secular variation in abiotic marine carbonates: Constraints on Phanerozoic atmospheric carbon dioxide contents and oceanic Mg/Ca ratios: Journal of Geology, v. 94, p. 321-33.
- WILLIAMS, N., 1978a, Studies of the base-metal sulfide deposits at McArthur River, Northern Australia. I. The Cooley and Ridge deposits: Economic Geology, v. 73, p. 1005-1035.
- WILLIAMS, N., 1978b, Studies of the base-metal sulfide deposits at McArthur River, Northern Australia II. The sulfide-S and organic-C relationships of the concordant deposits and their significance: Economic Geology, v. 73, p. 1036-1056.
- WILLIAMS, N. AND LOGAN, R.G., 1981, Depositional environments of the sediments hosting the McArthur River stratiform Pb-Zn deposits (abs.), *in* Groves, D.I.,

- McNamara, K., Brown, R.G. and Johnstone, M.H., (eds.), Sediments through the ages. 5th Australian Geological Convention, Geological Society of Australia.
- WILLIAMS, N. AND LOGAN, R.G., 1986, Geology and evolution of the HYC stratiform Pb-Zn orebodies, Australia (abs.), *in* Turner, R.J.W. and Einaudi, M.T. (eds.), The Genesis of Stratiform Sediment-hosted Lead and Zinc Deposits: Conference Proceedings, Stanford University Publication Geological Sciences, v. 20, p. 57-60.
- WINEFIELD, P.R., in press, The development of late Palaeoproterozoic aragonitic seafloor cements within the McArthur Group of northern Australia: Society of Economic Paleontologists and Mineralogists Special Publication on Precambrian Carbonates.
- WINEFIELD, P.R., SELLEY, D. AND BULL, S.W., 1997a, Day 6 and Day 7 - McArthur Basin: P384A AMIRA/ARC Report No. 4, p. 53-85 (unpublished).
- WINEFIELD, P.R., SELLEY, D., AND BULL, S.W., 1997b, Examples of Syn-sedimentary deformation related to slope development in Proterozoic carbonates: Geological Society of Australia Abstracts, No. 47, p. 32.
- WINEFIELD, P.R., AND MCGOLDRICK, P., 1998. Evidence of Proterozoic primary CaCO_3 precipitation from the McArthur Group of northern Australia: Water-Rock Interaction Conference Proceedings, WRI-9, p. 373-376.
- WINEFIELD, P.R., COOKE, D.R., BULL, S.W. AND MCGOLDRICK, P.J., 1998, Geology and geochemistry of the Berjaya Pb-Zn Prospect, McArthur River region, Northern Territory: P384A AMIRA/ARC Final Report, v. 1, p. 45-54, (unpublished).
- WINTERER, E.L., METZLER, C.V. AND SARTI, M., 1991, Neptunian dykes and associated breccias (Southern Alps, Italy and Switzerland): role of gravity sliding in open and closed systems: *Sedimentology*, v. 38, p. 381-404.
- WINTERER, E.L. AND SARTI, M., 1994, Neptunian dykes and associated features in southern Spain: mechanics of formation and tectonic implications: *Sedimentology*, v. 41, p. 1109-1132.
- WOMER, M.B., 1986, Hydrocarbon occurrence and diagenetic history within Proterozoic sediments, McArthur River area, Northern Territory, Australia: Australian Petroleum Exploration Association (APEA) Journal, v. 26, p. 363-374.
- WOODCOCK, N.H., 1979a, Sizes of submarine slides and their significance: *Journal of Structural Geology*, v. 1, p. 137-142.
- WOODCOCK, N.H., 1979b, The use of slump structures as palaeoslope orientation indicators: *Sedimentology*, v. 26, p. 83-99.
- ZEEH, S., WALTER, U., KUHLEMANN, J., HERLEC, U., KEPPENS, E. AND BECHSTÄDT, T., 1997, Carbonate cements as a tool for fluid flow reconstruction: a study in parts of the Eastern Alps (Austria, Germany, Slovenia), *in* Montañez, I.P., Gregg, J.M. and Shelton, K.L., Basin-wide diagenetic patterns: integrated petrologic, geochemical, and hydrologic considerations: Society of Economic Paleontologists and Mineralogists Special Publication No. 57, p. 167-182.
- ZEIG, G.A., 1986, Stratigraphy and sedimentology of the middle Proterozoic Upper Newland Limestone, *in* Roberts, S.M. (ed.), Belt Supergroup: A Guide to Proterozoic Rocks of Western Montana and Adjacent Areas: Montana College of Mineral Science and Technology Special Publication, Butte, Montana, v. 94, p. 125-142.
- ZEMPOLICH, W.G. AND BAKER, P.A., 1993, Experimental and natural mimetic dolomitization of aragonitic ooids: *Journal of Sedimentary Research*, v. 63, p. 596-606.
- ZEMPOLICH, W.G., WILKINSON, B.H. AND LOHMANN, K.C., 1988, Diagenesis of late Proterozoic carbonates: the Beck Spring Dolomite of eastern California: *Journal of Sedimentary Petrology*, v. 58, p. 656-672.