

## A REVISION OF THE LEPIDOPTERA OF TASMANIA.

## Part II.

By

A. JEFFERIS TURNER, M.D., F.E.S., Brisbane.

(Read 8th August, 1927.)

It is necessary to make a few corrections and additions to Part I. *Chlorocoma assimilis*, Luc., was included owing to a misidentification, which I regret. It must be deleted; and so must *Ecpatites callipolia*, Turn., which is a synonym of *Mictodoca toxenta*, Meyr. An examination of specimens in the Littler collection shows that a few species from Broken Hill and South Australia received by him have by some mistake had Tasmanian labels affixed. I have, of course, not included these, and for the same reasons I think *Microdes typhopa*, Low., and *Sandava xylistis*, Swin., should also be deleted. The generic name *Pauroneura* was used earlier by me in the *Gelechiadæ*, I therefore propose to substitute the name *Pauridioneura* for the *Hyponomeutid* genus. The additions will be found below.

## NOTODONTOIDEA.

## LARENTIADÆ.

Omit *Euphyia languescens*, and substitute  
*bichromata*, Gn. P.L.S.N.S.W. 1890, p. 839  
 (*languescens*).

## BOARMIADÆ.

*Idiodes prionosema*, Turn. P.L.S.N.S.W. 1919, p. 291.  
 Strahan.

## NOCTUOIDEA.

## ARCTIADÆ.

*Amsacta*.

\**eurymochla*, Turn. P.R.S. Tas. 1926, p. 119.  
 Beaconsfield.

## NOCTUIDÆ.

*Agrotinæ*.

- Androdes*, Turn.  
*tibiata*, Gn. Cat. Lep. Phal. IV., p. 379. Beaconsfield.

## PSYCHOIDEA.

## LIMACODIDÆ.

- Doratifera oxleyi*, Newm. P.L.S.N.S.W. 1926, p. 419. Hobart.

## ZYGÆNOIDEA.

## ZYGÆNIDÆ.

- Pollanisus lithopastus*, Turn. P.L.S.N.S.W. 1926, p. 444. Hobart; Rosebery; Strahan.  
[Erroneously identified in Part I. with *cyanotus*, Meyr., a species which has not been taken in Tasmania. I no longer refer the *Zygænidæ* to the *Psychoidea*, but consider them a distinct super family.]

## PYRALOIDEA.

## PHYCITIDÆ.

- Ephestia*, Gn.  
*cautella*, Wlk. Brit. Lep., p. 373 (*ficulella*). Launceston. (Introduced.)  
*kuehniella*, Zel. Brit. Lep., p. 374. Launceston. (Introduced.)  
*Plodia*, Gn.  
*interpunctella*, Hb. Brit. Lep., p. 372. Launceston. (Introduced.)

## GALLERIADÆ.

- Eucallionyma*, Rag.  
*sarcodes*, Meyr. P.L.S.N.S.W. 1882, p. 172. Hobart; Launceston.

## CRAMBIDÆ.

- Platytes*, Gn. [This genus should replace *Thinasotia*, Hb., in Part I.]  
*\*contempta*, Turn. P.R.S. Tas. 1926, p. 120. Moina, 2,000 ft.

## PYRAUSTIDÆ.

- Hellula*, Gn.  
*undalis*, Fab. Delt & Pyr, p. 416 (*hydralis*). Launceston.

- Eclipsiodes drosera*, Meyr. Tr. E.S. 1897 p. 245. Hobart; Strahan.

- Scoparia chiasta*, Meyr. Tr. N.Z. Inst. 1884, p. 74. Launceston.

## PTEROPHORIDEA.

## PTEROPHORIDÆ.

- Omit *Platyptilia emissalis*, Wlk., and substitute *omissalis*, Fletcher. Tr. E.S. 1885, p. 448 (*emissalis*),

## TINEOIDEA.

## CARPOSINIDÆ.

- Bondia*, Newm.  
*nigella*, Newm. P.L.S.N.S.W. 1882, p. 182. Hobart  
*Carposina*, H-Sch.  
*mediella*, Wlk. P.L.S.N.S.W. 1881, p. 669 (*pteroconmana*). Mt. Wellington, 2,500 ft.; Deloraine.  
*petræa*, Meyr. P.L.S.N.S.W. 1910, p. 151. Strahan.  
*\*latebrosa*, Meyr. P.L.S.N.S.W. 1910, p. 153. Deloraine; Rosebery; Strahan.  
*Paramorpha*, Meyr.  
*semotheta*, Meyr. P.L.S.N.S.W. 1910, p. 154. Hobart; Mt. Wellington, 3,000 ft.; National Park, 2,000 ft.  
*\*eburneola*, Turn. P.R.S. Tas. 1926, p. 120. Rosebery.  
*Coscinoptycha*, Meyr.  
*improbana*, Meyr. P.L.S.N.S.W. 1881, p. 701. Launceston.  
*Sosineura*, Meyr.  
*mimica*, Low. Tr. R.S.S.A. 1893, p. 168. Hobart; Rosebery.  
PHALONIADÆ.  
*Heliocosma*, Meyr.  
*incongruana*, Wlk. P.L.S.N.S.W. 1881, p. 695. Hobart; St. Helen's; Lake Fenton, 3,500 ft.; Deloraine; Moina, 2,000 ft.; Cradle Mountain, 3,000 ft.; Strahan.  
*rhodopnoana*, Meyr. P.L.S.N.S.W. 1881, p. 694. St. Helen's.  
TORTRICIDÆ.  
*Proselena*, Meyr.  
*annosana*, Meyr. P.L.S.N.S.W. 1881, p. 421. Launceston.

*Isochorista*, Meyr.

- encotodes*, Meyr. P.L.S.N.S.W. 1910, p. 166. Mt. Wellington, 1,200 ft.; Burnie; Rosebery.  
*helota*, Meyr. P.L.S.N.S.W. 1910, p. 168. Deloraine.  
*panæolana*, Meyr. P.L.S.N.S.W. 1881, p. 426. Hobart; Mt. Wellington, 2,500 ft.; Zeehan.  
*chaodes*, Meyr. P.L.S.N.S.W. 1910, p. 168. Hobart; Mt. Wellington, 2,500 ft.; Eaglehawk Neck; Russell Falls; Lake Fenton, 3,500 ft.; Waratah.

*Pyrgotis*, Meyr.

- insignana*, Meyr. P.L.S.N.S.W. 1881, p. 440. Mt. Wellington, 2,500 ft.; Lake Fenton, 3,500 ft.; Beaconsfield; Deloraine; Cradle Mountain, 3,000 ft.

*Acropolitis*, Meyr.

- dolosana*, Wlk. P.L.S.N.S.W. 1881, p. 435. Deloraine.  
*impletana*, Wlk. P.L.S.N.S.W. 1881, p. 431. Hobart; Lake Fenton, 3,500 ft.  
*\*ergophora*, Meyr. P.L.S.N.S.W. 1910, p. 175. Hobart; Mt. Wellington, 2,500 ft.; Russell Falls; Bothwell; St. Helen's; Rosebery; Strahan.  
*\*ptychosema*, Turn. P.R.S. Tas. 1926, p. 121. Cradle Mountain, 3,000 ft.  
*rudis*, Wlk. P.L.S.N.S.W. 1910, p. 177. Hobart; Launceston; Burnie.  
*lignigerana*, Wlk. P.L.S.N.S.W. 1881, p. 437. Launceston; Beaconsfield.

*\*Alytopistis*, Meyr.

- \*tortricitella*, Wlk. Cat. Brit. Mus. XXXV., p. 1812.

*Batodes*, Gn.

- epiglypta*, Meyr. P.L.S.N.S.W. 1881, p. 462 (*conjunctana*). Launceston; Deloraine.  
*conjunctana*, Wlk. P.L.S.N.S.W. 1881, p. 461 (*hemicryptana*). St. Helen's; Launceston; Deloraine.

*Authomæma*, Turn.

- pentacosma*, Low. P.L.S.N.S.W. 1900, p. 409. Bothwell.

*\*Paraphyas*, Turn.

- \*callixena*, Turn. P.R.S. Tas. 1926, p. 122. Rosebery.

*Capua*, Stph.

- cosmopis*, Low. Tr. R.S.S.A. 1894, p. 87. Bothwell; Ross; Launceston.

*diemeniana*, Zel. P.L.S.N.S.W. 1910, p. 185.

*\*pentazona*, Low. P.L.S.N.S.W. 1910, p. 185. Hobart; Lake Fenton, 3,500 ft.; Deloraine; Cradle Mountain, 3,000 ft.; Zeehan.

*\*parastactis*, Meyr. P.L.S.N.S.W. 1910, p. 186. Deloraine.

*\*poliobaphes*, Turn. P.R.S. Tas. 1926, p. 122. Hobart; Mt. Wellington, 2,500 ft.

*\*asemantica*, Turn. P.R.S. Tas. 1926, p. 123. Wil-mot; Burnie.

*euphona*, Meyr. P.L.S.N.S.W. 1910, p. 189. Hobart; Bothwell; Launceston; Deloraine; Cradle Mountain, 3,000 ft.; Rosebery.

*\*nimboza*, Turn. P.R.S. Tas. 1926, p. 123. Launceston; Rosebery.

*dryina*, Meyr. P.L.S.N.S.W. 1910, p. 192. Deloraine.

*\*eugraptæ*, Turn. P.R.S. Tas. 1926, p. 124. Strahan.

*\*ephedra*, Meyr. P.L.S.N.S.W. 1910, p. 193. Mt. Wellington, 1,500 ft.

*\*thaleropsis*, Turn. P.R.S. Tas. 1926, p. 124. Rosebery; Strahan.

*vacuana*, Wlk. P.L.S.N.S.W. 1881, p. 448. Launceston.

*clarana*, Meyr. P.L.S.N.S.W. 1881, p. 475. Hobart; Campbell Town; St. Helen's; Deloraine; Wil-mot; Moina, 2,000 ft.

*hyperetana*, Meyr. P.L.S.N.S.W. 1881, p. 479. Hobart; Launceston; Deloraine.

*montivagana*, Meyr. P.L.S.N.S.W. 1881, p. 477. Hobart; Bothwell; Ross; St. Helen's; Deloraine; Wil-mot; Cradle Mountain, 3,000 ft.

*intractana*, Wlk. P.L.S.N.S.W. 1881, p. 454 (*sordidatana*). Hobart; Launceston; Deloraine.

*mersana*, Wlk. P.L.S.N.S.W. p. 452 (*chimerinana*). Hobart; Mt. Wellington; Bothwell; Ross; St. Helen's; Launceston; Deloraine.

*\*eucyclæ*, Turn. Tr. R.S.S.A. 1916, p. 509. Huon River.

*scotinopa*, Low. Tr. R.S.S.A. 1902, p. 235. Launceston.

*isocelana*, Meyr. P.L.S.N.S.W. 1881, p. 470. St. Helen's; Launceston; Zeehan.

*placozantha*, Low. Tr. R.S.S.A. 1896, p. 160. Hobart; Mt. Wellington, 1,500-2,500 ft.; Russell Falls; Wil-mot; Cradle Mountain, 3,000 ft.; Zeehan, Strahan.

- oxygrammana*, Meyr. P.L.S.N.S.W. 1881, p. 460. Hobart; Launceston.
- \**effulgens*, Meyr. P.L.S.N.S.W. 1910, p. 202. Zeehan.
- \**cirrhoptera*, Turn. P.R.S. Tas. 1926, p. 124. Cradle Mountain, 3,000 ft.
- Atelodora*, Meyr.
- pelochytana*, Meyr. P.L.S.N.S.W. 1881 p. 427. Deloraine.
- Homona*, Wlk.
- mediana*, Meyr. P.L.S.N.S.W. 1910, p. 210. Hobart; Deloraine.
- Cacæcia*, Hb.
- polygraphana*, Wlk. P.L.S.N.S.W. 1881, p. 495. Hobart; Mt. Wellington, 2,500 ft.; Russell Falls; Lake Fenton, 3,500 ft.; Campbell Town; St. Helen's; Launceston; Deloraine; Moina, 2,000 ft.; Cradle Mountain, 3,000 ft.; Burnie; Zeehan; Strahan.
- australana*, Lewin. P.L.S.N.S.W. 1881, p. 485. Launceston; Strahan.
- \**Epiphyas*, Turn.
- \**eucyrta*, Turn. P.R.S. Tas. 1926, p. 125. Beaconsfield; Rosebery; Strahan.
- \**chlidana* Turn. P.R.S. Tas. 1926, p. 126. Rosebery.
- Tortrix*, Lin.
- \**calculata*, Meyr. P.L.S.N.S.W. 1910, p. 223. Deloraine.
- \**incompta*, Turn. P.R.S. Tas. 1926, p. 126. Cradle Mountain, 3,000 ft.
- xyloides*, Meyr. P.L.S.N.S.W. 1910, p. 224. Hobart; Mt. Wellington, 2,500 ft.; Russell Falls; Lake Fenton, 3,500 ft.; Launceston; Cradle Mountain, 3,000 ft.; Burnie; Strahan.
- ashworthana*, Newm. P.L.S.N.S.W. 1881 p. 500 (*responsana*). Hobart; Bothwell; Launceston; Deloraine.
- postvittana*, Wlk. P.L.S.N.S.W. 1881, p. 502. Hobart; Mt. Wellington, 1,500-2,500 ft.; Russell Falls; Lake Fenton, 3,500 ft.; Bothwell; Launceston; Deloraine; Wilmot; Cradle Mountain, 3,000 ft.; Burnie; Rosebery; Zeehan; Strahan.
- caryotis*, Meyr. P.L.S.N.S.W. 1910, p. 227. Russell Falls; Burnie; Rosebery; Strahan.

- \**hemiphæna*, Turn. P.R.S. Tas. 1926, p. 126. Russell Falls; Zeehan.
- erysibodes*, Turn. Tr. R.S.S.A. 1916, p. 512. Bothwell.
- \**dotatana*, Wlk. P.L.S.N.S.W. 1910, p. 229.
- \**ophiodesma*, Low. P.L.S.N.S.W. 1910, p. 229. Russell Falls; Sheffield; Strahan.
- \**cetrata*, Meyr. P.L.S.N.S.W. 1910, p. 230. Hobart; Deloraine.
- \**arcaria*, Meyr. P.L.S.N.S.W. 1910, p. 231. Deloraine.
- \**lycodes*, Meyr. P.L.S.N.S.W. 1910, p. 232. Mt. Wellington, 3,500 ft.
- fabricata*, Meyr. P.L.S.N.S.W. 1910, p. 233. Lake Fenton, 3,500 ft.; Wilmot; Burnie.
- sobriana*, Wlk. P.L.S.N.S.W. 1881, p. 504 (*mnemosynana*). Hobart; Mt. Wellington, 2,500 ft.; Russell Falls.
- \**acrothecta*, Turn. P.R.S.Q. 1926, p. 128. Mt. Wellington, 2,500 ft.
- \**psapharana*, Meyr. P.L.S.N.S.W. 1882, p. 174. Hobart; Launceston.
- \**euides*, Turn. P.R.S. Tas. 1926, p. 127. Mt. Wellington, 2,500 ft.
- \**loxotoma*, Turn. P.R.S. Tas. 1926, p. 127. Mt. Wellington, 2,500 ft.
- \**plastica*, Meyr. P.L.S.N.S.W. 1910, p. 234. Hobart; Mt. Wellington, 2,500-3,000ft.; Russell Falls; Swansea; Cradle Mountain, 3,000 ft.; Burnie; Rosebery.
- spodota*, Meyr. P.L.S.N.S.W. 1910, p. 235. Mt. Wellington, 2,500-3,000 ft.
- stigmatias*, Meyr. P.L.S.N.S.W. 1910, p. 237. Deloraine.
- psarodes*, Meyr. P.L.S.N.S.W. 1910, p. 238. Hobart.
- laganodes*, Meyr. P.L.S.N.S.W. 1910 p. 238. Bothwell; Rosebery.
- \**astathmeta*, Turn. P.R.S. Tas. 1926, p. 128. Cradle Mountain, 3,000 ft.
- lythrodana*, Meyr. P.L.S.N.S.W. 1881, p. 497. Mt. Wellington; Lake Fenton, 3,500 ft.; Cradle Mountain, 3,000 ft.; Burnie; Strahan.
- amænana*, Wlk. P.L.S.N.S.W. 1881, p. 510. Moina, 2,000 ft.; Cradle Mountain, 3,000 ft.

- subfurcata*, Wlk. P.L.S.N.S.W. 1881, p. 511. Hobart; Parattah; St. Helen's; Launceston; Deloraine; Wilmot; Moina, 2,000 ft.; Cradle Mountain, 3,000 ft.; Guildford, 2,000 ft.
- hydractis*, Meyr. P.L.S.N.S.W. 1910, p. 244. Hobart; Cradle Mountain, 3,000 ft.
- \**polyphrica*, Turn. P.R.S. Tas. 1926, p. 129. Cradle Mountain, 3,000 ft.
- lathræa*, Meyr. P.L.S.N.S.W. 1910, p. 248. Deloraine.
- aulacana*, Meyr. P.L.S.N.S.W. 1881, p. 513. Deloraine.
- \**alysidina*, Turn. P.R.S. Tas. 1926, p. 129. Mt. Wellington, 2,500 ft.
- \**eucela*, Meyr. P.L.S.N.S.W. 1910, p. 250. Mt. Wellington, 3,000 ft.
- \**telephanta*, Meyr. P.L.S.N.S.W. 1910, p. 250. Mt. Wellington, 4,000 ft.; Lake Fenton, 3,500 ft.; Wilmot.
- tasmaniana*, Wlk. P.L.S.N.S.W. 1881, p. 524. Hobart; St. Helen's.
- \**schematica*, Turn. P.R.S. Tas. 1926, p. 130. Launceston; Wilmot.
- nephaula*, Meyr. P.L.S.N.S.W. 1910, p. 251. Mt. Wellington, 3,000-3,500 ft.; Lake Fenton, 3,500 ft.
- \**concinula*, Turn. P.R.S. Tas. 1926, p. 130. Mt. Wellington, 2,500 ft.
- \**polymicta*, Turn. P.R.S. Tas. 1926, p. 131. Mt. Wellington, 2,500 ft.
- liquidana*, Meyr. P.L.S.N.S.W. 1881, p. 505. Hobart; Mt. Wellington; Lake Fenton, 3,500 ft.; St. Helen's; Launceston; Cradle Mountain 3,000 ft.; Rosebery; Strahan.
- indigestana*, Meyr. P.L.S.N.S.W. 1881, p. 520. Hobart; St. Helen's; Zeehan; Strahan.
- concordana*, Meyr. P.L.S.N.S.W. 1881, p. 519. Hobart; Moina, 2,000 ft.
- concolorana*, Meyr. P.L.S.N.S.W. 1881, p. 522. Hobart; St. Helen's; Rosebery.
- \**dyschroa*, Turn. P.R.S. Tas. 1926, p. 131. Cradle Mountain, 3,000 ft.
- divulsana*, Wlk. P.L.S.N.S.W. 1881, p. 516 (*glaphyrana*). Hobart; Mt. Wellington, 2,500 ft.; Lake Fenton, 3,500 ft.; Bothwell; Ross; Launceston; Beaconsfield; Deloraine; Wilmot, Moina, 2,000 ft.; Zeehan.

- \**tenuijascia*, Turn. P.R.S. Tas. 1926, p. 131. Moina, 2,000 ft.; Cradle Mountain, 3,000 ft.

*Epichorista*, Meyr.

- \**serena*, Meyr. P.L.S.N.S.W. 1910, p. 256. Mt. Wellington, 2,000-2,500 ft.; Russell Falls; National Park, 2,000 ft.; Lake Fenton, 3,500 ft.; Cradle Mountain, 3,000 ft.
- \**smenodes*, Meyr. P.L.S.N.S.W. 1910, p. 256. Hobart.
- \**camacinana*, Meyr. P.L.S.N.S.W. 1881, p. 172. Hobart; Mt. Wellington, 2,000-2,500 ft.; Deloraine; Wilmot.
- \**therina*, Meyr. P.L.S.N.S.W. 1910, p. 259. Deloraine.

*Arotrophora*, Meyr.

- arctuatialis*, Wlk. P.L.S.N.S.W. 1881, p. 530. Launceston.
- \**pirastis*, Meyr. P.L.S.N.S.W. 1910, p. 263. Deloraine.
- anemarcha*, Low. P.L.S.N.S.W. 1910, p. 264. Launceston.
- castanea*, Meyr. P.R.S. Tas. 1926, p. 132. Lake Fenton, 3,500 ft.
- hemerana*, Meyr. P.L.S.N.S.W. 1882, p. 176. Mt. Wellington, 3,000 ft.
- lividana*, Meyr. P.L.S.N.S.W. 1881, p. 531. Hobart; St. Helen's; Launceston.
- anaptis*, Meyr. P.L.S.N.S.W. 1910, p. 269. St. Helen's.

*Cnephasia*, Curtis.

- \**phosphora*, Meyr. P.L.S.N.S.W. 1910, p. 274. Mt. Wellington, 2,500-3,000 ft.
- \**crotala*, Meyr. P.L.S.N.S.W. 1910, p. 276. Deloraine.
- stereodes*, Meyr. P.L.S.N.S.W. 1910, p. 277. Mt. Wellington; Launceston; Deloraine.
- \**fractifascia*, Turn. P.R.S. Tas. 1926, p. 134. Russell Falls, Lake Fenton, 3,500 ft.; Cradle Mountain, 3,000 ft.
- \**contortula* Turn. P.R.S. Tas. 1926, p. 134. Wilmot.
- \**gnophodryas*, Low. P.R.S. Tas. 1926, p. 133. Hobart; Mt. Wellington, 2,500 ft.; Russell Falls; National Park, 2,000 ft.; Lake Fenton, 3,500 ft.; Wilmot; Moina, 2,000 ft.; Cradle Mountain, 3,000 ft.

*Scolioplecta*, Meyr.

*comptana*, Wlk. P.L.S.N.S.W. 1881, p. 646. Hobart; Campbell Town; St. Helen's; Launceston; Strahan.

## EUCOSMIDÆ.

*Hermenias*, Meyr.

*epidola*, Meyr. P.L.S.N.S.W. 1911, p. 225. Hobart; Swansea; Deloraine.

*imbrifera*, Meyr. P.L.S.N.S.W. 1911, p. 226. Launceston.

*Bathrotoma*, Meyr.

*constrictana*, Meyr. P.L.S.N.S.W. 1881, p. 675. Rosebery; Zeehan; Strahan.

*Spilonota*, Stph.

\**hypomolybda*, Turn. P.R.S. Tas. 1926, p. 135. Launceston.

*macropetana*, Meyr. P.L.S.N.S.W. 1881, p. 683. Hobart; Launceston; Strahan.

*ejectana*, Wlk. P.L.S.N.S.W. 1881, p. 681. Hobart; Russell Falls; St. Helen's; Beaconsfield; Strahan.

\**chalcitis*, Meyr. P.L.S.N.S.W. 1911, p. 231. Launceston.

\**tarachodes*, Meyr. P.L.S.N.S.W. 1911, p. 231. Mt. Wellington, 3,500 ft.

\**argyrotypa*, Turn. P.R.S. Tas. 1926, p. 135. Cradle Mountain, 3,000 ft.

*morosa*, Meyr. P.L.S.N.S.W. 1911, p. 232. Deloraine.

*tranquilla*, Meyr. P.L.S.N.S.W. 1911, p. 233. Deloraine; Rosebery.

*honesta*, Meyr. P.L.S.N.S.W. 1911, p. 233. Hobart; Deloraine; Cradle Mountain 3,000 ft.; Rosebery.

*Acroclita*, Led.

*longestriata*, Drnt. P.L.S.N.S.W. 1911, p. 235. Deloraine; Moina, 2,000 ft.; Cradle Mountain, 3,000 ft.

\**stilpna*, Turn. Tr. R.S.S.A. 1925, p. 55. Lake Fenton, 3,500 ft.; Cradle Mountain, 3,000 ft.; Rosebery; Strahan.

*fidana*, Meyr. P.L.S.N.S.W. 1881, p. 667. St. Helen's; Rosebery.

*biscissana*, Meyr. P.L.S.N.S.W. 1881, p. 674. St. Helen's.

*perspectana*, Wlk. P.L.S.N.S.W. 1881, p. 671. Hobart; Zeehan.

*thalassinana*, Meyr. P.L.S.N.S.W. 1881, p. 672. Strahan.

*Eucosma*, Hb.

*triangulana*, Meyr. P.L.S.N.S.W. 1881, p. 670. Hobart; Bothwell; St. Helen's; Launceston.

*plebeiana*, Zel. P.L.S.N.S.W. 1881, p. 659. Launceston. (Introduced.)

*Laspeyresia*, Hb.

*pomonella*, Lin. P.L.S.N.S.W. 1881, p. 657. Hobart; Launceston. (Introduced.)

## ÆGERIADÆ.

*Trochilium*, Scop.

*tipuliforme*, Clerck. Brit. Ent., p. 565. Launceston. (Introduced.)

## ELACHISTIDÆ.

*Batrachedra*, Sttn.

*arenosella*, Wlk. P.L.S.N.S.W. 1897, p. 302. Mt. Wellington; Deloraine.

\**metaxias*, Meyr. P.L.S.N.S.W. 1897, p. 303. Mt. Wellington, 2,500 ft.

*sterilis*, Meyr. P.L.S.N.S.W. 1897, p. 304. Hobart; Launceston.

*helarcha*, Meyr. P.L.S.N.S.W. 1897, p. 305. St. Helen's; Deloraine.

\**ditrota*, Meyr. P.L.S.N.S.W. 1897, p. 305. Launceston; Deloraine.

*liopis*, Meyr. P.L.S.N.S.W. 1897, p. 308. Campbell Town.

*plagiocentra*, Meyr. P.L.S.N.S.W. 1897, p. 309.

*Labdia*, Wlk.

*arimaspi*, Meyr. P.L.S.N.S.W. 1897, p. 347. Launceston.

*autotoma*, Meyr. Exot. Micro. II., p. 284. Deloraine.

*oxysema*, Meyr. P.L.S.N.S.W. 1897, p. 351. Swansea.

*anarithma*, Meyr. P.L.S.N.S.W. 1897, p. 355. St. Helen's; Deloraine.

*seminostola*, Meyr. P.L.S.N.S.W. 1897, p. 356. Hobart; Campbell Town.

*Limnæcia*, Sttn.

\**trisema*, Meyr. P.L.S.N.S.W. 1897, p. 361. Hobart; Mt. Wellington, 2,500 ft.

- leptomeris*, Meyr. P.L.S.N.S.W. 1897, p. 362. Campbell Town.
- scoliosema*, Meyr. P.L.S.N.S.W. 1897, p. 366. Launceston; Wilmot.
- camptosema*, Meyr. P.L.S.N.S.W. 1897, p. 366. Mt. Wellington.
- Zapyrastra*, Meyr.
- calliphana*, Meyr. P.L.S.N.S.W. 1897, p. 368. Hobart; Deloraine.
- Microcolona*, Meyr.
- crypsicasis*, Meyr. P.L.S.N.S.W. 1897, p. 373. Deloraine.
- nodata*, Meyr. P.L.S.N.S.W. 1897, p. 373. Deloraine.
- epizutha*, Meyr. P.L.S.N.S.W. 1897, p. 376. Hobart.
- arizela*, Meyr. P.L.S.N.S.W. 1897, p. 378. Hobart.
- Syntomactis*, Meyr.
- ochlopa*, Meyr. P.L.S.N.S.W. 1897, p. 381. St. Helen's.
- Heliozela*, H-Sch.
- prodela*, Meyr. P.L.S.N.S.W. 1897, p. 404. Deloraine.
- \*anantia*, Meyr. P.L.S.N.S.W. 1897, p. 405. Deloraine.
- \*Pseliastis*, Meyr.
- \*spectropa*, Meyr. P.L.S.N.S.W. 1897, p. 407.
- \*trizona*, Meyr. P.L.S.N.S.W. 1897, p. 407. Hobart.
- \*xanthodisca*, Meyr. P.L.S.N.S.W. 1897, p. 407. Hobart.
- Hoplophanes*, Meyr.
- phæochalcha*, Meyr. P.L.S.N.S.W. 1897, p. 414. Cradle Mountain, 3,000 ft.
- \*Dicasteris*, Meyr.
- \*leucastra*, Meyr. Tr. R.S.S.A. 1906, p. 55.
- Notodryas*, Meyr.
- aëria*, Meyr. P.L.S.N.S.W. 1897, p. 427. Deloraine.
- Epermenia*, Hb.
- eurybias*, Meyr. P.L.S.N.S.W. 1897, p. 429. Hobart; Strahan.
- opsias*, Meyr. P.L.S.N.S.W. 1897, p. 430. Deloraine.
- \*aphronesa*, Meyr. P.L.S.N.S.W. 1897, p. 431.
- Elachista*, Treits.
- synethes*, Meyr. P.L.S.N.S.W. 1897, p. 333. Hobart; St. Helen's; Deloraine.
- gerasmia*, Meyr. P.L.S.N.S.W. 1897, p. 334. Hobart.

- cycotis*, Meyr. P.L.S.N.S.W. 1897, p. 335. Mt. Wellington, 4,000 ft.; Deloraine; Moina, 2,000 ft.
- \*catarata*, Meyr. P.L.S.N.S.W. 1897, p. 338. Deloraine.
- \*diatoma*, Turn. P.R.S. Tas. 1926, p. 136. Cradle Mountain, 3,000 ft.

- Rhadinastis*, Meyr.
- sideropa*, Meyr. P.L.S.N.S.W. 1897, p. 312. Deloraine.
- Coleophora*, Hb.
- deauratella*, Zel. P.R.S. Tas. 1926, p. 136. Hobart; Wilmot; Burnie; Rosebery; Strahan (*Introduced.*)

## GELECHIADÆ.

- Apatetris*, Stgr.
- \*acrocola*, Turn. P.R.S. Tas. 1926, p. 136. Wilmot.
- \*niphaula*, Meyr. P.L.S.N.S.W. 1904, p. 263. Launceston.
- \*miarodes*, Meyr. P.L.S.N.S.W. 1904, p. 263. St. Helen's.
- leucomichla*, Meyr. P.L.S.N.S.W. 1904, p. 265. Deloraine.
- spectrella*, Meyr. P.L.S.N.S.W. 1904, p. 266. Deloraine.
- \*hyperænicta*, Turn. P.R.S. Tas. 1926, p. 137. Strahan.
- Pycnostola*, Meyr.
- stalactis*, Meyr. P.L.S.N.S.W. 1904, p. 271. St. Helen's.
- actias*, Meyr. P.L.S.N.S.W. 1904, p. 272. Hobart.
- Megacraspedus*, Zel.
- platyleuca*, Meyr. P.L.S.N.S.W. 1904, p. 274. Deloraine.
- inficeta*, Meyr. P.L.S.N.S.W. 1904, p. 277. St. Helen's.
- niphodes*, Low. P.L.S.N.S.W. 1904, p. 278. Deloraine.
- pityritis*, Meyr. P.L.S.N.S.W. 1904, p. 278. Campbell Town; Launceston.
- popularis*, Meyr. P.L.S.N.S.W. 1904, p. 282. Hobart; Deloraine.
- Iulota*, Meyr.
- \*triglossa*, Meyr. P.L.S.N.S.W. 1904, p. 284. Deloraine.

- epispila*, Low. P.L.S.N.S.W. 1904, p. 284. Hobart; St. Helen's.
- Aristotelia*, Hb.
- furtiva*, Meyr. P.L.S.N.S.W. 1904, p. 288. St. Helen's.
- thetica*, Meyr. P.L.S.N.S.W. 1904, p. 289. Hobart; St. Helen's.
- centrosema*, Low. P.L.S.N.S.W. 1904, p. 291. Hobart; Swansea; Launceston; Deloraine.
- \*bacillum*, Turn. P.R.S. Tas. 1926, p. 137. Strahan.
- Thiotricha*, Meyr.
- parthenica*, Meyr. P.L.S.N.S.W. 1904, p. 297. St. Helen's; Launceston; Rosebery; Strahan.
- Stomopteryx*, Hein.
- simplicella*, Wlk. P.L.S.N.S.W. 1904, p. 305. Launceston; Deloraine.
- Macrenches*, Meyr.
- clerica*, Rosen. P.L.S.N.S.W. 1904, p. 307. Hobart; Bothwell; Launceston; Beaconsfield; Rosebery.
- Phthorimæa*, Meyr.
- operculella*, Zel. P.L.S.N.S.W. 1904, p. 316. Hobart. (Introduced.)
- Epibrontis*, Meyr.
- hemichlæna*, Low. P.L.S.N.S.W. 1904, p. 324. Hobart.
- Epimimastis*, Meyr.
- porphyroloma*, Low. P.L.S.N.S.W. 1904, p. 325. Campbell Town; Launceston; Rosebery.
- Sphaleractis*, Meyr.
- platyleuca*, Low. P.L.S.N.S.W. 1904, p. 329. St. Helen's.
- epiclysta*, Meyr. Exot. Micro. II., p. 299 (1920). St. Helen's; Launceston.
- Hemiarcha*, Meyr.
- thermochroa*, Low. P.L.S.N.S.W. 1904, p. 332. Hobart; Wilmot.
- Protolechia*, Meyr.
- crypsibatis*, Meyr. P.L.S.N.S.W. 1904, p. 344. Deloraine.
- \*cladara*, Meyr. P.L.S.N.S.W. 1904, p. 346. Hobart.
- \*chionoprora*, Turn. P.R.S. Tas. 1926, p. 138. Rosebery.
- \*mechanistis*, Meyr. P.L.S.N.S.W. 1904, p. 360. Hobart; Evandale.

- mesochra*, Low. P.L.S.N.S.W. 1904, p. 365. Launceston.
- \*crypsicæca*, Turn. P.R.S. Tas. 1926, p. 138. Cradle Mountain, 3,000 ft.
- phasianis*, Meyr. P.L.S.N.S.W. 1904, p. 382. Launceston.
- eumela*, Low. P.L.S.N.S.W. 1904, p. 382. Launceston.
- Orthoptila*, Meyr.
- abruptella*, Wlk. P.L.S.N.S.W. 1904, p. 392. Launceston.
- Crocantbes*, Meyr.
- prasinopis*, Meyr. P.L.S.N.S.W. 1904, p. 399. Hobart; Launceston.
- glycina*, Meyr. P.L.S.N.S.W. 1904, p. 400. Hobart; Launceston; Beaconsfield.
- Lecithocera*, H-Sch.
- terrigena*, Meyr. P.L.S.N.S.W. 1904, p. 406. Launceston.
- Hyodectis*, Meyr.
- crenoides*, Meyr. P.L.S.N.S.W. 1904, p. 411. Strahan.
- Anarsia*, Zel.
- dryinopa*, Low. P.L.S.N.S.W. 1904, p. 416. Hobart; Bothwell; Launceston.
- XYLORYCTIDÆ.
- Cryptophasa*, Lewin.
- albicosta*, Lewin. Tr. R.S.S.A. 1890, p. 33. Hobart; St. Helen's; Launceston.
- Tymbophora*, Meyr.
- peltastis*, Meyr. Tr. R.S.S.A. 1890, p. 56. Launceston.
- Xylorycta*, Meyr.
- parabolella*, Meyr. Tr. R.S.S.A. 1890, p. 63. Hobart.
- \*bipunctella*, Wlk. Tr. R.S.S.A. 1890, p. 63. Launceston.
- argentella*, Wlk. Tr. R.S.S.A. 1890, p. 60. Hobart; Launceston; Deloraine.
- micracma*, Meyr. Tr. R.S.S.A. 1890, p. 64. Beaconsfield; Deloraine.
- Lichenaula*, Meyr.
- calligrapha*, Meyr. Tr. R.S.S.A. 1890, p. 48. Launceston.



- arisema*, Meyr. Tr. R.S.S.A. 1890, p. 48. St. Helen's.  
*Maroga*, Wlk.  
*unipunctana*, Don. Tr. R.S.S.A. 1890, p. 40. Hobart; Launceston.  
*Chalarotona*, Meyr.  
 \**insincera*, Meyr. Tr. R.S.S.A. 1890 p. 66. Hobart; Deloraine.  
*Scieropepla*, Meyr.  
*polyxesta*, Meyr. Tr. R.S.S.A. 1890, p. 67. Hobart; Lake Fenton, 3,500 ft.; Launceston; Deloraine.  
*rimata*, Meyr. Tr. R.S.S.A. 1890, p. 69. Campbell Town; St. Helen's.  
*serina*, Meyr. Tr. R.S.S.A. 1890, p. 70. Hobart; Launceston.  
*Agriophara*, Rosen.  
*gravis*, Meyr. Tr. R.S.S.A. 1890, p. 77. Deloraine.  
*discobola*, Turn. Ann. Queens. Mus. IV., p. 32 (1897). St. Helen's; Launceston.  
 \**diminuta*, Rosen, Tr. R.S.S.A. 1890, p. 79. Launceston.  
*cinerosa*, Rosen. Tr. R.S.S.A. 1890, p. 78. Hobart; Russell Falls; Bothwell; Ross.

## CECOPHORIDÆ.

- Macrobathra*, Meyr.  
*nephelomorpha*, Meyr. P.L.S.N.S.W. 1885, p. 820. Hobart; Launceston; Beaconsfield.  
*ceraunobola*, Meyr. P.L.S.N.S.W. 1885, p. 818. Hobart; Bothwell; Ross.  
*synastra*, Meyr. P.L.S.N.S.W. 1885, p. 815. St. Helen's.  
*alternatella*, Wlk. P.L.S.N.S.W. 1885, p. 812. Hobart; Rosebery.  
 \**heminephela*, Meyr. P.L.S.N.S.W. 1885, p. 806. Hobart; Launceston.  
 \**dasyplaca*, Low. Tr. R.S.S.A. 1894, p. 103. Windermere.  
 \**anemarcha*, Meyr. P.L.S.N.S.W. 1885, p. 805. Launceston.  
 \**asemanta*, Low. Tr. R.S.S.A. 1894, p. 103. Windermere.  
*chrysotoxa*, Meyr. P.L.S.N.S.W. 1885, p. 804. Hobart; Bothwell; Launceston; Beaconsfield.

- Ochlogenes*, Meyr.  
*advectella*, Wlk. P.L.S.N.S.W. 1885, p. 797. Launceston.  
*Paratheta*, Meyr.  
*syrtica*, Meyr. Tr. R.S.S.A. 1902, p. 174. Hobart; Campbell Town; Launceston.  
*Disselia*, Meyr.  
*aleurota*, Meyr. P.L.S.N.S.W. 1885, p. 799. Campbell Town; St. Helen's; Launceston; Deloraine.  
*Eudrosia*, Hb.  
*lactella*, Schif. P.L.S.N.S.W. 1897, p. 426. Hobart; Campbell Town; Swansea; Launceston; Deloraine; Strahan. (*Introduced.*)  
*Borkhausenia*, Hh.  
*anthemodes*, Meyr. P.L.S.N.S.W. 1885, p. 780. Mt. Wellington; Russell Falls; Zeehan.  
*lychnosema*, Meyr. P.L.S.N.S.W. 1885, p. 787. St. Helen's.  
*eremæa*, Meyr. P.L.S.N.S.W. 1885, p. 783. Mt. Wellington, 2,500 ft.  
*lymphatica*, Meyr. P.L.S.N.S.W. 1885, p. 785. Hobart; Deloraine.  
*crymorrhœa*, Meyr. P.L.S.N.S.W. 1883, p. 1669. Mt. Wellington, 2,500-3,000 ft.; Lake Fenton, 3,500 ft.; Cradle Mountain, 3,000 ft.  
*canephora*, Meyr. P.L.S.N.S.W. 1883, p. 339. Hobart; Mt. Wellington, 2,500 ft.; Lake Fenton 3,500 ft.; Bothwell; Launceston; Beaconsfield; Cradle Mountain 3,000 ft.  
*eurrhoa*, Meyr. P.L.S.N.S.W. 1885, p. 789. Launceston; Rosebery.  
*trivialis*, Meyr. Exot. Micro. I., p. 172. Deloraine.  
 \**acalles*, Turn. P.R.S. Tas. 1926, p. 139. Mt. Wellington, 2,500 ft.  
*pseudopretella*, Sttn. P.L.S.N.S.W. 1885, p. 782. In all houses. (*Introduced.*)  
*Leptocroca*, Meyr.  
 \**epimicta*, Meyr. P.L.S.N.S.W. 1885, p. 786. Russell Falls; Deloraine.  
 \**amydrosema*, Low. Tr. R.S.S.A. 1903, p. 227. Mt. Wellington, 2,500 ft.; Russell Falls; Wilmot.  
 \**vicæa*, Meyr. Tr. R.S.S.A. 1902, p. 147.

\**eucentra*, Turn. P.R.S. Tas. 1926, p. 139. Mt. Wellington, 2,500 ft.; Russell Falls; Lake Fenton, 3,500 ft.; Moina, 2,000 ft.; Cradle Mountain, 3,000 ft.

\**silicolor*, Turn. P.R.S. Tas. 1926, p. 140. Mt. Wellington, 2,500 ft.

*Ioptera*, Meyr.

*aristogona*, Meyr. P.L.S.N.S.W. 1883, p. 345. Launceston.

*demica*, Meyr. P.L.S.N.S.W. 1888, p. 1589. Hobart; Launceston.

*Locheutis*, Meyr.

\**philochlora*, Meyr. P.L.S.N.S.W. 1883, p. 342. Deloraine.

\**desmophora*, Meyr. P.L.S.N.S.W. 1883, p. 343. Mt. Wellington, 1,000-4,000 ft.

\**periscia*, Meyr. P.L.S.N.S.W. 1888, p. 1589. Campbell Town; Launceston.

\**dolichotricha*, Turn. P.R.S. Tas. 1926, p. 140. Mt. Wellington, 2,500 ft.

\**inconcinna*, Turn. P.R.S. Tas. 1926, p. 141. Mt. Wellington, 2,500 ft.

*Enochroa*, Meyr.

*thermistis*, Low. Tr. R.S.S.A. 1896, p. 166. St. Helen's.

*homora*, Meyr. Tr. R.S.S.A. 1902, p. 152. Hobart.

*iobaphes*, Meyr. P.L.S.N.S.W. 1883, p. 330. St. Helen's.

\**phaenochyta*, Turn. P.R.S. Tas. 1926, p. 141. Russell Falls; Moina, 2,000 ft.

*Trachypepla*, Meyr.

*chari erga*, Meyr. P.L.S.N.S.W. 1888, p. 1566. Deloraine.

\**hemicarpa*, Meyr. P.L.S.N.S.W. 1887 p. 954. Launceston; Deloraine.

*capsellata*, Meyr. Exot. Micro. I., p. 157. Bothwell; Ross; Launceston; Beaconsfield; Moina, 2,000 ft.; Burnie.

\**glebifera*, Turn. P.R.S. Tas. 1926, p. 142. Bothwell.

*Barea*, Wlk.

\**heterophanes*, Turn. P.R.S. Tas. 1926, p. 143. Mt. Wellington; Russell Falls; Rosebery; Zeehan; Strahan.

*atmosphora*, Turn. P.L.S.N.S.W. 1916, p. 345. Hobart; Launceston; Burnie.

*melanodelta*, Meyr. P.L.S.N.S.W. 1883, p. 359. Launceston.

\**epethistis*, Meyr. Tr. R.S.S.A. 1902, p. 154. Russell Falls; Launceston; Beaconsfield; Deloraine; Burnie; Strahan.

*micropis*, Meyr. P.L.S.N.S.W. 1888, p. 1593. Zeehan.

*banausa*, Meyr. P.L.S.N.S.W. 1883, p. 356. Deloraine;

*arbitra*, Meyr. Exot. Micro. I., p. 167. Rosebery; Strahan.

*psephophora*, Meyr. P.L.S.N.S.W. 1883, p. 352. Hobart; Mt. Wellington, 3,500 ft.; Russell Falls; Lake Fenton, 3,500 ft.; St. Helen's; Launceston; Deloraine.

\**hypselotropha*, Turn. P.R.S. Tas. 1926, p. 143. Cradle Mountain, 3,000 ft.

\**semocausta*, Meyr. P.L.S.N.S.W. 1883, p. 350. Hobart; Russell Falls; Deloraine; Zeehan.

\**helica*, Meyr. P.L.S.N.S.W. 1883, p. 351. Deloraine.

*hyperarcha*, Meyr. P.L.S.N.S.W. 1888, p. 1591. Russell Falls; Bothwell.

*asbolæa*, Meyr. P.L.S.N.S.W. 1883, p. 349. Deloraine; Strahan.

\**psologramma*, Turn. P.L.S.N.S.W. 1916, p. 345. Hobart; Russell Falls; Launceston.

\**Memeristis*, Meyr.

\**spodiæa*, Meyr. Exot. Micro. I., p. 298. St. Helen's;

\**Orescoa*, Turn.

\**homoconia*, Turn. P.R.S. Tas. 1926, p. 142. Mt. Wellington, 2,500 ft.; Lake Fenton, 3,500 ft.

*Eulechria*, Meyr.

*suppletella*, Wlk. P.L.S.N.S.W. 1888, p. 1585. Deloraine.

\**anomophanes*, Turn. P.R.S. Tas. 1926, p. 144. Mt. Wellington, 2,500 ft.

*aërodes*, Meyr. P.L.S.N.S.W. 1883, p. 321. Deloraine; Evandale.

*xylopterella*, Meyr. P.L.S.N.S.W. 1882, p. 543. Launceston.

*textilis*, Meyr. Tr. R.S.S.A. 1906, p. 36. Campbell Town.

- elaphia*, Meyr. P.L.S.N.S.W. 1883, p. 346. Hobart; Deloraine.
- adoxella*, Meyr. P.L.S.N.S.W. 1882, p. 540. Hobart; St. Helen's.
- \**ductaria*, Meyr. Exot. Micro. I., p. 159. Mt. Wellington; Lake Fenton, 3,500 ft.; Cradle Mountain, 3,000 ft.
- \**sciaphila*, Turn. P.R.S. Tas. 1926, p. 144. Lake Fenton, 3,500 ft.
- \**styracista*, Meyr. Exot. Micro. II., p. 370. Hobart.
- \**oxypeuces*, Turn. P.R.S. Tas. 1926, p. 144. Bothwell.
- \**paurogramma*, Meyr. P.L.S.N.S.W. 1882, p. 542. Mt. Wellington; Deloraine.
- \**sthenopis*, Turn. P.R.S. Tas. 1926, p. 145. Cradle Mountain, 3,000 ft.
- habrophanes*, Meyr. P.L.S.N.S.W. 1882, p. 532. Bothwell.
- pæcilella*, Meyr. P.L.S.N.S.W. 1882, p. 531. Hobart; Bothwell; Launceston; Beaconsfield.
- \**hemiphanes*, Meyr. P.L.S.N.S.W. 1882, p. 529. Launceston.
- \**cirrhopis*, Turn. P.R.S. Tas. 1926, p. 145. Russell Falls.
- achalinella*, Meyr. P.L.S.N.S.W. 1882, p. 523. St. Helen's.
- scythrope*, Meyr. P.L.S.N.S.W. 1883, p. 339. St. Helen's.
- melesella*, Newm. P.L.S.N.S.W. 1882, p. 516. Hobart.
- \**tacita*, Turn. P.R.S. Tas. 1926, p. 146. Zeehan; Strahan.
- \**umbrosa*, Meyr. Exot. Micro. I., p. 167. Zeehan.
- mesophragma*, Meyr. P.L.S.N.S.W. 1887, p. 950. Hobart; Zeehan; Strahan.
- eriphila*, Meyr. P.L.S.N.S.W. 1887 p. 946. Hobart.
- \**psathyropa*, Turn. P.R.S. Tas. 1926, p. 146. Cradle Mountain, 3,000 ft.
- Tisobarica*, Wlk.
- \**phæopyra*, Turn. P.R.S. Tas. 1926, p. 146. Mt. Wellington, 2,500 ft.
- \**ancyrota*, Meyr. P.L.S.N.S.W. 1883, p. 343. Deloraine.

- Machimia*, Clemens.
- leucerythra*, Meyr. P.L.S.N.S.W. 1882, p. 501. Launceston; Rosebery; Strahan.
- moderatella*, Wlk. P.L.S.N.S.W. 1887, p. 941. (*liosarca*).
- repandula*, Zel. P.L.S.N.S.W. 1882, p. 499. Hobart; Russell Falls; St. Helen's; Launceston; Wilmot; Zeehan.
- mitlopsara*, Turn. P.L.S.N.S.W. 1914, p. 560. Cradle Mountain, 3,000 ft.
- \**pastea*, Turn. P.R.S. Tas. 1926, p. 147. Russell Falls.
- \**brachytricha*, Turn. P.R.S. Tas. 1926, p. 147. Lake Fenton, 3,500 ft.; Cradle Mountain, 3,000 ft.
- sobriella*, Meyr. P.L.S.N.S.W. 1882, p. 495. Hobart.
- ocellifera*, Meyr. P.L.S.N.S.W. 1882, p. 488. Hobart.
- demotica*, Meyr. P.L.S.N.S.W. 1882, p. 489. Deloraine; Cradle Mountain, 3,000 ft.
- Auchareta*, Meyr.
- dorsivittella*, Wlk. Tr. R.S.S.A. 1902, p. 146. Hobart; Launceston.
- Euprionocera*, Turn.
- \**hypertricha*, Turn. P.R.S. Tas. 1926, p. 147. Mt. Wellington, 3,500 ft.
- Machaeretus*, Meyr.
- \**agelæa*, Meyr. P.L.S.N.S.W. 1884, p. 1070. Deloraine.
- \**pelinopa*, Meyr. Tr. R.S.S.A. 1902, p. 133. Hobart; Launceston; Deloraine.
- ægvella*, Meyr. P.L.S.N.S.W. 1885, p. 772. Hobart; Lake Fenton, 3,500 ft.; Campbell Town; St. Helen's; Deloraine; Moina, 2,000 ft.
- \**coniata*, Meyr. P.L.S.N.S.W. 1884, p. 1069. Mt. Wellington; Deloraine.
- psathyra*, Meyr. P.L.S.N.S.W. 1885, p. 771. Hobart; Russell Falls; Lake Fenton, 3,500 ft.; Cradle Mountain, 3,000 ft.
- samphoras*, Meyr. P.L.S.N.S.W. 1885, p. 770. Campbell Town.
- calligenes*, Meyr. P.L.S.N.S.W. 1885, p. 768. Launceston.
- Haplodyta*, Meyr.
- iochalcha*, Meyr. P.L.S.N.S.W. 1885, p. 766. Deloraine.

- thoracta*, Meyr. P.L.S.N.S.W. 1885, p. 765. Deloraine; Cradle Mountain, 3,000 ft.
- Tachystola*, Meyr.  
*hemisema*, Meyr. P.L.S.N.S.W. 1884, p. 1061. Launceston.
- Ocystola*, Meyr.  
*crystallina*, Meyr. P.L.S.N.S.W. 1884, p. 1077. Hobart; St. Helen's; Wilmot; Cradle Mountain, 3,000 ft.  
 \**lithophanes*, Meyr. P.L.S.N.S.W. 1884, p. 1075. Beaconsfield; Deloraine.
- Hippomacha*, Meyr.  
 \**heliotricha*, Low. Tr. R.S.S.A. 1904, p. 168. Hobart.
- Oxythecta*, Meyr.  
 \**nephelonata*, Meyr. P.L.S.N.S.W. 1884, p. 1051. Hobart; Russell Falls; Launceston; Deloraine; Cradle Mountain, 3,000 ft.  
*alternella*, Wlk. P.L.S.N.S.W. 1884, p. 1050. Hobart; St. Helen's; Launceston.
- Aristeis*, Meyr.  
*chrysoteuches*, Meyr. P.L.S.N.S.W. 1884, p. 762. Beaconsfield.
- Deuteroгония*, Rebel.  
*acroxantha*, Meyr. P.L.S.N.S.W. 1884, p. 1066. Hobart; Russell Falls; Lake Fenton, 3,500 ft.; Deloraine; Cradle Mountain, 3,000 ft.; Strahan.
- Cæsya*, Meyr.  
 \**plectanora*, Turn. P.R.S. Tas. 1926, p. 148. Mt. Wellington, 2,500 ft.  
 \**ochrocirrhæa*, Turn. P.R.S. Tas. 1926, p. 148. Cradle Mountain, 3,000 ft.  
 \**isarithma*, Meyr. P.L.S.N.S.W. 1884, p. 1064. Mt. Wellington, 2,500 ft.  
*malacella*, Meyr. P.L.S.N.S.W. 1884, p. 1062. Hobart; St. Helen's; Launceston.  
 \**aclea*, Meyr. P.L.S.N.S.W. 1882, p. 456. Hobart; Mt. Wellington, 2,500 ft.; Lake Fenton, 3,500 ft.; Launceston; Deloraine; Cradle Mountain, 3,000 ft.  
*stenoptera*, Meyr. P.L.S.N.S.W. 1884, p. 780. Hobart; St. Helen's; Launceston.  
*parvula*, Meyr. P.L.S.N.S.W. 1884, p. 783. Hobart; Russell Falls; St. Helen's; Deloraine; Strahan.

- ophthalmica*, Meyr. P.L.S.N.S.W. 1884, p. 148. Hobart; Launceston.
- \**polyphila*, Turn. P.R.S. Tas. 1926, p. 148. Cradle Mountain, 3,000 ft.
- dichroëlla*, Zel. P.L.S.N.S.W. 1884, p. 767. Launceston.
- kershawi*, Low. Tr. R.S.S.A. 1902, p. 138. Bothwell.
- translatella*, Wlk. P.L.S.N.S.W. 1884, p. 769 (*iozona*). Hobart.
- basilica*, Meyr. P.L.S.N.S.W. 1884, p. 770. Hobart.
- anthodora*, Meyr. P.L.S.N.S.W. 1884, p. 769. Hobart.
- Euthictis*, Meyr.  
*xanthodelta*, Meyr. P.L.S.N.S.W. 1888, p. 1637. Hobart; Launceston; Deloraine.  
*marmaraspis*, Meyr. P.L.S.N.S.W. 1880, p. 225.
- Pleurota*, Hb.  
 \**themeropis*, Meyr. P.L.S.N.S.W. 1884, p. 749. Hobart; Lake Fenton, 3,500 ft.; Launceston.  
 \**zalocoma*, Meyr. P.L.S.N.S.W. 1884, p. 749. Mt. Wellington, 2,500 ft.  
*tephrina*, Meyr. P.L.S.N.S.W. 1884, p. 750. Deloraine.  
 \**tritosticta*, Turn. P.R.S. Tas. 1926, p. 149. Lake Fenton, 3,500 ft.  
 \**psephena*, Meyr. P.L.S.N.S.W. 1884, p. 751. Hobart; Mt. Wellington, 2,500 ft.; Russell Falls; National Park, 2,000 ft.  
*endesma*, Meyr. P.L.S.N.S.W. 1884, p. 755. Mt. Wellington, 2,500 ft.; Russell Falls.  
*chlorochyta*, Meyr. P.L.S.N.S.W. 1884, p. 757. Hobart; Launceston; Beaconsfield; Wilmot; Burnie; Rosebery.  
 \**titanitis*, Turn. P.R.S. Tas. 1926, p. 149. Cradle Mountain, 3,000 ft.
- Atheropla*, Meyr.  
 \**fumosa*, Turn. P.R.S. Tas. 1926, p. 149. Mt. Wellington, 3,500 ft.; Lake Fenton, 3,500 ft.
- Thalerotricha*, Meyr.  
*mylicella*, Meyr. P.L.S.N.S.W. 1884, p. 741. Launceston; Deloraine.
- Antiopala*, Meyr.  
 \**tephræa*, Meyr. P.L.S.N.S.W. 1888, p. 1647. Mt. Wellington; Deloraine.

- Zacorus*, Butl.  
 \**pura*, Meyr. P.L.S.N.S.W. 1884, p. 722. Hobart; Deloraine.  
*cava*, Butl. P.L.S.N.S.W. 1884, p. 740. Hobart; Deloraine.
- Protomacha*, Meyr.  
*chalchaspis*, Meyr. P.L.S.N.S.W. 1884, p. 740. Hobart.
- Enchronista*, Meyr.  
 \**bathrosticha*, Turn. P.R.S. Tas. 1926, p. 150. Russell Falls.
- Chezala*, Wlk.  
 \**glaphyropia*, Meyr. P.L.S.N.S.W. 1884, p. 735. Hobart.  
 \**liopa*, Turn. P.R.S. Tas. 1926, p. 150. Cradle Mountain, 3,000 ft.
- \**Oresitropha*, Turn.  
 \**melanotypa*, Turn. P.R.S. Tas. 1926, p. 151. Cradle Mountain, 3,000 ft.
- Tanyzancla*, Meyr.  
*marionella*, Newm. P.L.S.N.S.W. 1884, p. 728. Epping.
- Opsitycha*, Meyr.  
*squalidella*, Meyr. P.L.S.N.S.W. 1883, p. 496. Hobart; St. Helen's; Launceston.
- Pyrgoptila*, Meyr.  
 \**callidesma*, Low. Tr. R.S.S.A. 1894, p. 96. Windermere.
- Latometus*, Butl.  
*barysoma*, Meyr. P.L.S.N.S.W. 1883, p. 383. Deloraine.
- Philobota*, Meyr.  
*auriceps*, Butl. P.L.S.N.S.W. 1883, p. 478. Hobart; Lake Fenton, 3,500 ft.; Launceston; Cradle Mountain, 3,000 ft.  
 \**phænopasta*, Turn. P.R.S. Tas. 1926, p. 151. Mt. Wellington, 4,000 ft.; Lake Fenton, 3,500 ft.  
 \**nephelarcha*, Meyr. P.L.S.N.S.W. 1883, p. 483. Deloraine.  
*crepera*, Meyr. P.L.S.N.S.W. 1883, p. 484. Bothwell; Launceston; Beaconsfield.  
*mæstella*, Wlk. Cat. Brit. Mus. XXIX., p. 648.

- olympius*, Meyr. 1888, p. 1610. Hobart; Launceston; Strahan.
- \**rasilis*, Turn. P.R.S. Tas. 1926, p. 152. Hobart.
- \**madida*, Meyr. Exot. Micro. II., p. 384. Hobart.
- \**atmobola*, Meyr. P.L.S.N.S.W. 1883, p. 486. Hobart; Russell Falls, Campbell Town; St. Helen's; Launceston; Deloraine; Wilmot; Cradle Mountain, 3,000 ft.
- Leucomitra*, Meyr. P.L.S.N.S.W. 1883, p. 488. Mt. Wellington.
- \**lissopolia*, Turn. P.R.S. Tas. 1926, p. 152. Rosebery.
- \**ethnitis*, Meyr. Exot. Micro. II., p. 384. Hobart; Bothwell; Rosebery.
- orescoa*, Meyr. P.L.S.N.S.W. 1883, p. 376. St. Helen's.
- \**microschema*, Meyr. P.L.S.N.S.W. 1883, p. 380. Mt. Wellington; Cradle Mountain, 3,000 ft.
- protorthra*, Meyr. P.L.S.N.S.W. 1883, p. 378. Mt. Wellington, 1,000-3,000 ft.; Lake Fenton, 3,500 ft.; Cradle Mountain, 3,000 ft.
- \**gypsomera*, Low. Tr. R.S.S.A. 1920, p. 62. Hobart.
- \**aolius*, Meyr. P.L.S.N.S.W. 1888, p. 1612. Deloraine.
- erythrotænia*, Wlgrn. P.L.S.N.S.W. 1883, p. 499 (*pretiosella*). Hobart; St. Helen's; Launceston; Strahan.
- onachorda*, Meyr. P.L.S.N.S.W. 1883, p. 499. Zeehan.
- \**placochorda*, Turn. P.R.S. Tas. 1926, p. 152. Bothwell.
- charaxias*, Meyr. P.L.S.N.S.W. 1888, p. 1641. Launceston; Rosebery; Zeehan.
- \**niphias*, Meyr. P.L.S.N.S.W. 1884, p. 730. Hobart.
- \**hyphanta*, Turn. P.R.S. Tas. 1926, p. 153. Lake Fenton, 3,500 ft.
- metachroa*, Meyr. P.L.S.N.S.W. 1888, p. 1616. Cradle Mountain, 3,000 ft.
- aurinatella*, Wlk. P.L.S.N.S.W. 1883, p. 504. St. Helen's; Beaconsfield; Cradle Mountain, 3,000 ft.
- eusantha*, Meyr. P.L.S.N.S.W. 1883, p. 505. Hobart; St. Helen's; St. Mary's; Launceston; Beaconsfield.
- cirrhodes*, Meyr. Exot. Micro. I., p. 126.
- occidua*, Meyr. P.L.S.N.S.W. 1883, p. 507. Hobart.
- dejunctella*, Wlk. P.L.S.N.S.W. 1882, p. 452. Beaconsfield.

- \**crypsileuca*, Meyr. P.L.S.N.S.W. 1884, p. 732. Mt. Wellington, 2,500-3,000 ft.
- \**polioconeca*, Turn. P.R.S. Tas. 1926, p. 153. Cradle Mountain, 3,000 ft.
- \**cataxera*, Meyr. P.L.S.N.S.W. 1884, p. 736. Mt. Wellington, 2,500 ft.; Russell Fall; Lake Fenton, 3,500 ft.; Deloraine.
- \**micranepsia*, Turn. P.R.S. Tas. 1926, p. 153. Lake Fenton, 3,500 ft.; Cradle Mountain, 3,000 ft.
- \**ceratina*, Meyr. P.L.S.N.S.W. 1884, p. 737. Mt. Wellington, 2,500 ft.
- cinetica*, Meyr. P.L.S.N.S.W. 1884, p. 738. Hobart.
- \**pandora*, Turn. Tr. R.S.S.A. 1917, p. 84. Mt. Wellington, 2,500 ft.; Lake Fenton, 3,500 ft.; Cradle Mountain, 3,000 ft.
- Leistomorpha*, Meyr.  
*brontoscopa*, Meyr. P.L.S.N.S.W. 1883, p. 510. Hobart; Launceston.
- Chrysonoma*, Meyr.  
*atricollis*, Meyr. P.L.S.N.S.W. 1884, p. 726. Launceston; Beaconsfield.  
*fascialis*, Fab. P.L.S.N.S.W. 1883, p. 506 (*bimaculana*). Launceston; Beaconsfield.  
*protphaëis*, Meyr. P.L.S.N.S.W. 1882, p. 457. Campbell Town.
- Zonopetala*, Meyr.  
*erythrosema*, Meyr. P.L.S.N.S.W. 1885, p. 829. Hobart; Russell Falls; St. Helen's.  
*quadripustulella*, Wlk. P.L.S.N.S.W. 1882, p. 466. Launceston.
- Compsotropha*, Meyr.  
*strophiiella*, Meyr. P.L.S.N.S.W. 1883, p. 513. Deloraine.
- Heliocausta*, Meyr.  
*euselma*, Meyr. P.L.S.N.S.W. 1882, p. 482. Hobart; Bothwell; Launceston; Beaconsfield; Rosebery.  
*parthenopa*, Meyr. P.L.S.N.S.W. 1882, p. 481. Hobart; Bothwell; Beaconsfield.  
*hemiteles*, Meyr. P.L.S.N.S.W. 1882, p. 475. Hobart; Launceston.  
*elæodes*, Meyr. P.L.S.N.S.W. 1882, p. 474. Hobart; Launceston.  
*triphænatella*, Wlk. P.L.S.N.S.W. 1882, p. 477. Bothwell.

- mimica*, Meyr. P.L.S.N.S.W. 1887, p. 934. Hobart; Bothwell; Launceston.
- cænosa*, Meyr. P.L.S.N.S.W. 1882, p. 506. Hobart; Launceston.
- Lepidotarsa*, Meyr.  
 \**tritoxantha*, Meyr. P.L.S.N.S.W. 1885, p. 828. Deloraine.  
*chrysopoca*, Meyr. P.L.S.N.S.W. 1882, p. 477. Hobart; Russell Falls; Launceston; Deloraine.
- Eochrois*, Meyr.  
 \**cirrhophara*, Turn. P.R.S. Tas. 1926, p. 154. Rosebery; Zeehan, Strahan.
- Epicurica*, Meyr.  
*callianassa*, Meyr. P.L.S.N.S.W. 1882, p. 450. Campbell Town; St. Helen's; Launceston; Deloraine.
- Zelotechna*, Meyr.  
*falcifera*, Meyr. P.L.S.N.S.W. 1882, p. 440. St. Helen's.
- Wingia*, Wlsm.  
*aurata*, Wlk. P.L.S.N.S.W. 1882, p. 427. Launceston; Beaconsfield.  
*hesperidella*, Meyr. P.L.S.N.S.W. 1882, p. 429. Hobart; Lake Fenton, 3,500 ft.; Zeehan; Strahan.
- Tortricopsis*, Newm.  
*uncinella*, Zel. P.L.S.N.S.W. 1882, p. 437. Hobart; Mt. Wellington; Russell Falls; Bothwell; St. Helen's; Launceston; Deloraine; Rosebery; Zeehan; Strahan.  
*euryphanella*, Meyr. P.L.S.N.S.W. 1882, p. 435. Hobart; Russell Falls; St. Helen's; Launceston; Wilmot.  
 \**mesophthora*, Meyr. P.L.S.N.S.W. 1885, p. 825. Mt. Wellington, 2,500 ft.; Deloraine.
- Arachnographa*, Meyr.  
*micrastrella*, Meyr. P.L.S.N.S.W. 1882, p. 433. St. Helen's; Launceston.
- Meleonoma*, Meyr.  
 \**psammota*, Meyr. Exot. Micro. I., p. 304. St. Helen's.
- Eupselia*, Meyr.  
*melanostrepta*, Meyr. P.L.S.N.S.W. 1880, p. 223. Hobart.

- \**percussana*, Wlk. P.L.S.N.S.W. 1880, p. 219.  
*satrapella*, Meyr. P.L.S.N.S.W. 1880, p. 220. Launceston.  
*carpocapsella*, Wlk. P.L.S.N.S.W. 1880, p. 219. Hobart; Mt. Wellington; Cradle Mountain.
- Machetis*, Meyr.  
*aphrobola*, Meyr. P.L.S.N.S.W. 1883, p. 331. Hobart; Campbell Town; Beaconsfield.
- Sphyrelata*, Meyr.  
*ochrophæa*, Meyr. P.L.S.N.S.W. 1883, p. 361. Hobart; Launceston; Wilmot.
- Thudaca*, Wlk.  
*trabeata*, Meyr. P.L.S.N.S.W. 1892, p. 578. Hobart; Russell Falls; St. Helen's; Rosebery; Zeehan; Strahan.  
*obliquella*, Wlk. P.L.S.N.S.W. 1892, p. 575. Hobart; Russell Falls; St. Helen's; Rosebery; Zeehan; Strahan.  
*crypsidesma*, Meyr. P.L.S.N.S.W. 1892, p. 572. Cradle Mountain, 3,000 ft.; Strahan.  
 \**innubila*, Turn. P.R.S. Tas. 1926, p. 154. Rosebery; Zeehan; Strahan.
- Eutorna*, Meyr.  
 \**leptographa*, Meyr. Tr. R.S.S.A. 1906, p. 41. Swansea; Campbell Town; Launceston; Cradle Mountain, 3,000 ft.  
*intonsa*, Meyr. Tr. R.S.S.A. 1906, p. 42. Campbell Town.  
*eurygramma*, Meyr. Tr. R.S.S.A. 1906, p. 43. Launceston; Wilmot; Moina, 2,000 ft.; Burnie; Strahan.  
*spintherias*, Meyr. Tr. R.S.S.A. 1906, p. 44. Launceston; Deloraine.  
*diaula*, Meyr. Tr. R.S.S.A. 1906, p. 45. Russell Falls; Campbell Town; St. Helen's; Launceston; Wilmot; Zeehan; Strahan.  
 \**phaulocosma*, Meyr. Tr. R.S.S.A. 1906, p. 45. Mt. Wellington; Lake Fenton, 3,500 ft.; Moina, 2,000 ft.; Cradle Mountain, 3,000 ft.; Wilmot; Zeehan; Strahan.
- Cryptotechia*, Zel.  
 \**lutea*, Turn. P.R.S. Tas. 1926, p. 154. Rosebery.  
 \**argillea*, Turn. P.R.S. Tas. 1926, p. 155. Rosebery.

- humerala*, Wlk. Tr. R.S.S.A. 1902, p. 158. Bothwell; Launceston; Beaconsfield.  
*lewinella*, Newm. Tr. R.S.S.A. 1894, p. 112 (*neurosticha*). Ross; Launceston.  
 \**tripunctella*, Wlk. Tr. R.S.S.A. 1917, p. 118. Hobart; Epping; Launceston.  
 \**empalacta*, Meyr. Exot. Micro. I., p. 305. Lake Fenton, 3,500 ft.; Launceston; Cradle Mountain, 3,000 ft.  
*radiosella*, Wlk. Tr. R.S.S.A. 1906, p. 48. Launceston.  
 \**illepida*, Turn. P.R.S. Tas. 1926, p. 155. Russell Falls.

## HELIODINIDÆ.

- Stathmopoda*, Sttn.  
*melanochra*, Meyr. P.L.S.N.S.W. 1897, p. 321. Hobart; Campbell Town; Launceston; Deloraine.  
*lethoaa*, Meyr. P.L.S.N.S.W. 1897, p. 322. Hobart.  
*chalybeis*, Meyr. P.L.S.N.S.W. 1897, p. 322. Hobart.  
*acontias*, Meyr. P.L.S.N.S.W. 1897, p. 318. Hobart; Russell Falls; Launceston; Deloraine; Strahan.  
*cyanopla*, Meyr. P.L.S.N.S.W. 1897, p. 319. Deloraine.  
 \**cephalæa*, Meyr. P.L.S.N.S.W. 1897, p. 319. Hobart.  
*astrapeis*, Meyr. P.L.S.N.S.W. 1897, p. 320. Campbell Town.  
 \**mesombra*, Meyr. P.L.S.N.S.W. 1897, p. 320. Hobart; Launceston.  
*hyposcia*, Meyr. P.L.S.N.S.W. 1897, p. 320. Hobart.  
*iodes*, Meyr. P.L.S.N.S.W. 1897, p. 323. Deloraine.  
*crocophanes*, Meyr. P.L.S.N.S.W. 1897, p. 324. Hobart; St. Helen's.  
*liporrhœa*, Meyr. P.L.S.N.S.W. 1897, p. 326. Launceston.
- \**Leuroscelis*, Turn.  
 \**coracopis*, Turn. P.R.S. Tas. 1926, p. 155. Moina, 2,000 ft.
- Pachyrhabda*, Meyr.  
*steropodes*, Meyr. P.L.S.N.S.W. 1897, p. 312. Mt. Wellington.
- GLYPHIPTERYGIDÆ.  
*Cebysa*, Wlk.  
*leucoteles*, Wlk. P.L.S.N.S.W. 1907, p. 93. Hobart; Dunally; Launceston; Beaconsfield.

- \**Cylicophora*, Turn.  
 \**collina*, Turn. P.R.S. Tas. 1926, p. 156. Cradle Mountain, 3,000 ft.
- Choreutis*, Hb.  
*homotypa*, Meyr. P.L.S.N.S.W. 1907, p. 109. Hobart; Russell Falls; St. Helen's; Deloraine; Wilmot; Moina, 2,000 ft.; Cradle Mountain, 3,000 ft.  
*lampadias*, Meyr. P.L.S.N.S.W. 1907, p. 110. Hobart; Mt. Wellington, 2,500 ft.; Russell Falls; Moina, 2,000 ft.; Cradle Mountain, 3,000 ft.
- Glyphipteryx*, Hb.  
*acinacella*, Meyr. P.L.S.N.S.W. 1882, p. 193. Deloraine.  
*gonoteles*, Meyr. P.L.S.N.S.W. 1907, p. 119. Deloraine.  
 \**haplographa*, Turn. P.R.S. Tas. 1926, p. 157. Zeehan.  
*palæomorpha*, Meyr. P.L.S.N.S.W. 1880, p. 242. Hobart; St. Helen's; Deloraine.  
 \**macraula*, Meyr. P.L.S.N.S.W. 1907, p. 120. Deloraine; Moina, 2,000 ft.; Cradle Mountain, 3,000 ft.  
*euthybelemna*, Meyr. P.L.S.N.S.W. 1880, p. 250. Hobart; Launceston; Deloraine.  
*platydisema*, Low. Tr. R.S.S.A. 1893, p. 183. Deloraine.  
*meteora*, Meyr. P.L.S.N.S.W. 1880, p. 237. Hobart; Campbell Town; Launceston; Deloraine.  
*chrysoplanetis*, Meyr. P.L.S.N.S.W. 1880, p. 238. Hobart; Campbell Town; St. Helen's; Deloraine.  
*leucocerastes*, Meyr. P.L.S.N.S.W. 1880, p. 239. Launceston.  
 \**tetrasema*, Meyr. P.L.S.N.S.W. 1882, p. 191. Mt. Wellington; Moina, 2,000 ft.; Cradle Mountain, 3,000 ft.; Guildford, 2,000 ft.; Rosebery; Zeehan; Strahan.  
 \**holodesma*, Meyr. P.L.S.N.S.W. 1882, p. 190. Hobart; Mt. Wellington; Cradle Mountain, 3,000 ft.  
*drosophaës*, Meyr. P.L.S.N.S.W. 1880, p. 249. Deloraine.  
*isozela*, Meyr. P.L.S.N.S.W. 1907, p. 124. Deloraine; Moina, 2,000 ft.; Cradle Mountain, 3,000 ft.  
*asteriella*, Meyr. P.L.S.N.S.W. 1880, p. 235. Bothwell.

- argyrosema*, Meyr. P.L.S.N.S.W. 1880, p. 247. Campbell Town.  
*calliscopa*, Low. Tr. R.S.S.A. 1905, p. 112. Hobart.  
*cometophora*, Meyr. P.L.S.N.S.W. 1880, p. 231. St. Helen's.  
 \**leucargyra*, Turn. P.R.S. Tas. 1926, p. 157. Cradle Mountain, 3,000 ft.; Rosebery; Zeehan.  
 \**gypsonota*, Turn. P.R.S. Tas. 1926, p. 158. Rosebery.  
*leucoplaca*, Turn. P.L.S.N.S.W. 1913, p. 217. Hobart.  
*gemmipunctella*, Wlk. P.L.S.N.S.W. 1880, p. 239 (*chrysolithella*). St. Helen's.  
 \**chalcostrepta*, Meyr. P.L.S.N.S.W. 1907, p. 128. Deloraine.  
*tripselia*, Meyr. P.L.S.N.S.W. 1907, p. 129. Cradle Mountain, 3,000 ft.
- HYPONOMEUTIDÆ.
- Zelleria*, Sttn.  
*citrina*, Meyr. P.L.S.N.S.W. 1892, p. 586. Mt. Wellington, 2,500 ft.; Moina, 2,000 ft.; Zeehan.  
*mystarcha*, Meyr. P.L.S.N.S.W. 1892, p. 586. Hobart; Campbell Town; Cradle Mountain, 3,000 ft.; Zeehan.  
*callidoxa*, Meyr. P.L.S.N.S.W. 1892, p. 584. Hobart.  
*memorella*, Meyr. P.L.S.N.S.W. 1892, p. 583. Hobart; St. Helen's; Cradle Mountain, 3,000 ft.
- Thereutis*, Meyr.  
*chionozyga*, Meyr. P.L.S.N.S.W. 1892, p. 597. St. Helen's.  
 \**Pauridioneura*, Turn.  
 \**acropila*, Turn. P.R.S. Tas. 1926, p. 159. Lake Fenton, 3,500 ft.
- Chionogenes*, Meyr.  
 \**isanema*, Meyr. P.L.S.N.S.W. 1907, p. 84. Mt. Wellington, 2,500 ft.
- Charicrita*, Meyr.  
 \**othonina*, Turn. P.R.S. Tas. 1926, p. 159. Strahan.
- AMPHITHERIDÆ.
- Amphithera*, Meyr.  
*heteromorpha*, Meyr. P.L.S.N.S.W. 1892, p. 597. St. Helen's.



*\*Chalcoteuches*, Turn.

*\*phlogera*, Turn. P.R.S. Tas. 1926, p. 160. Cradle Mountain, 3,000 ft.

## COPROMORPHIDÆ.

*Hypertropha*, Meyr.

*tortriciformis*, Gn. P.L.S.N.S.W. 1880, p. 209 (*thesaur-ella*). Hobart; Bothwell; Beaconsfield; Rosebery; Strahan.

## GRACILARIADÆ.

*\*Aristæa*, Meyr.

*\*periphanes*, Meyr. P.L.S.N.S.W. 1907, p. 52. Mt. Wellington, 2,500-3,000 ft.

*Acrocercops*, Wlgrn.

*heliopla*, Meyr. P.L.S.N.S.W. 1907, p. 57. Hobart.  
*laciniella*, Meyr. P.L.S.N.S.W. 1880, p. 164. Hobart; Campbell Town; Launceston; Deloraine; Cradle Mountain, 3,000 ft.

*Cyphosticha*, Meyr.

*\*ostracodes*, Turn. P.R.S.Q. 1917, p. 88. Cradle Mountain, 3,000ft.  
*\*zophonota*, Turn. P.R.S. Tas. 1926, p. 159. Cradle Mountain, 3,000 ft.

*Gracilaria*, Haw.

*\*cirrhopis*, Meyr. P.L.S.N.S.W. 1907, p. 66. St. Helen's.

## PLUTELLIDÆ.

*Phalangitis*, Meyr.

*crymorrhœa*, Meyr. P.L.S.N.S.W. 1907, p. 136. Mt. Wellington.  
*tumultuosa*, Meyr. P.L.S.N.S.W. 1907, p. 137. Cradle Mountain, 3,000 ft.  
*veterana*, Meyr. P.L.S.N.S.W. 1907, p. 138. Rosebery; Zeehan.

*Plutella*, Schrank.

*maculipennis*, Curt. Tr. N.Z. Inst. 1885, p. 177 (*cruciferarum*). Universally distributed. (*Introduced.*)

## TINEIDÆ.

*Erechthianæ*.*Arctocoma*, Meyr.

*ursinella*, Meyr. P.L.S.N.S.W. 1880, p. 171. Launceston.

*Bucculatrix*, Zel.

*asphyctella*, Meyr. P.L.S.N.S.W. 1880, p. 181. Deloraine.

*Leucoptera*, Hb.

*chalcocycela*, Meyr. P.L.S.N.S.W. 1882, p. 201. Mt.  
*\*deltidias*, Meyr. Tr. R.S.S.A. 1906, p. 61. Hobart; Wellington, 2-2,500 ft.; Launceston; Burnie. Mt. Wellington, 2,500 ft.

*Cateristis*, Meyr.

*eustyla*, Meyr. Tr. N.Z. Inst. 1888, p. 164. Hobart.

*Lyonetia*, Hb.

*sulfuratella*, Meyr. P.L.S.N.S.W. 1880, p. 172. Campbell Town; St. Helen's; Launceston; Deloraine.

*\*Epicnistis*, Meyr.

*\*euryscia*, Meyr. Tr. R.S.S.A. 1906, p. 65. Mt. Wellington.

*Opostega*, Zel.

*basilissa*, Meyr. P.L.S.N.S.W. 1892, p. 606. Deloraine.  
*\*chalinias*, Meyr. P.L.S.N.S.W. 1892, p. 607. St. Helen's.

*Bedellia*, Sttn.

*somnulentella*, Zel. P.L.S.N.S.W. 1880, p. 170. Hobart. (*Introduced.*)

*Opogona*, Zel.

*comptella*, Wlk. P.L.S.N.S.W. 1897, p. 416. Hobart; Russell Falls; Bothwell; Launceston; Beaconsfield.  
*stereodyta*, Meyr. P.L.S.N.S.W. 1897, p. 417. Hobart; Campbell Town; St. Helen's; Launceston.  
*protodoxa*, Meyr. P.L.S.N.S.W. 1897, p. 418. Hobart; Campbell Town; Launceston.  
*stenocraspeda*, Meyr. P.L.S.N.S.W. 1897, p. 419. Hobart; Campbell Town; Launceston; Deloraine.

*Dascia*, Meyr.

*sagittifera*, Meyr. P.L.S.N.S.W. 1892, p. 579. Hobart; Launceston.

*Comodica*, Meyr.

*mystacinella*, Wlk. P.L.S.N.S.W. 1880, p. 263. Hobart; Launceston.

- Erechthias*, Meyr.  
*symmacha*, Meyr. P.L.S.N.S.W. 1892, p. 564. St. Helen's; Launceston; Deloraine.
- Nematobola*, Meyr.  
*orthotricha*, Meyr. P.L.S.N.S.W. 1892, p. 592. St. Helen's.
- Dryadaula*, Meyr.  
*\*napæa*, Meyr. Tr. E.S. 1905, p. 244. Deloraine.
- Tineinæ.*
- Ctenocompa*, Meyr.  
*baliodes*, Meyr. P.L.S.N.S.W. 1892, p. 489. Hobart; Launceston; Beaconsfield.
- Lepidoscia*, Meyr.  
*tyrobathra*, Meyr. P.L.S.N.S.W. 1892, p. 511. Launceston.  
*arctiella*, Wlk. P.L.S.N.S.W. 1892, p. 508 (*comochora*). Launceston.  
*\*sciodesma*, Meyr. P.L.S.N.S.W. 1892, p. 512. Hobart; Deloraine.  
*\*amphiscia*, Meyr. P.L.S.N.S.W. 1892, p. 513. Deloraine.
- Narycia*, Stph.  
*glabella*, Wlk. P.L.S.N.S.W. 1892, p. 492. Launceston.  
*\*phaulodes*, Meyr. P.L.S.N.S.W. 1892, p. 499. Hobart.  
*cataphracta*, Meyr. P.L.S.N.S.W. 1892, p. 504. Hobart; Launceston.  
*\*retinochra*, Low. P.R.S. Tas. 1926, p. 160. Hobart; Bothwell; Launceston; Rosebery; Strahan.  
*\*toxoteuches*, Turn. P.R.S. Tas. 1926, p. 161. Cradle Mountain, 3,000 ft.  
*protorma*, Meyr. P.L.S.N.S.W. 1892, p. 495. Launceston.  
*adelopis*, Meyr. P.L.S.N.S.W. 1892, p. 496. Launceston; Beaconsfield.  
*guldingi*, Scott. P.L.S.N.S.W. 1892, p. 497. Hobart; Launceston.  
*\*euctena*, Turn. P.R.S. Tas. 1926, p. 161. Hobart.
- Lindeera*, Blanch.  
*tessalatella*, Blanch. Tr. R.S.S.A. 1896, p. 66 (*calcularis*). Launceston. (*Introduced.*)

- Mesopherna*, Meyr.  
*palustris*, Meyr. P.L.S.N.S.W. 1892, p. 515. Launceston; Deloraine.
- Mærarchis*, Meyr.  
*australasiella*, Don. P.L.S.N.S.W. 1892, p. 521. St. Helen's.  
*inconciseella*, Wlk. P.L.S.N.S.W. 1892, p. 522. Hobart; Launceston.  
*\*lapidea*, Turn. P.R.S. Tas. 1926, p. 161. Strahan.
- Monopis*, Hb.  
*ethelella*, Newm. P.L.S.N.S.W. 1892, p. 528. Hobart; Mt. Wellington, 2,500 ft.; Lake Fenton, 3,500 ft.; St. Helen's; Launceston; Wilmot; Burnie; Rosebery.  
*crociacapitella*, Clem. P.L.S.N.S.W. 1892, p. 529 (*ferruginella*). Hobart; Strahan. (*Introduced.*)  
*nivibractella*, Wlk. Mem. Nat. Mus. Melb. IV., p. 6. Launceston.
- Trichophaga*, Rag.  
*tapetiella*, Lin. P.L.S.N.S.W. 1892, p. 535. Hobart; Launceston. (*Introduced.*)
- Tineola*, H-Sch.  
*biselliella*, Hummel. P.L.S.N.S.W. 1892, p. 554. Hobart. (*Introduced.*)
- Tinea*, Lin.  
*fuscipunctella*, Haw. P.L.S.N.S.W. 1892, p. 534. Campbell Town; St. Helen's; Launceston; Deloraine. (*Introduced.*)  
*\*corynephora*, Turn. P.R.S. Tas. 1926, p. 162. Mt. Wellington, 2,500 ft.  
*\*poryhyrota*, Meyr. P.L.S.N.S.W. 1892, p. 538. Deloraine.  
*chaotica*, Meyr. P.L.S.N.S.W. 1892, p. 538. Mt. Wellington; Deloraine.  
*monophthalma*, Meyr. P.L.S.N.S.W. 1892, p. 543. Hobart; Huon River; Deloraine.  
*phauloptera*, Meyr. P.L.S.N.S.W. 1892, p. 544. Deloraine.  
*nectarea*, Meyr. P.L.S.N.S.W. 1892, p. 546. St. Helen's.  
*irruptella*, Wlk. P.L.S.N.S.W. 1892, p. 550. Hobart; Launceston; Deloraine.

*ochranthes*, Meyr. P.L.S.N.S.W. 1892, p. 552. Hobart; Campbell Town; St. Helen's; Beaconsfield; Deloraine.

*Timæa*, Wlk.

*bivittatella*, Wlk. P.L.S.N.S.W. 1892, p. 568. St. Helen's; Strahan.

*Adelinæ*.

*Nemotois*, Hb.

*topazias*, Meyr. P.L.S.N.S.W. 1892, p. 485. St. Helen's.

*orichalchias*, Meyr. P.L.S.N.S.W. 1892, p. 484. Hobart; Launceston.

*sparsella*, Wlk. P.L.S.N.S.W. 1892, p. 483. Hobart; Launceston; Beaconsfield.

COSSOIDEA.

*Cossidæ*.

\**Idioses*, Turn.

\**littleri*, Turn. P.R.S. Tas. 1926, p. 163. Launceston.

*Xyleutes*, Hb.

*liturata*, Don. Ins. New Holland, p. 42. Hobart; Russell Falls; Launceston; Strahan; Ulverstone.

*Culama*, Wlk.

*australis*, Wlk. Cat. Brit. Mus. VII., p. 1525. Hobart; Cradle Mountain, 3,000 ft.

\**caliginosa*, Wlk. Cat. Brit. Mus. VII., p. 1522.

HOMONEURA.

HEPIALOIDEA.

*Hepialidæ*.

*Porina*, Wlk.

*fuscocomaculata*, Wlk. P.L.S.N.S.W. 1889, p. 1120. Hobart; Launceston; George Town.

\**australis*, Wlk. P.L.S.N.S.W. 1889, p. 1121. Sheffield.

*dirempta*, Wlk. P.L.S.N.S.W. 1889, p. 1121. Strahan.

*rufescens*, Wlk. P.L.S.N.S.W. 1889, p. 1122. Hobart; Launceston.

\**subvaria*, Wlk. P.L.S.N.S.W. 1889, p. 1123. Launceston; Ulverstone.

\**sphragidias*, Meyr. P.L.S.N.S.W. 1889, p. 1123. Launceston; Maitland.

*Oncopera*, Wlk.

*intricata*, Wlk. P.L.S.N.S.W. 1889, p. 1124. Hobart; Swansea; Maria Island; Bothwell; Scottsdale; Launceston; Deloraine; Moina, 2,000ft.

*Hectomanes*, Meyr.

*simulans*, Wlk. P.L.S.N.S.W. 1889, p. 1126. Hobart; Ross; Launceston.

*rufula*, Turn. P.R.S. Tas. 1926, p. 163. Hobart.

*pteromela*, Low. Tr. R.S.S.A. 1892, p. 5. Hobart; Dunalley; Maria Island; Launceston.

\**pelagia*, Turn. P.R.S. Tas. 1926, p. 164. Strahan.

*Hepialus*, Fab.

*lignivorus*, Lewin. P.L.S.N.S.W. 1889, p. 1129. Hobart; Beaconsfield.

*Pielus*, Wlk.

*hyalinatus*, H-Sch. P.L.S.N.S.W. 1889, p. 1134. Mt. Wellington; Lake Fenton, 3,500 ft.; Zeehan.

*imperialis*, Olliff. P.L.S.N.S.W. 1887, p. 1015. Launceston.

*Trictena*, Meyr.

*labyrinthica*, Don. P.L.S.N.S.W. 1889, p. 1135. Launceston.