AUGUST, 1871. PRIVATE OBSERVATORY, HOBART TOWN.

	Bar. a abv.se correct redu	Self-Registering Thermometers.				Wind.			from the maxi- trand the force try during the rect. registered each erage.	
Day of Month.	Highest.	Lowest.	Highest in shade.	Lowest in shade.	Highest in sun.	Lowest on grass.	Direction from three daily re- gisters.	Force in Ibs. per square foot.	Rain in inches	three daily registers, and not from the maximoving at a height of 192 feet and the forchowever, of a uniform velocity during the sidered only approximately correct. The different winds are registered each g the difference from the average.
13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	80·177 30·161 29·802 29·853 29·664 29·684 29·678 29·812 29·852 29·812 29·852 29·824 29·934 30·224 29·977 29·556 29·977 29·603 29·976 29·977 29·879 29·879 29·882 30·032	80 024 29 770 29	62 65 62 70 63 54 56 65 62 68 67 58 61 58 56 60 62 52 58	48 44 39 44 41 37 36 44 41 45 40 40 35 38 42 34 44 43 44 43 44 43 44 43 44 45 46 46 47 47 48 48 48 48 48 48 48 48 48 48 48 48 48	72:0 89:5 85:5 85:0 92:0 92:0 92:5 93:0 85:0 90:0 90:0 90:0 84:0 86:5 75:5 87:5 90:0 90:0 86:5 75:5 75:5	43:00 27:55 38:00 43:55 40:00 32:55 31:55 34:55 34:55 36:00 37:53 36:00 37:54 43:05 44:00 29:55 40:00 41:00 41:00 43:00 40 40 40 40 40 40 40 40 40 40 40 40 4	WE SE, NW NW SE NW W NW NW SW N NE NW W SE S SE WE SW SE NE NW S NW	1.04 78 0.338 52 0.130 1.04 52 52 52 62 2.66 2.86 61 1.04 78 1.30 2.86 1.56 1.56 1.56 1.56 1.56 1.56 1.56 1.5	0.06 0.16 0.15 0.07 0.09 0.05 0.08 0.75 0.31	mean in all cases is taken from the sums of the nd minimum. Inderedion of the wind is registered from currents in to Lind's Wind Guage. The supposition, is a very arbitrary one, and the results can be conrelations of the quantities of rain which fell urg at sundown. 25 years' standard tables are used for obtainin
Monthly mean 51 45 83 56 37 08 Total Force 35 83 1 99										The num a The Ccord nonth The The Yenin

Leafing, Flowering, and Fruiting of a few standard plants in the Royal Society's Gardens during the month.

12th.—Sambucus niger commencing to break.

15th.-Gooseberries ditto.

18th.—Horse chestnut ditto. 23rd.—Elm commencing to flower. 24th.—Poplar commencing to break.

29th .- Apricot ditto.

Barometer mean, 29 '761in., being 0 '046in. below the average. Temperature mean, 51 '45', being 3 '38' above ditto. Solar intensity mean, 83 '56', being 8 '04' above ditto. Dew point mean, 40 '08', being 0 '76' per cent. below ditto. Humidity of air mean, 71, being '09 above ditto. Humidity of air mean, 71, being '09 above ditto. Elastic force of vapour mean, '255, being '03 per cent. above ditto. Total amount of rain, 1 '99, being 0 '16in. above ditto.

Increase of spontaneous evaporation on rainfall, 0.93in.

Mean amount of ozone, 6:42, being 1:18 of chromatic scale below the average. Electricity active on the 2nd, 7th, 10th, 14th, 15th, 16th, 23rd, 26th, 27th, and 23th. A brilliant Aurora on the 6th.

High wind, 15 62lb. to square foot on the eve of 21st.

Snow remaining on Mount Wellington during the month, with frequent fresh FRANCIS ABBOTT. deposits.

NOTES ON THE METEOROLOGY AND MORTALITY OF THE MONTH OF AUGUST, 1871.

By Dr. E. SWARBRECK HALL.

Except in a warmer temperature than usual, the weather during this month departed less from the average normal character than usual. The deaths were much below the average of the previous 14 years, and specially so in

those at all ages under 20 years old.

Atmospheric pressure mean, 29 761, was only — '046 below the 25 years' standard mean. The maximum, 30 224, occurred on the 16th; the minimum, 29.231, was noted on the 20th. The extreme range of the barometer for the month was only 943 of an inch, which has been largely exceeded in 12 out of the previous 16 years. Nevertheless, the daily mutations, within this extreme range, were very great; the greatest being a fall of — 589 on the 29th'; and on the 26th there was a rise of + 527. On 10 other days there were variations exceeding one-fifth of an inch. As usual, these excessive fluctuations of atmospheric pressure told heavily on diseased, feeble, and aged people, while young and healthy persons were little affected by them.

Wind-force recorded at the usual hours of observation amounted on the whole to 35.88 lbs., being -10.61 lbs. below the average; but in the nights of the 21st and 26th there blew gales having a pressure of 15.62 lbs. each to the square foot, which really made the wind-force of the month in excess. The strongest winds recorded at the usual hours of observation, 7 a.m., 1 p.m., and sunset, were only 2.60 lbs., registered four times. North-west winds had 60 out of the 93 observations with strength of 23.40 lbs., but this must be qualified by the same remarks that were made in the previous month; many of these winds so registered being really deflected West winds. The calms were 30, being — 5.33 below the average.

Temperature mean, 51.45 degrees, was + 3.38 above the 25 years' average. The extremes were 70 degrees at about midday on the 6th, and 32 in the right of the 28th. Both higher and lower registers have often been made in

August. Wet bulb mean was 46 45, being only + 1 39 above the average.

Daily Range of Temperature mean, 19 90 degrees, was + 3 47 above the average, showing how necessary it is to take into consideration every meteorological record before drawing conclusions from the means of any one instru-ment. The greatest range was 31 degrees, noted on the 6th and 19th.

Solar-Intensity mean, 83:56 degrees, was + 8:08 above the average. The maximum was 93 degrees on the 13th and 22nd, and much greater heat than

this has often been recorded.

Terrestrial-Radiation mean, 37.08 degrees, was + 1.28 above the average. The coldest night was the 16th, when this self-registering thermometer on the grass recorded 29 degrees only.

Elastic-force of vapour mean, 265, was — 3 below the average. The range was from minimum 175 at 7 a.m. on the 16th to maximum 353 at noon on the 6th.

Humidity mean, 71, was — 9 below the average, Saturation (100) was

never recorded.

Rainfall — 1.99 inches was + .16 above the average. It fell on 11 days, being — 2.45 below the average. In another and more elevated part of the city 18 wet days were registered, with a total fall of 2.51 inches. It was generally felt that this August was much wetter than usual. Snow was never absent from Mount Wellington during the month, and received frequent and copious additions, but none ever fell in the city.

Spontaneous Evaporation amounted to 2.92 inches.

Cloud Mean, 5:39, was — 31 below the average.

Ozone Mean, 6:42, was —1:10 below the average, ranging from 3:5 to 9. Electricity had 21 positive indications with tension ranging from 3 to 6. The

negatives were 36, with tension from 1 to 6. There were 5 nils. Neither thunder nor lightning were observed during the month. An Aurora was registered on the evening of the 6th.

The Deaths during this month were 34, being -12 less than the average of the previous 14 years. Only one year out of the fourteen, 1866, had less, i.e., 33. The range being from that to 74 in 1858. Under one year old there was only one death; from 1 to 5 there were 3; from 5 to 10, one; from 10 to 15 none; from 15 to 20, one. So small a proportion of the total deaths under 20 years old is very remarkable, August 1870 had ten more. From 20 to 60 the deaths were 17, being one less than in August 1870. At 60 and all ages above the deaths were 11, being — 4 less than in 1870. The three oldest this month were above 80 years old, the oldest being 86. In the *Zymotic Class* only one death was recorded, a man aged 60 from gastric fever. From consumption there were 4 deaths, 2 of them natives of Tasmania, born in Hobart Town, women, aged 21 and 25 respectively. One a man aged 44, a shoemaker, born in Dublin; the other a man, aged 52, a truss-maker, born in Middlesex. In the public Hospital there were 11 deaths, all belonging to the Hobart Town registration district, except one from Green Ponds. There was only one Inquest on a man who died in hospital to which he was removed from the gaol. At the Brickfields Invalid Asylum there were 3 deaths, aged respectively 64, 68, 83. At the Cascades establishment two men died aged 58 and 73, the average age in the latter being eleven and a half years less than in the former. At the Queen's Asylum for orphan and destitute children, a girl aged 15 died from absecss of the liver.