

NOTES ON SOME NEW AND RARE PLANTS.

BY BARON F. VON MUELLER, K.C.M.G., F.L.S., &c., &c.

NEW LOCALITIES FOR RARE TASMANIAN PLANTS.

Bellendena montana R.Bn.; Mount Bischoff. F. Kayser.

Richea pandanifolia, J. Hooker. N.W. Tasmania, at Alpine Heights. Ch. P. Bennett.

Prionotes cerinthoides R.Bn. Cradle Mountain. W. R. Bell.

Richea Gunnii, J. Hooker. Cradle Mountain. W. R. Bell.

Donatia Novæ Zelandiæ, J. Hooker. Cradle Mountain. W. R. Bell.

Milligania densiflora, J. Hooker. Upper Huon Ranges. F. Abbott.

VASCULAR PLANTS NEW FOR TASMANIA.

Potamogeton Cheesemani, A. Bennett. Near Swanport. Dr. Story.

Sporobolus virginicus Knuth. Near the entrance of the Tamar. Miss Oakden.

Though recorded already by R. Brown in his *Prodromus*, it was missed for all other publications on Tasmanian plants.

FUNGI NEW FOR TASMANIA.

Diploderma glanoum, Cooke and Mass. Scamander River. Wintle.

Castoreum radioatum, Cooke and Mass. Near St. George's Bay. Wintle.

Both give additional genera for the Tasmanian Flora.