

INDEX.

Titles of Papers, and New Genera and Species in **Heavy Type**.

Synonyms in *Italic*.

- Aboriginal Remains at Eaglehawk Neck, Preliminary Note upon the Discovery of** (Clive Lord), 118
- Abstract of Proceedings**, 120
- Acanthiza, 143
- Accounts for 1918, 134, 135
- Accumulated Capital Wealth, observations regarding** (R. M. Johnston), 1
- Actæon scrobiculatus, 115
- Adeorbis laevis, 71
- Algæ, 62
- Ammothea, 91, 95, 98
 assimilis, 91
 longicollis, 91
- Ammothea australiensis**, 95, 98, and Plates XIII., XIV.
- Amnicola tasmanica, 137
- Amusium zitteli, 104
- Ancilla hebera, 112
 orycta, 112
 pseudaustralis, 112
- Anniversary, 75th of the Society**, 123
- Anoplodactylus anarthrus, 12
- Arca celleporacea, 103
 limatella, 103
 pseudonavicularis, 103
- Ascorhynchus, 91
- Astræa crassigranosa, 108
 flindersi, 108
 hudsoniana, 108
 ornatissima, 108
- Astrarium flindersi, 71
- Australian Natives' Association, 75
- Avery, J., 123
- Balæna australis, 18, 28
- Balænidæ, 18, 28
- Balænoptera, 18
 huttoni, 18, 28
- Beattie, J. W., 121
- Beddome, Capt., 137
- Bela tenuisculpta, 114
 woodsi, 114
- Bellamy, H. E., 121
- Bennett, A. E., 123
- Bettongia, 19
 cuniculus, 19, 33
 tridactylus, 34
- Biggs, A. B., 138
- Bischoff, Mt., 139
- Bisdee, E. O., 124
- Black, R. A., 120
- Blechnum cartilagineum, 140
- Bottrill, Dr., 75
- Bouvier, E. L., 99
- Brachiopoda in the Table Cape Beds, a revised census** (W. L. May), 101
- Brachysoma bimaculata*, 76
calonata, 77
- Briseis mine, 9
- Brister, T. I., 118
- Bryer, J. R., 123
- Burbury, A., 123
- Burbury, F., 123
- Butler, W. F. D., 125, 132
- Calcar flindersi*, 71
- Calliostoma alternata, 107
 atomus, 107
 blaxlandi, 107
 latecarina, 108
 serratulus, 108
 tasmanica, 108
- Calman, W. T., 99
- Calyptropsis umbilicata, 109
- Cape Barren Goose, 143
- Cardita platicostata, 105
- Carditella lamellata, 105
- Cardium pseudomagnum, 105
 septuagenarium, 105
- Carnivora, 23
- Carpolithes (plesiocapparis) clarkii**, 10
- Catodon australis*, 28
macrocephalus, 28
- Cerithium pritchardi, 109
- Chalinolobus, 17
 gouldi, 17, 22
 morio, 17, 22
- Chama lamellifera, 105
- Chibia bracteata, 143
- Chione allporti, 105
 cainozoica, 106
 hemophora, 106
 multilamellata, 106
 multitæniata, 106
 propinqua, 106
- Chiroptera, 17
- Chiton fossicus, 107
 paucipustulosus, 107
- City Council, 75

- Clarke, Dr. A. H., 120, 121, 125, 132
 Clarke, T. W. H., 123
Clavilithes tateana, 114
Cleidothærus albidus, 104
 Clemes, W. H., 118, 120, 125, 132, 133
Clinus despicillatus, 138
Columbarium acanthostrepes, 114
 craspedotum, 114
Columbella oxleyi, 72
 Conlon, A., 123
Conomitra anticoronata, 115
 Consumable Wealth, 7
Conus complicatus, 113
Corbula cphamilla, 106
 pyxidata, 106
 Counsel, E. A., 75
Crassatellites communis, 104
 oblonga, 105
Crania, aboriginal, 119
Crania quadrangularis, 117
Crepidula hainsworthi, 109
Crenella globularis, 104
 Crinoidea, 139
**Critical Remarks on the Table
 Cape Fossil Mollusca in the
 Johnston Collection (W. L.
 May)**, 69
 Crooke, W., 74
Crossea princeps, 110
 sublabiata, 110
 tetragonostoma, 110
Cucullea corioensis, 103
Cucullea minuta, 79
 Cummins, W. H., 123
 Current Standard of Living, 8
Cylichnella exigua, 116
 woodsii, 116
Cymatium abbotti, 110
 crassicostatus, 110
 tortirostris, 110
 woodsii, 110
Cypræa archeri, 111
 consobrina, 111
 eximia, 111
 leptorhyncha, 111
 ovulatella, 111
 platypyga, 111
 platyrhyncha, 111
 sphærodoma, 111
 subsidiua, 111
 Cyprus, 138
Dasyurus maculatus, 45
 viverrinus, 46
Dasyurus ursinus, 44
 Dechaineux, L., 120, 125, 132, 133
Delphinula tetragonostoma, 70
Denisonia coronoides, 76, 77, 78
 superba, 76, 77, 81
 signata, 79
 Dennant, 101
Dentalium lacteoleum, 116
 mantelli, 116
 pictile, 116
 subfissura, 116
 Diamond Snake, 78
Dimya dissimilis, 104
Diplodonta balcombensis, 105
 suborbicularis, 105
 Diprotodontia, 19
**Discovery of a new Fossil
 Fruit from the Deep-Lead
 Tin Drifts at Derby, Notes
 on (R. M. Johnston)**, 9
 Dobson, Hon. Henry, 75, 144
 Dohrn, Anton, 99
Drillia crenularoides, 113
 sandleroides, 113
Dromicia, 19
 lepida, 19, 36
 nana, 19, 35
Echidna, 20
 aculeata, var. *setosa*, 20, 50
 Elapineæ, 77
 Ellis, F., 123
Emarginula transenna, 107
 Emmett, E. T., 75, 120
 Entomostraca, 138
Epimys, 17
 fuscipes, 17, 27
 velutinus, 17, 27
Erato duplicata, 111
 minor, 111
Estea varicifera, 109
**Eucalypts, Notes on Tas-
 manian (J. H. Maiden)**, 82
Eucalyptus, 82, 139
 aggregata, 82
 amygdalina, 83, 84, 85
 antipolitensis, 89
 cordata, 83
 coriacea, 83
 linearis, 83, 85
 nitida, 84, 85
 obliqua, 85
 ovata, 85
 Perriniana, 86
 Risdoni, var. *hypericifolia*,
 84, 87
 rubida, 87
 unilata, 88
 viminalis, 85, 86
Euchelus woodsii, 71

- Eutaria, 17
 cinerea, 17, 24, 25
 Evans, L., 123
 Evernia furfuracea, 54
 prunastri, 54

 Fasciolaria decipiens, 114
 johnstoni, 114
 Ficus altispira, 114
 Field Naturalists' Club, Tas-
 manian, 75
 Finlay, G. W., 123
 Fisheries Commissioners, 75
 Fletcher, C. E., 123
 Flynn, Professor, **On a Pycno-
 gonid of the Genus Halo-
 scma**, 11, 75. **Two New
 Australian Pycnogonida**, 91,
 99
**Fossil Fruit from the Deep-
 Lead Tin Drifts at Derby,
 Tasmania, Notes on** (R. M.
 Johnston), 9
 Fowler, T. W., 120, 125, 132
 Friginatica polita, 111
 Furina bimaculata, 76
 calonata, 76
 Fusinus dictyotis, 114
 meredithæ, 114
 senticosus, 114
 Fusus tasmanicus, 115

 Gari æqualis, 106
 hamiltonensis, 106
 Gatenby, R. L., 123
 Gibbula clarkæi, 70
 æquisulcata, 70
 crassigranosa, 70
 Gillett, H., 123
 Girella tricuspidata, 137
 Globicephalus, 18
 melas, 18, 29
 Glycymeris cainozoicus, 103
 laticostatus, 103
 Gonidia, 62

 Haliotis ovinoïdes, 107
 Halosoma, 11, 15
 haswelli (sp. nov.), 13, 91
 viridintestinalis, 11, 12, 15
 Haswell, Professor, 91, 99
 Haurakia tateana, 109
 Hedley, C., 11
 Helix, 19
 Hinnites corioensis, 104
 Hodge, G., 99
Hemiocephalus coronoides, 78
 superbus, 77
 curtus, 80

 Hump-back whale, 28
 Hydromys, 17
 chrysogaster, 17, 26
 Hypnæ, 61
Hypsiprymnus cuniculus, 33
 murinus, 34

 Johnston, R. M., **Observations
 regarding Accumulated
 Capital Wealth**, 1. **Notes
 on the discovery of a New
 Fossil Fruit**, 9, 69-73, 101.
 Vice-President, 120. Refer-
 ence to death of, 121. Obitu-
 ary Notice, 136. List of
 Papers contributed to the
 Society by, 136-142

 Kogia, 18
 braviceps, 18, 28

 Lagenorhynchus, 18, 30
 Latirus affinis, 114
 aldigensis, 114
 murrayana, 114
 semiundulata, 115
 transenna, 116
 Legge, Colonel W. V., 121.
 Obituary Notice, 142. List
 of Papers contributed to the
 Society, 142
 Lima bassi, 104
 crebresquamata, 104
 linguliformis, 104
 Limatula jeffreysiana, 104
 Limea transenna, 104
 Limopsis aurita, 103
 belcheri, 103
 Liotella annulata, 108
 Liotena lamellora, 108
 Liotia annulata, 71
 Loman, J. C., 99
 Longman, H. A., 26
 Loricæ duniana, 107
 Loricella atkinsoni, 107
 magnifica, 107
 octoradiata, 107
 Lord, Clive E., **Notes on the
 Mammals of Tasmania**, 16-
 52. **The Foundation of the
 National Park**, 74. **Notes
 on the Snakes of Tasmania**,
 76-81. **Preliminary Note
 upon the Discovery of a
 number of Aboriginal re-
 mains at Eaglehawk Neck**,
 118-119. Lecture, 122. Sec-
 retary, 125, 132, 135
 Loxotaphrus fragilis, 115

- Lucina planatella*, 105
Macropus, 1
 billardieri, 19, 32
 giganteus, var. *fuliginosus*,
 19, 30
 major, 30
 ruficollis, var. *bennettii*, 19,
 31
Maetra howchiniana, 106
Magasella woodsiana, 117
Magellania garibaldiana, 116
 grandis, 116
Maiden, J. H., **Notes on Tas-**
manian Eucalypts, 82-90
Mammals of Tasmania, Notes
on the (Clive Lord), 16
Mammalia, 17
Mansell, A. E., 123
Margarita clarkei, 107
 æquisulcata, 107
Martin, Colonel
Marsupialia, 19
Mastacomys, 18
 fuscus, 18
May, W. L., **Critical Remarks**
on the Table Cape Fossils in
the Johnston Collection, 69-
 73. **A revised census of the**
Mollusca and Brachiopoda in
the Table Cape Beds, 101-117
Megatebennus malleata, 107
Mendosoma Allporti, 137
Meretrix submultistriatus, 105
 tenuis, 105
Mesoplodon, 18
 grayi, 18
 layardi, 18
Microchiroptera, 17, 20
Minolia kekwickei, 107
Mollusca, a revised census of,
Table Cape (W. L. May),
 101
Monia sella, 104
Monotremata, 20, 50
Morton Allport Memorial
Fund, 135
Murdoch, T., 124
Mus castaneus, 25
 griseo-cæruleus, 25
 leucopus, 25
 pachyurus, 25
 simsoni, 25
 tamarensis, 25
 tetragonurus, 25
 variabilis, 25
Myodora æquilateralis, 104
 australis, 104
Natica sub-noæ, 111
 vixumbilicata, 111
 wintlei, 111
National Park, the Foundation
of (Clive Lord), 74-75
Neobalena, 18
 marginata, 18, 28
Newdegate, Sir Francis,
 K.C.M.G., 75, 121, 122
Nicholls, Sir Herbert,
 K.C.M.G., 124
Nicolson, N., 123
Notechis, 76
 scutatus, 76, 77, 79
Notes on the Mammals of
Tasmania (Clive Lord), 16-
 52
Notes on the Snakes of Tas-
mania (Clive Lord), 76-81
Notes on Tasmanian Eucalypts
 (J. H. Maiden), 82-90
Nucula, 102
 atkinsoni, 102
 fenestralis, 102
 obliqua, 102
Nuculana apiculata, 102
 crebrecostata, 102
 fontalis, 102
 huttoni, 102
 prælonga, 102
 vagans, 103
 woodsii, 103
Nyctonomus, 17
 plicatus, 17, 23
Nyctophilus, 17
 æoffroyi, 20
 timorensis, 17, 20
 unicolor, 20
Obituary, 136-144
Observations Regarding Ac-
cumulated Capital Wealth
 (R. M. Johnston), 1
Ogmorhinus, 17
 leptonyx, 17, 23, 24
On a Pycnogonid of the Genus
Halcsema (Professor Flynn),
 11
Ophidia, 77
Orca, 29
 gladiator, 29
Ornithorhynchus, 20, 57
 anatinus, 20, 51, 52
Pallene lanpa, 12
Panope agnewi, 106
 orbita, 106
Park, National, 74-75

- Parmelia, the thallus of the Genus** (Dr. J. Shirley), 53-68
- Parmelia tiliacea*, 53
- cetrata*, v. *soredifera*, 53
- latissima*, 53
- laxa*, 53
- limbata*, 53
- mundata*, 53
- olivacea*, 53
- perforata*, 53
- perlata*, 53
- placorrhodioides*, 53
- saxatilis*, v. *signifera*, 53
- tinctorum*, 53
- Pawerak, 77
- Pecten foulcheri*, 103
- polymorphoides*, 103
- Pentapycnon charcoti*, 93
- Perameles*, 19
- gunni*, 19, 42
- obesula*, 19, 41
- Petaurus*, 19
- breviceps*, 19
- sciureus*, 36
- Phascologale*, 20
- minima*, 20, 48
- swainsoni*, 20, 48
- Phascolomys*, 19
- ursinus*, var. *tasmanensis*, 19, 39
- tasmanensis*, 39
- wombat*, 39
- Phalangista cooki*, 37
- vulvina*, 38
- Phos liræcostatus*, 115
- Phragmorisma anatinæformis*, 106
- Physeia hypoleuca*, 54
- Physeter*, 18
- macrocephalus*, 18
- Piesse, E. L., 120, 125
- Pileopsis navicelloides*, 73
- Platurus*, 77
- laticaudatus*, 77, 81
- Plesiccapparais clarkii***, 10
- Pleurotoma pullulascens*, 72
- sandleroides*, 72
- Plicata ramulosa*, 104
- Ploceus baya*, 142
- Port Arthur, 94
- Potamides wynyardensis*, 109
- Potorous tridactylus*, 34
- apicalis*, 34
- Preliminary Note upon the discovery of Tasmanian Aboriginal Remains at Eaglehawk Neck** (Clive Lord), 117-118
- Proteroglypha*, 77
- Pseudamussium hochstetteri*, 103
- yahlensis*, 104
- Pseudochirus*, 19
- cooki*, 19, 37
- Pseudomys*, 18
- higginsii*, 18, 27
- Pseudorca*, 18
- crassidens*, 18, 29
- Pycnogonida**, 11-15, 91-100
- Pycnogonum*, 91
- aurifineatum* (sp. nov.), 92
- gaini*, 94
- littorale*, 92
- pusillum*, 91
- Pyramidella polita*, 73
- Pyrene cainozoica*, 115
- Pyxine cocoes*, 54
- Quercus*, 139
- Reptilia*, 77
- Retusa aptycha*, 116
- Rhizinae*, 63
- Rhizorus tatei*, 116
- Rissoa dubia*, 72
- Rissoina concatenata*, 109
- Roberts, Mrs. H. L., 122
- Rodway, L., C.M.G., 82, 120, 122, 125, 132, 135
- Salmo solar*, 140
- Sarcophilus*, 19
- ursinus*, 19
- Scotochilus pumilis*, 21
- morio*, 22
- gouldi*, 22
- Scott, H. H., 16, 24
- Seager, P. S., I.S.O., 75
- Seals, 24
- Sigapatella subtabulata*, 109
- Simon, Augustus (obituary notice), 143-144
- Sminthopsis*, 20
- leucopus*, 20, 49
- Snakes of Tasmania, Notes on** (Clive Lord), 76-81
- Solarium gibbuloides*, 70
- Solecirtus legrandi*, 106
- Spondylus gaderopoides*, 104
- pseudoradula*, 104
- Sticta demutabilis*, 54
- pulmonacea*, 54
- Stictina suborbicularis*, 54
- retigera*, 54
- Superb Snake, 77
- Synechoblastus*, 54

- Syrnola microlirata, 116
 polita, 116
- Table Cape Mollusca and Brachiopoda, 101**
- Tasmanian Eucalypts, 82**
- Tasmanian Field Naturalists' Club, 74, 75
- Tate, Professor, 102
- Taylor, J., 123
- Taylor, W. E., 124
- Tellina cainozoica, 106
 masoni, 106
- Terebra additoides, 113
 simplex, 113
- Terebratella woodsi, 117
- Terebratula tateana, 116
 vitreoides, 116
- Terebratulina catinuliformis, 117
 scoulari, 117
- Thallus of the Genus Parmelia, the (Dr. J. Shirley), 53-68**
- Thylacinus, 19
 cynocephalus, 19
- Trachichthys Macleanyi, 137
- Trichosurus, 19
 vulpecula, var. fuliginosus, 19, 38
- Trigonia semiundulata, 103
- Triphora tasmanica, 109
- Trivia avellanoidea, 111
- Tugalia crassireticulata, 107
- Turbonilla liræcostata, 116
 pagoda, 116
- Turridæ, 102
- Turritella acricula, 109
 conspicabilis, 109
 murrayana, 109
 tristria, 109
 warburtoni, 110
- Tursiops tursio, 18, 29
 catalania, 18, 29
- Two new Australian Pycnogonida (Professor Flynn), 91**
- Tylospira coronata, 110
- Typhis mccoysi, 115
- Venericardia gracillicostata, 105
 scabrosa, 105
 tasmanica, 105
 trigonalis, 105
- Vermicularia conohelix, 110
 rudis, 110
- Vespertilionidæ, 17, 20
- Vespertilio tasmanensis, 21
- Vesperugo, 17
 krefftii, 17, 21
 pumilis, 17, 21
- Voluta ancilloides, 112
 alticostata, 112
 atkinsoni, 112
 halli, 112
 lirata, 112
 mccoysi, 112
 macroptera, 112
 mortoni, 112
 pellita, 112
 spenceri, 112
 stephensi, 112
 strophodon, 112
 var. stolidia, 112
 tateana, 112
 weldii, 112
 var. angustior, 112
 var. intermedia, 112
 wynyardensis, 112
- Volutilithes anticengulatus, 111
 var. indivisa, 111
 var. persulcata, 112
- Walch, P., 123
- Watt, W., 123
- Wealth, Accumulated Capital, 1**
- Wettenhall, V. E., 75
- Wineglass Bay, 74
- Wombat, 39
- Woods, Tenison, 102
- Zemira præcursoria, 110
- Zenatopsis fragilis, 106
- Zizyphinus blaxlandi, 71