

## INDEX.

Titles of Papers, and New Genera and Species in **Heavy Type**.

Synonyms in *Italic*.

- Abrieta aurata*, 70  
*Anaboena*, 110  
*Anisynta tasmanica*, 68  
*Appias ega*, 67  
*Argynnina tasmanica*, 68  
*Asilidae*, 66  
**Asilidas, New Australian** (A. White), 72-103  
*Asilinae*, 86  
*Asilus*, 86, 87, 88, 90  
   *aureus*, 90  
   *hyagnis*, 90  
*Atomosia*, 82  
   *australis*, 83  
   *culicivora*, 83  
*Aulographum eucalypti*, 106  
   *protacium*, 106  
*Balsamea platyspora*, 108  
**Barn Bluff, Determination of height of** (H. R. Hutchison, L. F. Giblin, and W. F. D. Butler), 1-5  
*Blepharotes*, 86, 88  
*Bombilidae*, 66  
**Botanical Notes** (L. Rodway), 105-110  
*Brachyrrhopala*, 74  
   *bella*, 74  
   *ruficornis*, 75, 76  
 Butler (W. F. D.), **Foundation of public institutions for secondary education**, 21-59  
 Butler. *See* also Hutchison, Giblin, and Butler.  
**Butterflies, Notes on Tasmanian** (G. H. Hardy), 67-8  
*Calicium trachclinum*, 110  
*Calloria tasmanica*, 107  
*Cenarrhenes ritida*, 106  
*Cerdistus*, 86, 87  
*Chrysonogon*, 72  
   *pallidipennis*, 72  
   *punctatus*, 73  
   *rubidipennis*, 73  
 Christ's College, 38 et seq.  
*Cicadinae*, 70  
**Cicadidae, Tasmanian** (G. H. Hardy), 69-71  
*Comptosia coreulum*, 66  
   *geometrica*, 66  
*Cryptopogon*, 76  
   *vernaculus*, 77  
*Cyphella globosa*, 108  
*Cyrtidae*, 60  
*Cystopus*, 110  
   *austro-africanus*, 110  
*Cytospora*, 110  
*Dasygogoninae*, 72  
*Dasyscypha*, 107  
**Determination of the height of Barn Bluff** (H. R. Hutchison, L. F. Giblin, and W. F. D. Butler), 1-5  
*Diemeniana*, 70  
   *coleoptrata*, 71  
   *hirsutus*, 69, 70, 71  
   *tillyardi*, 69, 70, 71  
   *turneri*, 69  
**Diptera, Notes on Tasmanian** (G. H. Hardy), 60-66  
*Dotliorella*, 110  
*Dysmachus*, 87, 91  
   *rudis*, 86, 91  
**Education, Institutions for secondary** (W. F. D. Butler), 21-59  
*Elaphomyces citrinus*, 108  
   *leveillei*, 108  
*Endogone*, 108  
   *australis*, 108  
   *neglecta*, 107  
*Epicerina nigricornis*, 61  
*Epitriptus*, 86, 96  
*Erax*, 88  
*Eriopella apala*, 107  
**Eucalypts, Tasmanian** (L. Rodway), 10-20  
*Eucalyptus globulus*, 107, 110  
   *viminalis*, 107  
*Eutolmus*, 86  
*Fissidens leptocladus*, 105  
   *rigidiuscular*, 105  
*Fossombronia dentata*, 106  
   *robusta*, 106  
**Foundation of public institutions for secondary education in Tasmania** (W. F. D. Butler), 21-59  
*Gahnia psittacorum*, 106

- Giblin. *See* Hutchison, Giblin, and Butler.
- Glaphyropyga, 87
- Gymnomyces flavus, 110
- Hardy (G. H.). **Notes on Tasmanian butterflies**, 67-8
- Hardy (G. H.), **Notes on Tasmanian Diptera**, 60-66
- Hardy (G. H.). **Tasmanian Cicadidae**, 69-71
- Heligmoneura, 87
- Hendersonia eucalypti, 107
- Henons basalis*, 60
- Hesperilla cyclospila, 67
- donuysa, 67, 68
- Heteronympha cordace, 68
- philerope, 68
- High School, 57
- Hutchins School, 37 et seq.
- Hutchison (H. R.), Giblin (L. F.), and Butler (W. F. D.), **Determination of the height of Barn Bluff**, 1-5
- Hyaloceras dilophospora, 109
- Hymenogaster albellus, 109
- levisporus, 109
- Hysterium galnianum, 106
- Hysterangium affine, 109
- burburianum, 109
- inflatum, 109
- pumilum, 109
- Ichneumonidae, 66
- Laphria, 84
- comata, 85
- niveifacies, 66
- rufifemorata, 85
- telectes, 85
- variana, 84
- Laphrinae, 77, 80
- Launceston Church Grammar School, 36
- Lepidosperma laterale, 107
- Leptospermum scoparium, 109
- Leptosphaeria coniothyrium, 170
- Lichina alpina, 110
- Lonchorhynchus, 78
- Machimus, 86, 87
- Marasmius equicrinis, 106
- Marginellas, New names for Tasmanian** (W. L. May), 104
- Marginella albomaculata, 104
- auriculata, 104
- concamerata, 104
- cylichnella, 104
- microscopica, 104
- tonliniana, 104
- May (W. L.), **New names for Tasmanian Marginellas**, 104
- Melampsalta abdominalis, 71
- marginata, 71
- spretta, 70, 71
- torrida, 70, 71
- Mesembryanthemum aequilaterale, 110
- Metalaphria, 81
- aurifacies, 81, 82
- australis, 82
- Mosses common to Tasmania and Queensland** (J. Shirley), 6-9
- Motasingha dominula, 68
- Nemacyclus gilvus, 107
- Neoaratus, 87, 88
- Neoxaireta spinigera, 63
- Neoitamus, 86-91, 95, 96, 98, 100
- abditus, 93
- brunneus, 100
- caliginosus, 93
- divaricatus, 93, 95
- flavicinctus, 91, 92
- hyalipennis, 91, 92, 95
- lividus, 92, 93
- maculatus, 93
- mistipes, 100
- vulgatus, 91, 92
- Neolucina hobartensis, 68
- Nesoxenica elia, 67, 68
- leprea, 67
- New Australian Asilidae** (Arthur White), 72-103
- New names for Tasmanian Marginellas** (W. L. May), 104
- Notes on Tasmanian butterflies** (G. H. Hardy), 67-8
- Notes on Tasmanian Diptera and description of new species** (G. H. Hardy), 60-66
- Odontomyia, 61
- amuris, 61, 62
- annulipes, 61
- carinata, 61
- carinifacies, 61
- decipiens, 61
- hunteri, 61
- ialmenus, 61
- kirchneri, 62
- lateremaculata, 61
- marginella, 61

- opertanea, 62  
*pectoralis*, 61  
*picea*, 61  
*requis-aeorqii*, 61  
*ruffacies*, 61  
*stricta*, 62  
*stulata*, 61  
*subdentata*, 61  
*sudneucensis*, 62  
*Ogcodes darwini*, 60  
*doddi*, 60  
*fortunui*, 60  
*ignava*, 60  
*tasmanica*, 60  
*Olearia argophylla*, 108  
*Ommatium*, 86, 88, 89  
*levis*, 90  
*obscurus*, 89  
*pilosus*, 89  
*Oncodes ater*, 60  
*basalis*, 61  
*flavescens*, 60  
*nigrineris*, 60  
*nammaeus*, 60  
*Oreixemica flynni*, 67, 68  
*orichora*, 67  
*Pachygaster*, 63  
*Papilio macleayanus*, 68  
*Pararatus*, 86, 88  
*Pauropsalta encaustica*, 71  
*mneme*, 71  
*Pelecorrhynchus*, 63  
*albolineatus*, 64  
*crystaloides*, 63, 65  
*fusconiger*, 63  
*igniculus*, 63, 64  
*montanus*, 63, 65  
*nigripennis*, 63  
*Peziza*, 107  
*Phialea berggrenii*, 107  
*Philodicus*, 88  
*Phragmidium potentillae*, 107  
*subcorticum*, 107  
*Phyllachora callistemoni*, 108  
*Phyllocladus rhomboidalis*, 107  
*Plagiochila wattsi*, 105  
*Pogonosoma*, 77  
*Polysacrum microcarpum*, 106  
*Polyporus myllitae*, 108  
*sclerotinius*, 108  
*Pottia subphyscomitrioides*, 105  
*tasmanica*, 105  
*Proctacanthus*, 88  
*Promachus*, 88  
*Psaltoda moerens*, 70  
*Pterodontia*, 60  
*Pterostylis concinna*, 105  
*praecox*, 105  
*toveana*, 105  
*Pulvinaria*, 110  
*typica*, 110  
*Pyrameis itea*, 68  
**Queensland, Mosses common to Tasmania and (J. Shirley)**, 6-9  
*Rhabdotoitamus*, 76, 87-89, 91, 95  
*brunneus*, 97, 100, 101, 103  
*claripes*, 97, 98, 103  
*graminis*, 96, 99, 103  
*lautus*, 97, 101, 103  
*mistipes*, 97, 100, 101, 103  
*rusticanus*, 97, 102  
*volaticus*, 96, 99, 103  
*Richea pandanifolia*, 110  
*Rodway (L.)*, **Botanical notes**, 105-10  
*Rodway (L.)*, **Tasmanian Eucalypts**, 10-20  
*Saropogon*, 75  
*dissimulans*, 75  
*Shirley (J.)*, **Mosses common to Tasmania and Queensland**, 6-9  
*Stenopogon*, 78  
*elongatus*, 79  
*flavipennis*, 79  
*nicoteles*, 79  
*Stilpnogaster*, 86  
*Stratiomyidae*, 61  
*Stratiomys badius*, 62  
*Strobilomyces pallescens*, 106  
*Tabanidae*, 63  
**Tasmanian Cicadidae (G. H. Hardy)**, 69-71  
**Tasmanian Eucalypts (L. Rodway)**, 10-20  
*Tettigarcta tormentosa*, 71  
*Therevidae*, 78  
*Therutria*, 80  
*amaracus*, 81  
*pulchripes*, 80  
*Tibicinae*, 70  
*Tibicen hirsutus*, 69  
*Tribliediella biconica*, 107  
*Trichoitamus*, 87, 89, 91, 92  
*rudis*, 91  
*Weissia*, 105  
*White (Arthur)*, **New Australian Asilidae**, 72-103