

Wm. Ingham Rt 22

Lab. - Northampton N^o 10833

Palmyra - Sept. 8/1846

your mom^s - seemed & suddenly
 with fr. in the eye flew down back
 whilst at work - she had not
 felt well on getting up in the morning
 & white - throat sore -
 swells ~~outside~~ the neck -
 but of course the ear at
 is very tender - not painful
 The I is reddish white the
 tonsils seem enlarged & are
 white to appearance
 perhaps on swallow, as
 well - the right eye is
 similar but very slight,
 Head in general aching
 when stoop^s
 bowels const. - aft last
 night - but was very cold
 & chilly all night -
 Pulse freq - small skin
 moist dry, had freq
 cold & heats - during day
 with shoots just in lower
 extremities -

Dr. P. H. & Ch. by sea for
 Capt. W. H. C. Co. Lt
 21. Bowels const. I. white said
 oedema filled with yellow purulent
 matter on face - head, neck, disch^d
 throat also infl^d - slight fr in
 Liac^o - says head aches. Pulse
 lower than dry - Thirst - Locat a
 letter in the night - Harbor July 21st
 21 203 - Now she comes in after - but
 I loaded - Bowels 3 times

Ref. Dr. H. & Ch. by sea -
 23. I shall font. a. g. m. spots on face & arms
 Swell^d - put in bath in p. in future
 or in some swarmer

John Lovell
St. Peterburg in Florida
Cough & passage of air as it were
into a cavity in the supra Glad-Rays.

Pulse frequent weaker or easily
compressible. S. white.
Cough troublesome & hurts
the Umbilical Region &
& distresses the Chest.
Bowels once.
Appetite bad.

recurs to light work for a few days

London 20th
Thurs Oct 14 41
23rd in regard to relief, about 530 in pul of
of the last Army pale had a cloud
of both S. very white

John Philips 18th
Pethhurst Prison
High cough loose
severe headache - 12th
dry tongue
vomited 3 or 4 times from
constance flush
the very dry - Pulse frequent
irregular.
Mucous 2u
Lard Cast 3ij

John Philips Oct. 18. 18th
just arrived by Palmyra.
& from Pethhurst prison -
dark complexion -
was brought in the Co. tin a stroke
from the worms has been, consti.
all day of headache face & constant
trembling - Flush Countenance
skin hot & dry. Frequent & irregular Pulse
Bowels const. Tongue dry. dath in
Pains in limbs & back centre.
has eaten nothing this two days.
he called as an out Patient in Morris
when a dose of Sulph. Mag. was admin.
18th Day. Pulv Jalap & Cal. statim

Rp Sulph Mag. ʒj
in Lard ʒssij
ʒij ʒxvj. ʒssij. ʒssij
3y. 1. 2. His liver to be cut close &
cold applicat^o
18th. The bowels have been op. twice
& the Mist caused vomit^s but
he feels no better in any respects
the symptoms remain the same
19th has eaten nothing scarcely
can drink his tea - desires cold
his head aches severely. Omit the
Co. Mist as it causes much vomit^s
19th substitute the follows. Lard ʒssij
ʒij ʒij ʒxvj =

Samson Lacindari

Bowels twice
F. white
An relief by Tolst. 1
Dose often healthy
 urine

13. Bowels of twice
F. white
In a prostration in press
can not lay in account further
O. irregular - rather strong
is oblig'd to lay on back & grope up
in bed
O. extends for left side round
throat -
Cant. act 3 pm in seat - shoot
up with -

Appetite better
Bowels rather dist

14th - Bowels softer - headache
Ded white tongue - bad taste in
mouth & foul breath - 3 notes -
O. Small soft pain on hip at
necessity not sharp
Urine plentiful
Dose 1/2

16. O. relief - Bowels of twice
Urine more freely no need today
Dose 1/2

17. Put up most of day on 2. Tolst
They came on in 1/2
O. at present denied - but
in 1/2 in 1/2
F. white had toll in 1/2
Bowels const - must 1/2

18. F. white had gone - O. at kidney
cant move - O. in 1/2
- Intest. 1/2 this 1/2

19th The f. in 1/2 last night
Urine 1/2
This has passed nearly normal - Bowels
of twice - 2 1/2 1/2 last night
Tolst to part 1/2 small

Mayoverin

Keeps well - Thirsty
Bowels of 1/2 - yet once
Urine scanty - No appetite
O very frequent small -
F. dry & dark

12th Continues much as usual
Bowels of 1/2 has no appetite
lies in a curved posture -
Today has vomited some green
& yellow matter very bitter -

Urine scanty but light col'd -
vomit about 4 oz of pea green fluid
at break today - Bowels const still
13th Still much work for liver up
bowels F. dark col'd moist
can take no food vomits returned
about 10 or 15 minutes after take it -

14th vomited 1/2 of green matter
urine dark col'd 1/2 labor 1/2
const Bowels - 1/2 dark moist -

17. Refuels of C. acute injected
Pupils somewhat dilated
Mucous in throat -
Lair in coughs - 1/2 shot
Has taken with this 4 days
Eggs 1/2

18 - Particles float before his
eyes peck at bar cloaths
account of mucous in throat
has taken a little bread & tea the
most being 1/2 with a spoon
Bowels not open nor urine
dark moist

Bzell
Powder not of 5 day
remains flood free

Very very thin pt. at present
entirely devoid both sides.
The - Plethor was found in left
side

Eyes clear
T. yellow at base
Dyspnoea
Cough looser
Pulse in bed small about 85
easily compressed
M. sp. in left chest. Regu
rough.

Bowels of
Exp. of yellow matter
one slight streak of blood

Philips cont.
12th Eo 3. During the day he became
very restless, & inclined towards 9.
he began to falter in his speech
has retained nothing but his tea
& a little water, he has vomited sev-
times. His bowels have not been
open again. His tongue is more
moist. but his head is not so
very hot - not his skin so very dry
but his head throbs, it appears
as if a great whirring noise was
in the head at times & it only
aches when he coughs. His cough
is loose, his eyes he cannot well
bear the light. ^{light} Cor. outside turkish
silk - all effect the face & the limbs
The cold Applications are to be contd
to the head.

He was bled to about 1 1/2 with
faint. but the face became pale
it did not alter the faltering of
the voice, but diminish'd the force
& frequency of the Pulse he could not
vomit after the bleed.

He is to have as much cold Water
to drink as he wishes for - to take
the follows Powder every 3 hrs

Ry Calom gr ij Pulv of thei gr ij
semel accurate - of pulvis.

13th He has been very restless
during the night. Talked very little
not he prevailed to take any thing
his powder were given in a slice of
apple wh. he ate greedily & his head was
not hot - he got up of his own accord
it was very violent. tore his sheets &
threw away the cloths upon his head -
Blood Pusy & Cupid more profuse
the ^{appearance} of eyes ^{with} yellow
at 6 o'clock
vomited during 5 or 6 nights
Pulse small frequent ^{at 10 o'clock} in left
no head ^{at 10 o'clock} ^{at 10 o'clock} ^{at 10 o'clock}
The vomits contd.

King

Some phlegm but high col
Expt. Punctant & some Struvin
of blood =
P. in right eye eye expectu
sweet but no ph in throat -
the ph in throat in eye of

13th Teeth yellow crust bowels not
Ulat - P. faeg. regular rather pale
in bed -
Breath dyspnoea at times, on
Tub. exure of throat in bed

14th Feels much easier both in cough
P. in side

Regular febr. still freys
P. cleaner -

Expt. mucus with part globules
Some phlegm but dark brown color

16. Cough very troublesome
Expt. punctant.

Rx. ℞ Sul Zij
- Sy Zij

Rx. ℞ Sy Sol in a

3xij & a wine glass full

3 times a day =

Breath well except for Cough
Bowels of stool

17 - Cough very troublesome
Expt. P. difficultly ceased
in night

but about 4 oz mgetts up thro
wome high col - cloudy lat
retention

6. very febr small weak
Swalt some last night

Manuscript in eye of L^r
cand & cough
not easy to make

Philips -

13th vesper. very troublesome
tearing his shirt & even the bed clothes
wounds everything he takes. The Powd^r

Apple &
Pur. Spi. cough both infra clavice &
scap. regus. Cough still worse

Bowels const

Pulse full & lep ~~fast~~ rapid -

Eyes suffused but pupils nat^l

was placed in a warm bath & cold wth applied
wh^{ch} he fell the cold grateful to his
gale & very weak. he did not sweat
but seem^d easier when in bath

Effes: Mist -

Cal. etc. on 2^d. 1 a
another Bath -

14th. The Bath was repeat^d after
night. he was inclined to
before being taken out. & for an hour
or more was quiet & sensible -

Bowels well reliev^d. towards morn

took a greater part of the Colonel Powd^r

since death col^d more phlegmatic -

has tath^d a good deal & been rest less
& some clothes off his b^d & his shirt -

emits not so freq^t

Pulse rapid small

breath not very hot

in upper chest part cough -

P. dry & aching

effenes: mist of both

remot. Powd^r

same dry not very hot

thorax great & distinct - cough

near or after it does not stop & some

eyes on bath. still distress in voice -

Food. the Bath was again used at 11 P.M

found when in the bath he seem^d very

quint. the face pass involuntary

the matter vomit. had a odoraceous
smell. he rem^d about an hour in a
saint. cand^d. his feet & legs became
quite cold & his nails turned blue -

...and account it was rather
an epileptic fit: after he called
he became very boisterous &
talkative until about 4 P.M.
when he became much quieter
his face & urine passed involuntarily
and about 4.5 P.M. he died

Examined at 11 AM.

The upper part of the neck was
filled with blood - his lips & around
his eyelids suffused -

The Brain was firm. a sect.
of its substance showed a number
of small bloody points: the

The veins of head & neck were filled
with dark blood - On opening the
Cranium the Dura Mater
adhered very strongly to the
Calvarium - its vessels were
filled with dark green or
black blood - as were also the sinuses
the Brain was firm & healthy
many small bloody spots app.
on the surface of its substance

The Lungs & Viscera of both
Thorax & Abdomen app. on being
exposed to be healthy. The Lungs
were gorged with dark greenish
blood. but no alteration in their
structure. The heart was normal
rather small. its auricle & ventricle
filled with pure fibrine adhering
to the valves together & forming
a cast of the ventricle & auricle
where the fibrine did not occupy
the space was filled with fluid
dark blood -

Slight congestion app. on the
external coat of the Stomach &
Intestines -

The Lee at 30
Annul 16th
Sedus 26th

Heart - Dublin -
was seized on Saty Eos with
dizziness & Shivers of Cold -
app. on Saty Eos ^{12th} as
app. on Saty Eos ^{13th} -
app. on Saty Eos ^{14th} -
app. on Saty Eos ^{15th} -
app. on Saty Eos ^{16th} -
app. on Saty Eos ^{17th} -
app. on Saty Eos ^{18th} -
app. on Saty Eos ^{19th} -
app. on Saty Eos ^{20th} -
app. on Saty Eos ^{21th} -
app. on Saty Eos ^{22th} -
app. on Saty Eos ^{23th} -
app. on Saty Eos ^{24th} -
app. on Saty Eos ^{25th} -
app. on Saty Eos ^{26th} -
app. on Saty Eos ^{27th} -
app. on Saty Eos ^{28th} -
app. on Saty Eos ^{29th} -
app. on Saty Eos ^{30th} -

On in June & back of
Not Dry Skin -
Thirst -
Face flush - burn heat
then alternate - I. dark cold
dead white - Cough came on
16th - with slight pain in chest
bowels of green -
urine scanty
faces - light brown wat
pleurifical -

Only Col of I. Spec of G.
17 - Bowels not rel by Poud. I. White
Diarrhoea - full regular
Stomach only drained in back of
head - other not so hot -
no sweat on night -
thirst less - app. none
Head smart less - slight meridia
Eos Bowels not rel - Cathart. taken
- Col Mouth app. smart less

18 - allowed wat. Grind - Several
more - Cough better than in
I. Cleanse - Head ache gone -
O. Skin to soft - Bowels of three
this morn. The Sen did not operate
until a fore this morn. -

Thomas Palmer
M in right side

May 16
Peculiarly
Eyes very quiet tho' both
last night & was
restless - he is such a
thief in stool -
I was taken note today
clean & warm

little quantity of wat. in throat
more than 2 teaspoonfull
Eyes he can't see
in throat

The Internal Substance of Left
Kidney was gorged with blood but
contd no purulent matter -
neither was its envelop. & cellular
substance filled with fibrinous
exudate -
The purulent matter was
deposited in the bladder, the mucous
coat had the same deadly whiteness
as the mucous coat of the stomach
& intestines
This appears a case of the Cont. Fever
of this country it assumes very specifically
a Typhoid Character. The softness of
Spleen is a constant attend. even in
animals -

The Ophlips. Autopsy contd
Their internal coats were of
a dried white appearance. &
a quantity of green slimy matter
occup. their cavities -
There was ^{more} than an ^{normal} ^{quantity}
of serum in the Abd. cavity
The lungs was slightly gorged with
dark blood. & the Pleural Glands
were healthy, no disease appd in
Pleural Glands -

The Liver ^{on its external surface}
was rather ^{rather} ^{rather}
on raising it, its parenchymatous
matter was so soft that it
tore & the peritoneal coat easily
separated from it and the
substance, when pressed between
the finger melted

The Spleen was ^{the same}
even softer than that of the Liver
An additional Spleen was observed
about the size of a pigeon egg
lyg between the spleen & the upper
part of the left kidney it had
also suffered in like manner
with its congeners

The right ^{supra} cellular substance
of the right kidney was filled
with fibrinous matter & its substance
near the vessels of substance were
gorged with dark blood; its pelvis
contained a small quantity of
purulent matter. The
left kidney was similar to that
of its fellow

17th Bowels much purged since
night. & very weak this morn

P. atropine
As yet none
Do W. H. H.
Eos of the B. & W. etc. etc.

18th Bowels relaxed. Stomach of blood
Purged very uneasy
Other symptoms same

19th Free from
Labial eruption of skin of chin & W
Bowels strong easy stools

20th Bowels not yet purged
21st - Good night sleep

Mr Arnold - Feb 3rd -
- Plaster of Paris Gloucestershire
vacuumed -
14th since; acute Rheum on
of all the joints and by descent
to in knee joints - sups caught
wds in com's for the first time
Plaster - On hand being very cold
we could not get water all night
very long in vessel
1st lot of pills etc.

Thurs about a week since felt
pains in knee - on getting up the
morn - it has increased with
his exertion into stiffness
A plaster was applied to left
knee -

Eos. Face flushed - much thirst
T. white is now sweats -
no headache -

Prog. Not Rob & at Last - 2nd lot
Enjoy good health at home
except Rheum. Fever with last
5 weeks -

18. Plaster risen on right knee
left foot in the same some in the
ankle - left foot in the same
a full strong grip - T. white
Bowels well open - cold & sh in
night. Sweated a little this morn
after breakfast -
Last. Med.

Eos - Difficulty in micturition
in man's water. which does very
freely for the first time. Bowels open
2^{ce} Thurst. Redness of face & heat
of skin - Oil of Turp. if

Henry Beech. Oct 4th 17th Sept

18. No. 10711. Sup. Palmyra.
Calapthous Aethes
Has had a cough since he came
from Town. in the vessel.

Yesterday morning was seized
with pain in the Abdomen
his bowels have been in constipation
at state & his appetite but poor
he ~~at~~ ^{went} ~~at~~ ^{to} work this morning
but was obliged to give over
at midday. From this in
Abdomen - the bowels we have
been op^d for two days & later with
loss of appetite -
Face is flush - breath short
Bottom thin - thirst
Pain all head slow -
F. dry - dark -
Bowels op^d once since
last night -

vomits ~~for~~ ⁱⁿ ~~the~~ ^{the} ~~day~~ ^{day} ~~and~~ ^{and} ~~is~~ ^{is} ~~caused~~ ^{caused}
on last night - Spm has extend
over the Abdomen fr. right side to
pubic region much tenderness on
pressure
Pled to deliv in the accumb^t
post^e wth ^{the} ^{sp^m}

2 Cal & Op. Pills admitt^d -
Opement to be used. dat^d 9th day.
Had a Cal & Op. pow^d last night - 1/2
Ant Salk & Spec 1/2 3x4 -

Pled. cupped thick buggy coat
20 Bowels not op^d since last night
& dry & dark cold - The cough came
in about 8 P.M. & lasted. 40 to 50
countenance lip flushed than in the
morning - Breath short
Pain Abdomen cent^r to right iliac
region Eyes half closed -
Was not vomited but belches off
some bloody mucus & phlegm

Friday 10th
Spm in lower part of abdomen
Relief of midst - distress just
high extend over abdomen
Cough troublesome dur^d night
Blister & Oil Opⁱ at night

Very great small
took 2 op^d Pills last night & ⁱⁿ
operated twice - Cough & Sp^m

19th - Blister has risen ⁱⁿ ⁱⁿ ^{Abd^o}
the Abdomen -
Cough very annoying dur^d ^{of} ^{night}
much expect^d -

20th Bowel of the Camp caused
him to rest better & relief of cough
Pain not easier - Blister dried -
Pills in left side cavity under clavicle
Abdomen very tender the per
nd^o - in the fore noon - Bowels
cough^d - 1/2 Cal. & Op. & Cal. if
vomits

21 - Bowels less tender - Cough loose
Expect^d considerable - Bowels not op^d
since night prior to last night -
Had 1/2 the Senna - &c
Bowels advance in ^{the} ^{sp^m} & great ^{the} ^{water}
rather sharp. Held 1 op^d Cal & Op

22 - Bowels much op^d - Cough easier
- Spm at Symp. pubic extends night since former

Beach curd. 18th Eve
Pulse softer & less frequent
Thin not so hot but less
relieved by a dose of Magnesia
has slept none.

Soreness of left arm &
inability to move it -

Pil Cal & Opium - ij. ℥ss &
rept. noct -
Drink Loath & Water.

Cut for next Abdomen
Pulse - frequent & not very full rather
soft

19th The curd affected him more
or less during of night -

Lip dark & foul. - Bowels
const. not open since yesterday
before. - Abdomen distended

The pt in left pubic region has
formed tumor in night.

Cut. Somet. & Halc. H. Sen. ℥ss
q. h.

urine plentiful red -

Cough - Respiration consid.
slight trace of blood in sputum
has been affected with cough since
left Palmira. Sweats - but has
had a shortness of breath since can
remember but always in good
health.

Arterial respiration
Accumulation of Sputum in Trachea
Chronic Bronchitis

Left Arm troubles with
up. is hot & firm from Elbow to tip
of fingers - Swollen but not discolored
an act. pt. bed at elbow down to
finger

Headache eyes clear
Halt. Pills diff. in state of fingers
slight of abdomen

stirred - 19th

rather in mist
left about an hr
white. lip swollen & tender -
noted with tremor -
swells - of one in night considered
of face red. brown watery -
in right pubic region slight and
repture -
ice red. skin not so hot
no perspiration rather cold. for want
of curd. -

Force not in pt but weight
appetite slightly improved -

20th On in left knee better
the pt the pt in on the inner side
of the inside of the knee -

L. Whympton trembles slightly
as is white & dead -

P. frequent regurg in Pythia. hard
with the full feel'd like a stout
wire -

the pt in Abdomen or Throat -
Tumor still & Bowels of once
weat none -

Rept. Mist. etc Pills L. H. H.
Rept. P. L. H. H. H. H. H.

1- Pulse small soft regular in Arteries
or very slight - No. 2. right & white
swollen to base. - Abdomen distended
both knees better

Re. Pil. H. H. H. H. H. H.

2- Pulse in Arteries
Abdomen distended - no swell in either knee
of once -

Thurs Lee 19th

Face pale & become clammy
P. slow - soft - Bowels
op. twice - -

Prep. Hand dience -

20th Bowels open - Apt.

Rice - Del. Dye

- 1 - Bowels out of lymph of chest
- 2 - Haight Sen - Del. Dye work
- 22 - Kats & Senia - no lymph of chest but
had taste in mouth & headache on 19th & 20th

The lungs were slightly softened in
their coats were thin & translucent
congestion slight of bronch. bundles
no excreta of the muc. coats
were seen extending with air
in crevices. The substance
the same soft & spongy structure
have been of any. traces of coag. blood
roughness of the muc. coats was
secretin was found in it, the
no doubt. Some mucous substance
was. It was composed of
appearance of the trachea was
loose. The trachea lining
ribrous brown in color
appearance of the trachea was
at upper part grayish but
more filled with blood - particularly
those of the spine were much
filled with blood - particularly
appearance of the trachea was
plentiful as to show the
enjoyment of good health

Beech Cent - 19th

Ev. Bowels not been relieved -
has vomited the Senia - an
Enama of Sulf. Mag. was administered
when a motion was induced - He
has wandered a little - this afternoon
the left side of arm is useless or
nearly so & in pain - The
Abdomen is distend. with flatul. &
he feels very slight pain is prod
on prepur.

Mf. Inf. Lyches Epigastro
Op. P. H. gr. vj. h. soumi

20th - died this morn at 3 PM

21 36 hours after death.
A fine athletic frame & in good
condition. Face calm & eyes clear
scarcely had the appearance of death
fine white soft skin with no hair
in breast. dash in eye head & Pubes
The menbr. of brain were filled with
The Brain was much enlarged
adhere firmly to the calvarium. The
Pia Mater. Arach. dash Blood
The whole venous system was filled
with dash blood. It was in a state of
angest. The menbr. of brain were
thickly injected with dash venous blood
& P. Mater did not cut in any
and under it. There was no fluid
under the P. Mater. the vessels
were filled with dash blood - & The
substance of the Brain wh. was rather
tender than nat. exhibited when sliced
number of minute bloody points
& where exuded a g. of dash fluid blood
chordoid pieces was pale. the filled
the blood no more than usual g.
fluid in the ventricles -

Open the th. & Abd. Cavities
fatter matter adipose substance
plentiful as to show the
enjoyment of good health

Majorerim. 19th
died this morn^g - about 8. A. M.
Autopsy. at 2 P. M. 4 hrs after death
The Body was extremely emaciated
the muscular system was emaciated
much absorbed. The plantar
not only was the adipose matter
all absorbed but also the muscular
substance was much attenuated
so that the body app^r:. a sacra scels
cov^d. only with a skin -
The Pleura of left right ^{each}
thoracic cavity adhered
strongly throughout its whole extent
to the - The Lung

Pleura Thoracic Cavity
The Lungs adhered throughout their
whole surface to the ribs - the
adhesions were firm & with great
difficulty was a separatⁿ induced
The Lung substance of the Lungs
was dark purple, highly injected
with blood - had throughout a dark
purple appearance - when cut
into the blood dark purple blood
exud^d. from innumerable orifices
Left Cavity. and ^{very} small. ~~was~~

The Adhesions on left side
were as uniplanar. tubercles
studded the ~~side~~ throughout.

The Lungs were compressed into
less than half their nat^l. size, ^{being} ~~spread~~
but a very thick layer of fibrine
with any red vessels permeating its
app^r: of whitish yellow colour
both where they adhered to the
pleura costalis and also to the
Diaphragm - as well as the par^t

It formed the wall of the cavity
this cavity was filled with yellow
serum about 1/2 pt. The upper
part of the lung was somewhat
retracted & softened in texture
The other parts resembled the lung
of the opposite side. The
Pericardium was thickened with
a layer of yellow fibrinous matter
it adhered strongly to the Pleura
costalis & the Diaphragm was coated
with a thick layer of fibrine
The only tubercles were even smaller
than those of the right side -

The Heart was filled with dark
fluid blood. The walls of the left
ventricle were thinner than
nat^l. & a somewhat softened in
texture. The valves were all healthy.
The abd. on lay^s open. The abd.
cavity The Peritoneum both
of the pariet^s & that of the Int^{est}.
Canal. were spotted ^{over} with
minuta tubercles, w^h on closer
examin^g were found to consist of
several smaller ones. these small ones seem^d
to be formed of a soft caeous nucleus, surround^d
by a very dense capsule; they were not larger
than in diameter than of wire of a small
pin. The whole of the peritoneum was
highly injected with dark red vessels -
The both Intestines
were distend^d with air both large &
small. At intervals, the fecal matter
was ^{in some} the lodgements of soft greenish
focal matter. at these spots w^h were
2 or 3 inches in length the gut was
contracted of a dark purple colour
The internal surface of Stom^{ach} & Duod^{enum}
was of a dead white colour &
denser than nat^l. Spots of fungus
were amongst the. Embolic spots
were distributed over the internal

surface of the Stomach -

The Liver was normal in size -
somewhat softer than usual in texture
with a very few minute tubercles
distributed throughout its substance
The ^{the gall bladder} kidneys were ^{cut} large - normal
in structure but injected highly with
dark blood -

Pancreas - The Pnesty was
highly injected, the dark color below
filling its vessels, the Pnestic
glands were not enlarged - they
were small & not easily discernible
yet their substance was normal

Thorax &
There was no Abscess to show
from whence the Expectorⁿ was obt^d
derived - it had ceased for a
few days previous to Dissection
&c. and the vomits of dark
greenish yellow matter succeed -

The fluid in the Abdomen was
then owing to the Enteritis or
Peritonitis -

But the Constⁿ annoy^s for which
the procedure which he so constantly
referred to, was owing to the
very inflammation of the viscera
going forward in the left
th^e cavity particularly of the
Diaphragm -