

Bot Garden, Mil  
bourne 18/11/67,

from Med Australia

Returning, dear and  
venerable Sir, I find  
the plants you so  
kindly sent. I could  
not do otherwise  
of the department  
I could on the Sunday  
afternoon only glance  
hastily at them, but  
I will take an early  
opportunity to write  
some notes on your  
collection for the  
Royal Society of  
Tasmania.

Grödenman Billbrandi  
Jus. Mutter: the locality  
of the Asply River  
is new.

You sent two very rare  
Elichrysa of the  
section Azothamnus,  
also *Acacia juniperina*  
(your *A. Juncea*) &  
*A. vomeriformis* (the  
true *A. Juncea*)

N. 20 is *Acacia di-*  
*color Willd.* 19 =  
*A. vomeriformis A.*  
*Cunningham.*

15 = *A. diffusa* Edw.

16 = *Baetkea diffusa*  
(24) (25) Sieber

is this <sup>6249</sup> *Triplomena* with rather  
the *Baetkea* from *Bichena* gives  
a new locality  
N. 2. *Wesivirum coriaceum*  
a *Baetkea* Smith

*Quercus*, *Laxifolia*  
*Procochilus Gurneyi*  
 & *Mulle* (*Gumma*  
*stralis* Kinty) —  
*Campiera Britta*,  
*Mitrasacme distylos*  
*Frut Murtley* *Scaevola*  
*Hookeri* *Frut Murtley*  
*Gnaphalium Milliganii*  
 (also described by me)  
*Licaria cyclotoides*  
*Euphorbia* & several  
 others I shall men-  
 tion from your new  
 localities. In algae  
*Grungi*, lichens, mosses  
 & I will also care-  
 fully examine.

*Euphorbia Chamae-*  
*lyse* scalloped leaved sp. 402 Lindl.  
 type new, is quite  
 new to Tasmania;  
 indeed the genus  
*Euphorbia* was not

known to be very  
old there. Under  
what circumstances  
does this plant occur  
there? & could you  
kindly supply more  
specimens? In the  
northern parts of  
Victoria it is common.

Let me remain  
your very respectful  
Jas Meller