

REFERENCES

Abidin, H.Z. (1993): *Computational and Geometrical Aspects of On-The-Fly Ambiguity Resolution*, PhD Dissertation, Dept. of Surveying Engineering Tech. Rept. No. 164, University of New Brunswick, Fredericton, New Brunswick, Canada, 314pp.

Abidin, H.Z. (1998): *Monitoring the Volcano Deformation Using Repeated GPS Surveys: Experiences and Plans*, Proc. Int. Workshop on Advances in GPS Deformation Monitoring, Perth, Australia, 24-25 September, paper 18, 27pp.

Abidin, H.Z. and W.S. Tjetjep (1996): *GPS-Based Volcano Deformation Monitoring in Indonesia*, GIS Asia Pacific, 2(5), 30-33.

Abidin, H.Z., I. Meilano, O.K. Suganda, M.A. Kusuma, D. Muhardi, O. Yolanda, B. Setyadji, R. Sukhyar, J. Kahar and T. Tanaka (1998): *Monitoring the Deformation of Guntur Volcano Using Repeated GPS Survey Method*, Proc. XXI Int. Congress of FIG, Commission 5: Positioning and Measurements, Brighton, UK, 19-25 July, 153-169.

Abidin, H.Z., D. Darmawan, O.K. Suganda, M.A. Kusuma, I. Meilano, F. Anthony, M. Gamal and A.D. Wirakusumah (2000): *Studying the Deformation of Papandayan Volcano, Indonesia, Using Repeated GPS Survey Method*, Poster pres. at the International Association of Volcanology and Chemistry of the Earth's Interior (IAVCEI) General Assembly, Bali, Indonesia, 18-22 July.

AIUB (2002): Astronomic Institute of the University of Berne website: <http://www.cx.unibe.ch/aiub/ionosphere.html>.

Amelung, F., S. Jonsson, H. Zebker and P. Segall (2000): *Widespread Uplift and 'Trapdoor' Faulting on Galapagos Volcanoes Observed with Radar Interferometry*, Nature, 407, 993-996.

Amore, M., A. Bonaccorso, F. Ferrari and M. Mattia (2002): *Eolo: Software for the Automatic On-line Treatment and Analysis of GPS Data for Environmental Monitoring*, Computers & Geosciences, 28, 271-280.

Anderson, D. and T. Fuller-Rowell (1999): *Space Environment Topics: The Ionosphere*, SE-14, Space Environment Center, Boulder, Colorado, <http://www.sec.noaa.gov/Education/>.

Ashkenazi, V., A.H. Dodson, T. Moore and G.W. Roberts (1997): *Monitoring the Movements of Bridges by GPS*, Proc. ION GPS-92, Kansas City, Missouri, 16-19 September, 1165-1172.

Basseville, M. and V. Nikiforov (1993): *Detection of Abrupt Changes – Theory and Applications*, Prentice Hall, New Jersey, 441pp.

Behr, J.A., K.W. Hudnut and N.E. King (1998): *Monitoring Structural Deformation at Pacoima Dam, California Using Continuous GPS*, Proc. ION GPS-98, Nashville, Tennessee, 15-18 September, 59-68.

Berntsen (2002): Berntsen International Inc. website: <http://www.berntsen.com/>.

Blick, G.H., P.M. Otway and B.J. Scott (1989): *Deformation Monitoring of Mt. Erebus, Antarctica, 1980-1985*, in: Latter, J.H. (Ed.): *Volcanic Hazards: Assessment and Monitoring*, Springer-Verlag, Berlin-New York, 554-560.

Blong, R.J. (1984): *Volcanic Hazards: A Sourcebook on the Effects of Eruptions*, Academic Press, Australia, 424pp.

Blong, R. (2000): *Volcanic Hazards and Risk Management*, in: Sigurdsson, H. (Ed.): *Encyclopedia of Volcanoes*, Academic Press, 1215-1227.

Bock, Y., D.C. Agnew, P. Fang, J.F. Genrich, B.H. Hager, T.A. Herring, K.W. Hudnut, R.W. King, S. Larsen, J.-B. Minster, K. Stark, S. Wdowinski and F.K. Wyatt (1993):

Detection of Crustal Deformation from the Landers Earthquake Sequence Using Continuous Geodetic Measurements, Nature, 361, 337-340.

Bock, Y., S. Wdowinski, P. Fang, J. Zhang, S. Williams, H. Johnson, J. Behr, J. Genrich, J. Dean, M. van Domselaar, D. Agnew, F. Wyatt, K. Stark, B. Oral, K. Hudnut, R. King, T. Herring, S. Dinardo, W. Young, D. Jackson and W. Gurtner (1997): *Southern California Permanent GPS Array: Continuous Measurements of Regional Crustal Deformation Between the 1992 Landers and 1994 Northridge Earthquakes*, Journal of Geophysical Research, 102(B8), 18013-18033.

Bonasia, V. and F. Pingue (1981): *Ground Deformations on Mt. Vesuvius from 1977 to 1981*, Bulletin of Volcanology, 44, 513-520.

Borchers, S. and R. Heer (2002): *Some Results of Deformation Measurements with GOCA (GPS-Based Online Control and Alarm System) at Lock Uelzen I*, Proc. 2nd Symp. on Geodesy for Geotechnical and Structural Engineering, Berlin, Germany, 21-24 May, 38-50.

Briole, P., D. Massonnet and C. Delacourt (1997): *Post-Eruptive Deformation Associated with the 1986-87 and 1989 Lava Flows of Etna Detected by Radar Interferometry*, Geophysical Research Letters, 24(1), 37-40.

Brunner, F.K., H. Hartinger and B. Richter (2000): *Continuous Monitoring of Landslides Using GPS: A Progress Report*, in: Bauer, S.J. and F. Weber (Eds.): *Proceedings Geophysical Aspects of Mass Movement*, Austrian Academy of Sciences, Vienna, 75-88.

Camargo, P.O., J.F.G. Monico and L.D.D. Ferreira (2000): *Application of Ionospheric Corrections in the Equatorial Region for L1 GPS Users*, Earth Planets Space, 52(11), 1083-1089.

Celebi, M. and A. Sanli (2002): *GPS for Recording Dynamic Displacements of Long-Period Structures – Engineering Implications*, Proc. 2nd Symp. on Geodesy for Geotechnical and Structural Engineering, Berlin, Germany, 21-24 May, 51-60.

Chen, D. (1993): *Fast Ambiguity Search Filtering (FASF): A Novel Concept for GPS Ambiguity Resolution*, Proc. ION GPS-93, Salt Lake City, Utah, 22-24 September, 781-787.

Chen, H.Y. (2001): *A Study on Real-Time Medium-Range Carrier Phase-Based GPS Multiple Reference Stations*, PhD Dissertation, UNISURV S-64, School of Geomatic Engineering, The University of New South Wales, Sydney, Australia, 185pp.

Chen, H.Y., C. Rizos and S. Han (1999): *Rapid Static, Medium-Range GPS Positioning Techniques for Geodynamic Applications*, Proc. 4th Int. Symp. on Satellite Navigation Technology & Applications (SatNav), Brisbane, Australia, 20-23 July, paper 49, 12pp.

Chen, H.Y., C. Rizos and S. Han (2001a): *From Simulation to Implementation: Low-Cost Densification of Permanent GPS Networks in Support of Geodetic Applications*, Journal of Geodesy, 75(9/10), 515-526.

Chen, W., C. Hu, Y. Chen, X. Ding and S.C.W. Kwok (2001b): *Rapid Static and Kinematic Positioning with Hong Kong GPS Active Network*, Proc. ION GPS-2001, Salt Lake City, Utah, 11-14 September, 346-352.

Chen, X., S. Han, C. Rizos and P.C. Goh (2000): *Improving Real Time Positioning Efficiency Using the Singapore Integrated Multiple Reference Station Network (SIMRSN)*, Proc. ION GPS-2000, Salt Lake City, Utah, 19-22 September, 9-16.

Comp, C.J. and P. Axelrad (1996): *An Adaptive SNR-Based Carrier Phase Multipath Mitigation Technique*, Proc. ION GPS-96, Kansas City, Missouri, 17-20 September, 683-697.

Condor (2000): Condor Earth Technologies Inc. website: <http://www.3d-gps.com/>.

Craymer, M.R. and N. Beck (1992): *Session Versus Single-Baseline GPS Processing*, Proc. ION GPS-92, Albuquerque, New Mexico, 16-18 September, 995-1004.

Decker, R. and B. Decker (1997): *Volcanoes*, 3rd edition, W.H. Freeman and Company, New York, 321pp.

Ding, X.L., G.X. Liu, Z.W. Li, Z.L. Li, Y.Q. Chen (2002): *Ground Subsidence Monitoring in Hong Kong with Satellite SAR Interferometry*, Proc. Advanced Workshop on InSAR for Measuring Topography and Deformation of the Earth Surface, Hong Kong, P.R. China, 16-17 December, 25-37.

Dixon, T.H., A. Mao, M. Bursik, M. Heflin, J. Langbein, R. Stein and F. Webb (1997): *Continuous Monitoring of Surface Deformation at Long Valley Caldera, California, with GPS*, Journal of Geophysical Research, 102(B6), 12017-12034.

Dodson, A., P. Shordlow, L. Hubbard, G. Elgered and P. Jarlemark (1996): *Wet Tropospheric Effects on Precise Relative GPS Height Determination*, Journal of Geodesy, 70, 188-202.

Dodson, A., T. Moore, M.H.O. Aquino and S. Waugh (2001): *Ionospheric Scintillation Monitoring in Northern Europe*, Proc. ION GPS-2001, Salt Lake City, Utah, 11-14 September, 2490-2498.

Doherty, P.H., S.H. Delay, C.E. Valladares and J.A. Klobuchar (2000): *Ionospheric Scintillation Effects in the Equatorial and Auroral Regions*, Proc. ION GPS-2000, Salt Lake City, Utah, 19-22 September, 662-671.

Duffy, M.A. and C. Whitaker (1999): *Deformation Monitoring Scheme Using Static GPS and Continuous Operating Reference Stations (CORS) in California*, Proc. ION GPS-99, Nashville, Tennessee, 14-17 September, 63-70.

Dvorak, J. and D. Dzurisin (1997): *Volcano Geodesy: The Search for Magma Reservoirs and the Formation of Eruptive Events*, Rev. Geophys., 35(3), 343-384.

Essex, E.A., R. Birsa, N. Shilo, R.M. Thomas, M.A. Cervera and A.M. Breed (2001): *Global Positioning System Signals under Solar Maximum Conditions*, Proc. 5th Int.

Symp. on Satellite Navigation Technology & Applications (SatNav), Canberra, Australia, 24-27 July, paper 14, 10pp.

Euler, H.-J. and H. Landau (1992): *Fast GPS Ambiguity Resolution On-The-Fly for Real-Time Applications*, Proc. 6th Int. Geodetic Symp. on Satellite Positioning, Columbus, Ohio, 17-20 March, 650-659.

Ewert, J.W. and D.A. Swanson (Eds.) (1992): *United States Geological Survey Bulletin 1966, Monitoring Volcanoes: Techniques and Strategies Used by Staff of the Cascades Volcano Observatory 1980-90*, Washington DC, United States Government Printing Office.

Fedrizzi, M., R.B. Langley, A. Komjathy, M.C. Santos, E.R. de Paula and I.J. Kantor (2001): *The Low-Latitude Ionosphere: Monitoring its Behaviour with GPS*, Proc. ION GPS-2001, Salt Lake City, Utah, 11-14 September, 2468-2475.

Foulger, G.R., R. Bilham, J. Morgan and P. Einarsson (1987): *The Iceland Geodetic Field Campaign 1986*, Eos, 68, 1801-1818.

Foxworthy, B.L. and M. Hill (1982): *Volcanic Eruptions of 1980 at Mount St. Helens: The First 100 Days*, U.S. Geological Survey Professional Paper 1249, 125pp.

Frei, E. and G. Beutler (1990): *Rapid Static Positioning Based on the Fast Ambiguity Resolution Approach FARA: Theory and First Results*, Manuscripta Geodaetica, 15, 325-356.

Fu, W., S. Han, C. Rizos, M. Knight and A. Finn (1999): *Real-Time Ionospheric Scintillation Monitoring*, Proc. ION GPS-99, Nashville, Tennessee, 14-17 September, 1461-1471.

Fujiwara, S., T. Nishimura, M. Murakami, H. Nakagawa, M. Tobita and P.A. Rosen (2000): *2.5-D Surface Deformation of M6.1 Earthquake near Mt. Iwate Detected by SAR Interferometry*, Geophysical Research Letters, 27, 2049-2052.

Ge, L., S. Han and C. Rizos (2000a): *Multipath Mitigation of Continuous GPS Measurements Using an Adaptive Filter*, GPS Solutions, 4(2), 19-30.

Ge, L., S. Han and C. Rizos (2000b): *The Double Interpolation and Double Prediction (DIDP) Approach for InSAR and GPS Integration*, Int. Archives of Photogrammetry & Remote Sensing (IAPRS), Vol. XXXIII, Amsterdam, Netherlands, 205-212.

Ge, L., V. Janssen, Y. Wang and C. Rizos (2003): *A Double-Differencing Algorithm for GPS-Derived Topographic Delay Corrections to Differential Radar Interferometry*, submitted to Journal of Geodesy.

Ge, L., C. Rizos, M. Omura and S. Kobayashi (2001): *Integrated Space Geodetic Techniques for Monitoring Ground Subsidence due to Underground Mining*, Proc. 5th Int. Symp. on Satellite Navigation Technology & Applications (SatNav), Canberra, Australia, 24-27 July, paper 19, 12pp.

GEODEV (2002): GEODEV Earth Technologies website: <http://www.geodev.ch>.

Georgiadou, Y. and A. Kleusberg (1988): *On Carrier Signal Multipath Effects in Relative GPS Positioning*, Manuscripta Geodaetica, 13, 172-179.

Geoscience Australia (2002): Geoscience Australia, National Mapping Division website: <http://www.auslig.gov.au/geodesy/sgc/wwwgps/>.

Goodman, J.M. and J. Aarons (1990): *Ionospheric Effects on Modern Electronic Systems*, Proc. IEEE, Vol. 78, 512-528.

Gourgaud, A., G. Camus, M.-C. Gerbe, J.-M. Morel, A. Sudradjat and P.M. Vincent (1989): *The 1982-83 Eruption of Galunggung (Indonesia): A Case Study of Volcanic Hazards with Particular Relevance to Air Navigation*, in: Latter, J.H. (Ed.): *Volcanic Hazards: Assessment and Monitoring*, Springer-Verlag, Berlin-New York, 151-162.

GSI (2002): Geographical Survey Institute website: <http://www.gsi.go.jp/ENGLISH/ABOUT/about.html>.

- GVN (1991): *Unzen (Kyushu)*, Bulletin, Global Volcanism Network (GVN), 16, 8-11.
- Han, S. (1995): *Ambiguity Recovery for GPS Long Range Kinematic Positioning*, Proc. ION GPS-95, Palm Springs, California, 12-15 September, 349-360.
- Han, S. (1997): *Carrier Phase-Based Long-Range GPS Kinematic Positioning*, PhD Dissertation, UNISURV S-49, School of Geomatic Engineering, The University of New South Wales, Sydney, Australia, 185pp.
- Han, S. and C. Rizos (1995): *Selection and Scaling of Simultaneous Baselines for GPS Network Adjustment, or Correct Procedures for Processing Trivial Baselines*, Geomatics Research Australasia, 63, 51-66.
- Han, S. and C. Rizos (1996a): *A New Operation Mode and Processing Procedure for Centimetre Accuracy Rapid Static Positioning and Kinematic Positioning Using Single Frequency GPS Receivers*, Proc. 37th Australian Surveyor Congress, Perth, Australia, 13-19 April, 203-212.
- Han, S. and C. Rizos (1996b): *Integrated Method for Instantaneous Ambiguity Resolution Using New Generation GPS Receivers*, Proc. IEEE Position Location & Navigation Symp. (PLANS'96), Atlanta, Georgia, 22-26 April, 254-161.
- Han, S. and C. Rizos (1996c): *Comparison of GPS Ambiguity Resolution Techniques*, Proc. Int. Symp. on Global Positioning Systems, Digital Photogrammetry Systems, Remote Sensing and Geographical Systems (Geo-Informatics '96), Wuhan, P.R. China, 16-19 October, 136-146.
- Han, S. and C. Rizos (1996d): *GPS Network Design and Error Mitigation for Real-Time Continuous Array Monitoring Systems*, Proc. ION GPS-96, Kansas City, Missouri, 17-20 September, 1827-1836.
- Han, S. and C. Rizos (1997): *Multipath Effects on GPS in Mine Environments*, Proc. Xth International Congress on the International Society for Mine Surveying, Fremantle, Australia, 2-6 November, 447-457.

Hardwick, C.D. and J. Liu (1995): *Characterization of Phase and Multipath Errors for an Aircraft GPS Antenna*, Proc. ION GPS-95, Palm Springs, California, 12-15 September, 491-498.

Hartinger, H. and F.K. Brunner (2000): *Development of a Monitoring System of Landslide Motions Using GPS*, Proc. 9th FIG Int. Symp. on Deformation Measurements, Olsztyn, Poland, September 1999, 29-38.

Harvey, B.R. (1994): *Practical Least Squares and Statistics for Surveyors*, Monograph 13, School of Geomatic Engineering, The University of New South Wales, Sydney, Australia, 319pp.

Hatch, R.R. (1990): *Instantaneous Ambiguity Resolution*, in: Schwarz, K.P. and G. Lachapelle (Eds.): *Kinematic Systems in Geodesy, Surveying and Remote Sensing*, IAG Symp. 107, Springer-Verlag, 299-308.

Hinkley, D.V. (1971): *Inference About the Change Point from Cumulative Sum-Tests*, *Biometrika*, 58, 509-523.

Hofmann-Wellenhof, B., H. Lichtenegger and J. Collins (2001): *GPS: Theory and Practice*, 5th edition, Springer-Verlag, Vienna-New York, 382pp.

Huang, Y.-N. and K. Cheng (1991): *Ionospheric Disturbances at the Equatorial Anomaly Crest Region During the March 1989 Magnetic Storms*, *Journal of Geophysical Research*, 96(A8), 13953-13965.

Hudnut, K.W., Y. Bock, J.E. Galetzka, F.H. Webb and W.H. Young (2001): *The Southern California Integrated GPS Network (SCIGN)*, Proc. 10th FIG Int. Symp. on Deformation Measurements, Orange, California, 19-22 March, 129-148.

IGS (2002a): International GPS Service website: <http://igsceb.jpl.nasa.gov/components/prods.html>.

IGS (2002b): International GPS Service website: <http://igsceb.jpl.nasa.gov/>.

IPS (2002): IPS Radio & Space Services website: <http://www.ips.gov.au/>.

Janssen, V. (2001): *Optimizing the Number of Double-Differenced Observations for GPS Networks in Support of Deformation Monitoring Applications*, GPS Solutions, 4(3), 41-46.

Janssen, V., C. Roberts, C. Rizos and H.Z. Abidin (2001): *Experiences with a Mixed-Mode GPS-Based Volcano Monitoring System at Mt. Papandayan, Indonesia*, Geomatics Research Australasia, 74, 43-58.

Kilber, S., R. Jäger and R. Schwöble (2000): *A GPS-Based Online Control and Alarm System*, GPS Solutions, 3(3), 18-25.

Kato, T., Y. Terada, M. Kinoshita, H. Kakimoto, H. Issiki, M. Matsuishi, A. Yokoyama and T. Tanno (2000): *Real-Time Observation of Tsunami by RTK-GPS*, Earth Planets Space, 52(10), 841-845.

Kimberly, P., L. Siebert, J.F. Luhr and T. Simkin (1998): *Volcanoes of Indonesia*, V.1.0 (CD-ROM), Smithsonian Institution, Global Volcanism Program, Digital Information Series, GVP-1.

King, R.W. and Y. Bock (1995): *Documentation of the GAMIT GPS Analysis Software Version 9.3*, Massachusetts Institute of Technology, Cambridge.

Kleusberg, A. and P.J.G. Teunissen (Eds.) (1996): *GPS for Geodesy*, Springer-Verlag, Berlin-Heidelberg-New York, 407pp.

Klobuchar, J.A. (1987): *Ionospheric Time-Delay Algorithm for Single-Frequency GPS Users*, IEEE Transactions on Aerospace and Electronic Systems, AES-23(3), 325-331.

Klobuchar, J.A. (1996): *Ionospheric Effects on GPS*, in: Parkinson, B.W. and J.J. Spilker (Eds.): *Global Positioning System: Theory and Applications Volume I*, Progress in Astronautics and Aeronautics, 163, American Institute of Aeronautics and Astronautics, Washington, 485-515.

Knecht, A. and L. Manetti (2001): *Using GPS in Structural Health Monitoring*, Proc. SPIE's 8th Annual Int. Symp. on Smart Structures and Materials, Newport Beach, California, 4-8 March, 8pp.

Knight, M., M. Cervera and A. Finn (1999): *A Comparison of Predicted and Measured GPS Performance in an Ionospheric Scintillation Environment*, Proc. ION GPS-99, Nashville, Tennessee, 14-17 September, 1437-1450.

Knight, M., (2000): *Ionospheric Scintillation Effects on Global Positioning System Receivers*, PhD Dissertation, Department of Electrical and Electronic Engineering, The University of Adelaide, Australia, 304pp.

Koch, K.R. (1990): *Bayesian Inference with Geodetic Applications*, Lecture Notes in Earth Sciences Vol. 31, Springer-Verlag, Berlin-Heidelberg-New York, 198pp.

Koch, K.R. (1999): *Parameter Estimation and Hypothesis Testing in Linear Models*, 2nd edition, Springer-Verlag, Berlin-Heidelberg-New York, 333pp.

Kondo, H. and M.E. Cannon (1995): *Real-Time Landslide Detection System Using Precise Carrier Phase GPS*, Proc. ION GPS-95, Palm Springs, California, 12-15 September, 1877-1884.

Kunches, J.M. and J.A. Klobuchar (2001): *Eye on the Ionosphere: GPS after SA*, GPS Solutions, 4(3), 52-54.

Kusumadinata, K. (1979): *Data Dasar Gunungapi Indonesia (Catalogue of References on Indonesian Volcanoes with Eruptions in Historical Time)*, Volcanological Survey of Indonesia, 166-177.

Langley, R.B. (1993): *The GPS Observables*, GPS World, 4(4), 52-59.

Larson, K.M., P. Cervelli, M. Lisowski, A. Miklius, P. Segall and S. Owen (2001): *Volcano Monitoring Using the Global Positioning System: Filtering Strategies*, Journal of Geophysical Research, 106(B9), 19453-19464.

Leick, A. (1995): *GPS Satellite Surveying*, 2nd edition, Wiley, New York, 560pp.

Lovse, J.W., W.F. Teskey, G. Lachapelle and M.E. Cannon (1995): *Dynamic Deformation Monitoring of Tall Structures Using GPS Technology*, Journal of Surveying Engineering, 121(1), 35-40.

Lowry, A. and R. MacLeod (1997): *PMoS – A Real Time Precise DGPS Continuous Deformation Monitoring System*, Proc. ION GPS-97, Kansas City, Missouri, 16-19 September, 923-927.

Lu, Z., R. Fatland, M. Wyss, S. Li, J. Eichelberger, K. Dean and J. Freymueller (1997): *Deformation of New Trident Volcano Measured by ERS-1 SAR Interferometry, Katmai National Park, Alaska*, Geophysical Research Letters, 24(6), 695-698.

Mader, G.L. and R.J. MacKay (1996): *Calibration of GPS Antennas*, Proc. IGS Analysis Centers Workshop, Silver Springs, Maryland, 19-21 March, 81-105.

Marshall, G.A., J. Langbein, R.S. Stein, M. Lisowski and J. Svarc (1997): *Inflation of Long Valley Caldera, California, Basin and Range Strain, and Possible Mono Craters Dike Opening from 1990-94 GPS Surveys*, Geophysical Research Letters, 24(9), 1003-1006.

Mattioli, G.S., T.H. Dixon, F. Farina, E.S. Howell, P.E. Jansma and A.L. Smith (1998): *GPS Measurement of Surface Deformation Around Soufriere Hills Volcano, Montserrat, from October 1995 to July 1996*, Geophysical Research Letters, 25(18), 3417-3420.

McGuire, W.J. (1995): *Monitoring Active Volcanoes – An Introduction*, in: McGuire, W.J., C. Kilburn and J. Murray (Eds.): *Monitoring Active Volcanoes*, UCL Press, London, 1-31.

-
- Meertens, C. (1999): *Development of a LI-Phase GPS Volcano Monitoring System – Progress Report for the Period 12 August 1998 – 15 May 1999*, <http://www.unavco.ucar.edu/~chuckm/l1prog99.pdf>.
- Mendes, V.B. (1999): *Modeling the Neutral-Atmosphere Propagation Delay in Radiometric Space Techniques*, PhD Dissertation, Dept. of Geodesy & Geomatics Eng. Tech. Rept. No. 199, University of New Brunswick, Fredericton, Canada, 353pp.
- Mertikas, S.P. (2001): *Automatic and Online Detection of Small But Persistent Shifts in GPS Station Coordinates by Statistical Process Control*, *GPS Solutions*, 5(1), 39-50.
- Miura, S., S. Ueki, T. Sato, K. Tachibana and H. Hamaguchi (2000): *Crustal Deformation Associated with the 1998 Seismo-Volcanic Crisis of Iwate Volcano, Northeastern Japan, as Observed by a Dense GPS Network*, *Earth Planets Space*, 52(11), 1003-1008.
- Miyazaki, S., T. Saito, M. Sasaki, Y. Hatanaka and Y. Iimura (1997): *Expansion of GSI's Nationwide GPS Array*, *Bulletin of the Geographical Survey Institute*, 43, 23-34.
- Miyazaki, S., Y. Hatanaka, T. Sagiya and T. Tada (1998): *The Nationwide GPS Array as an Earth Observation System*, *Bulletin of the Geographical Survey Institute*, 44, 11-22.
- Mogi, K. (1958): *Relations Between the Eruptions of Various Volcanoes and the Deformation of the Ground Surface Around Them*, *Bull. Earthquake Res. Inst. Univ. Tokyo*, 36, 99-134.
- Murray, J.B., H. Rymer and C.A. Locke (2000): *Ground Deformation, Gravity, and Magnetism*, in: Sigurdsson, H. (Ed.): *Encyclopedia of Volcanoes*, Academic Press, 1121-1140.
- NASA (2002): National Aeronautics and Space Administration website: <http://science.msfc.nasa.gov/ssl/pad/solar/sunspots.htm>.

- Newhall, C.G. and S. Self (1982): *The Volcanic Explosivity Index (VEI): An Estimate of Explosive Magnitude for Historical Volcanism*, Journal of Geophysical Research, 87(C2), 1231-1238.
- Newhall, C.G. and R.S. Punongbayan (Eds.) (1996): *Fire and Mud: Eruptions and Lahars of Mount Pinatubo, Philippines*, University of Washington Press, Seattle.
- NGS (2002): U.S. National Geodetic Survey website: <http://www.ngs.noaa.gov/ANTCAL/>.
- Nichols, J., A. Hansen, T. Walter and P. Enge (1999): *Observations of Equatorial Scintillation Using GPS Receivers*, Proc. ION GPS-99, Nashville, Tennessee, 14-17 September, 1451-1460.
- Nishi, K., H. Ono and H. Mori (1999): *Global Positioning System Measurements of Ground Deformation Caused by Magma Intrusion and Lava Discharge: The 1990-1995 Eruption at Unzendake Volcano, Kyushu, Japan*, Journal of Volcanology and Geothermal Research, 89, 23-34.
- Nunnari, G. and G. Puglisi (1994): *The Global Positioning System as a Useful Technique for Measuring Ground Deformations in Volcanic Areas*, Journal of Volcanology and Geothermal Research, 61, 267-280.
- Odiijk, D. (2000): *Weighting Ionospheric Corrections to Improve Fast GPS Positioning Over Medium Distances*, Proc. ION GPS-2000, Salt Lake City, Utah, 19-22 September, 1113-1123.
- Odiijk, D., H. van der Marel and I. Song (2000): *Precise GPS Positioning by Applying Ionospheric Corrections from an Active Control Network*, GPS Solutions, 3(3), 49-57.
- Ogaja, C. (2002a): *A Software Implementation of Multi-Sensor Data Analysis and GPS Integrity Assessment for Real-Time Monitoring Applications*, Proc. 2nd Symp. on Geodesy for Geotechnical and Structural Engineering, Berlin, Germany, 21-24 May, 27-37.

- Ogaja, C. (2002b): *A Framework in Support of Structural Monitoring by Real Time Kinematic GPS and Multisensor Data*, PhD Dissertation, UNISURV S-71, School of Surveying and Spatial Information Systems, The University of New South Wales, Sydney, Australia, 191pp.
- Ogaja, C., C. Rizos, J. Wang and J. Brownjohn (2001): *A Dynamic GPS System for On-line Structural Monitoring*, Proc. Int. Symp. on Kinematic Systems in Geodesy, Geomatics & Navigation (KIS 2001), Banff, Canada, 5-8 June, 290-297.
- Omori, F. (1914): *The Sakura-jima Eruptions and Earthquakes*, Bulletin of the Imperial Earthquake Investigation Committee 8, Nos 1-6, 525.
- Owen, S., P. Segall, M. Lisowski, A. Miklius, R. Denlinger and M. Sako (2000a): *Rapid Deformation of Kilauea Volcano: Global Positioning System Measurements between 1990 and 1996*, Journal of Geophysical Research, 105(B8), 18983-18998.
- Owen, S., P. Segall, M. Lisowski, A. Miklius, M. Murray, M. Bevis and J. Foster (2000b): *January 30, 1997 Eruptive Event on Kilauea Volcano, Hawaii, as Monitored by Continuous GPS*, Geophysical Research Letters, 27(17), 2757-2760.
- Page, E. (1954): *Continuous Inspection Schemes*, Biometrika, 41, 100-115.
- Page, E. (1957): *Estimating the Point of Change in a Continuous Process*, Biometrika, 44, 248-252.
- Parkinson, B.W. and J.J. Spilker (Eds.) (1996): *Global Positioning System: Theory and Applications Vol. 1+2*, Progress in Astronautics and Aeronautics, 163+164, American Institute of Aeronautics and Astronautics, Washington, 793pp + 643pp.
- Puglisi, J., A. Bonforte and S.R. Maugeri (2001): *Ground Deformation Patterns on Mount Etna, 1992 to 1994, Inferred from GPS Data*, Bulletin of Volcanology, 62, 371-384.

- Remondi, B.W. (1988): *Kinematic and Pseudo-Kinematic GPS*, Proc. ION GPS-88, Colorado Springs, Colorado, 19-23 September, 115-121.
- Remondi, B.W. (1989): *Pseudo-Kinematic GPS Results using the Ambiguity Function Method*, Navigation, 38(1), 17-36.
- Rizos, C. (1997): *Principles and Practice of GPS Surveying*, Monograph 17, School of Geomatic Engineering, The University of New South Wales, Sydney, Australia, 555pp.
- Rizos, C., S. Han, C. Roberts, R. Galas and C. Reigber (1997a): *Low-Cost Densification of Permanent GPS Networks for Natural Hazard Mitigation*, Int. GEODYSSSEA Symp., Penang, Malaysia, 14-18 April, 10pp.
- Rizos, C., S. Han and C. Roberts (1997b): *Permanent Automatic Low-Cost GPS Deformation Monitoring Systems: Error Mitigation Strategies and System Architecture*, Proc. ION GPS-97, Kansas City, Missouri, 16-19 September, 909-917.
- Rizos, C., S. Han, C. Roberts, X. Han, H.Z. Abidin, O.K. Suganda and A.D. Wirakusumah (2000): *Continuously Operating GPS-Based Volcano Deformation Monitoring in Indonesia: The Technical and Logistical Challenges*, in: Schwarz, K.-P. (Ed.): *Geodesy Beyond 2000: The Challenges of the First Decade*, Proc. IAG General Assembly, Birmingham, UK, 19-30 July 1999, Springer-Verlag, 361-366.
- Rizos, C. and C. Satirapod (2001): *GPS with SA off: How Good Is It?*, Measure & Map, 12, 19-21.
- Roberts, C. (2002): *A Continuous Low-Cost GPS-Based Volcano Deformation Monitoring System in Indonesia*, PhD Dissertation, UNISURV S-73, School of Surveying and Spatial Information Systems, The University of New South Wales, Sydney, Australia, 287pp.
- Roberts, C. and C. Rizos (2001): *Mitigating Differential Troposphere Effects for GPS-Based Volcano Monitoring*, Proc. 5th Int. Symp. on Satellite Navigation Technology & Applications (SatNav), Canberra, Australia, 24-27 July, paper 38, 10pp.

- Rocken, C., J.M. Johnson, J.J. Braun, H. Kawawa, Y. Hatanaka and T. Imakiire (2000): *Improving GPS Surveying with Modeled Ionospheric Corrections*, Geophysical Research Letters, 27(23), 3821-3824.
- Rosen, P.A., S. Hensley, H.A. Zebker, F.H. Webb and E.J. Fielding (1996): *Surface Deformation and Coherence Measurements of Kilauea Volcano, Hawaii, from SIR-C Radar Interferometry*, Journal of Geophysical Research, 101, 23109-23125.
- Rothacher, M. and L. Mervart (Eds.) (1996): *Bernese GPS Software Version 4.0*, Astronomical Institute, University of Berne, Switzerland, 418pp.
- Saalfeld, A. (1999): *Generating Basis Sets of Double Differences*, Journal of Geodesy, 73, 291-297.
- Santos, M.C., P. Vaniček and R.B. Langley (1997): *Effect of Mathematical Correlation on GPS Network Computation*, Journal of Surveying Engineering, 123(3), 101-112.
- Schaer, S., G. Beutler, M. Rothacher and T.A. Springer (1996): *Daily Global Ionosphere Maps Based on GPS Carrier Phase Data Routinely Produced by the CODE Analysis Center*, Proc. IGS Analysis Centers Workshop, Silver Springs, Maryland, 19-21 March, 12pp.
- SCIGN (2002): Southern California Integrated GPS Network (SCIGN) website: <http://www.scign.org/>.
- Seeber, G. (1993): *Satellite Geodesy*, de Gruyter, Berlin, Germany, 531pp.
- Shepherd, J.B., R.A. Herd, P. Jackson and R. Watts (1998): *Ground Deformation Measurements at the Soufriere Hills Volcano, Montserrat: II: Rapid Static GPS Measurements June 1996 – June 1997*, Geophysical Research Letters, 25(18), 3413-3416.

Shimada, S., Y. Fujinawa, S. Sekiguchi, S. Ohmi, T. Eguchi and Y. Okada (1990): *Detection of a Volcanic Fracture Opening in Japan Using Global Positioning System Measurements*, Nature, 343, 631-633.

SI (2002): Smithsonian Institution website: <http://www.volcano.si.edu/gvp/usgs/maps.htm>.

Sigmundsson, F., P. Einarsson and R. Bilham (1992): *Magma Chamber Deflation Recorded by the Global Positioning System: The Hekla 1991 Eruption*, Geophysical Research Letters, 19(14), 1483-1486.

Simkin, T. and L. Siebert (1994): *Volcanoes of the World*, 2nd edition, Smithsonian Institution, Geoscience Press, Tucson, Arizona, 349pp.

Simkin, T. and L. Siebert (2000): *Earth's Volcanoes and Eruptions: An Overview*, in: Sigurdsson, H. (Ed.): *Encyclopedia of Volcanoes*, Academic Press, 249-261.

Skone, S.H. (2000): *Wide Area Ionosphere Modeling at Low Latitudes – Specifications and Limitations*, Proc. ION GPS-2000, Salt Lake City, Utah, 19-22 September, 643-652.

SOPAC (2002): Scripps Orbit and Permanent Array Center (SOPAC) website: <http://sopac.ucsd.edu/cgi-bin/SCOUT.cgi>.

Spilker, J.J. (1996): *Tropospheric Effects on GPS*, in: Parkinson, B.W. and J.J. Spilker (Eds.): *Global Positioning System: Theory and Applications Volume 1*, Progress in Astronautics and Aeronautics, 163, American Institute of Aeronautics and Astronautics, Washington, 517-546.

Stewart, M. and M. Tsakiri (2001): *The Application of GPS to Dam Surface Monitoring*, Journal of Geospatial Engineering, 3(1), 45-57.

Suganda, O.K. (1993): *Analysis of EDM Data in Association with the 1992 Eruption at Merapi Volcano, Indonesia*, Masters Thesis, Department of Geophysics, Kyoto University, Japan.

Swanson, D., T.J. Casadevall, D. Dzurisin, S.D. Malone, C.G. Newhall and C.S. Weaver (1983): *Predicting Eruptions at Mount St. Helens, June 1980 through December 1982*, Science, 221, 1369-1376.

Tazieff, H. and J.-C. Sabroux (Eds.) (1983): *Forecasting Volcanic Events*, Elsevier, Amsterdam-New York-Tokyo, 635pp.

Teunissen, P.J.G. (1995): *The Least-Squares Ambiguity Decorrelation Adjustment: A Method for Fast Integer Ambiguity Estimation*, Journal of Geodesy, 70, 65-82.

Tobita, M., M. Murakami, H. Nakagawa, H. Yarai and S. Fujiwara (2001): *3-D Surface Deformation of the 2000 Usu Eruption Measured by Matching of SAR Images*, Geophysical Research Letters, 28(22), 4291-4294.

Tsuji, H., Y. Hatanaka, T. Sagiya and M. Hashimoto (1995): *Coseismic Crustal Deformation from the 1994 Hokkaido-Toho-Oki Earthquake Monitored by a Nationwide Continuous GPS Array in Japan*, Geophysical Research Letters, 22(13), 1669-1672.

Turner, L. (2002): *What's Shaking? Earthquake Trials Test Networked RTK*, GPS World, 13(4), 16-22.

UNAM (2002): Universidad Nacional Autonoma de Mexico (UNAM) website: <http://charro.igeofcu.unam.mx/L1/L1sys.html>.

USCG (2003): U.S. Coast Guard Navigation Center website: http://www.navcen.uscg.gov/gps/status_and_outage_info.htm.

USGS (2002a): U.S. Geological Survey website: <http://volcanoes.usgs.gov/About/What/Monitor/monitor.html>.

USGS (2002b): U.S. Geological Survey website: http://vulcan.wr.usgs.gov/Projects/Augustine/augustine_monitoring_intro.html.

USGS (2002c): U.S. Geological Survey website: <http://volcanoes.usgs.gov/About/What/Monitor/Deformation/GPSKilauea.html>.

USGS (2002d): U.S. Geological Survey website: <http://volcanoes.usgs.gov/Hazards/What/hazards.html>.

Vaniček, P. and E.J. Krakiwsky (1986): *Geodesy: The Concepts*, 2nd edition, North-Holland, Amsterdam, The Netherlands, 697pp.

VSI (2002a): Volcanological Survey of Indonesia website: <http://www.vsi.dpe.go.id/volcanoes/papandayan/geninfo.html>.

VSI (2002b): Volcanological Survey of Indonesia website: <http://www.vsi.dpe.go.id/news/previous.htm>.

Walker, R.A., B. Hannah and K. Kubik (1998): *Multipath Issues in GPS Monitoring*, Proc. Int. Workshop on Advances in GPS Deformation Monitoring, Curtin University of Technology, Perth, Australia, 24-25 September, 9pp.

Wanninger, L. (1993): *Effects of the Equatorial Ionosphere on GPS*, GPS World, 4(7), 48-54.

Wanninger, L. (1995): *Improved Ambiguity Resolution by Regional Differential Modelling of the Ionosphere*, Proc. ION GPS-95, Palm Springs, California, 12-15 September, 55-62.

Wanninger, L. (1999): *The Performance of Virtual Reference Stations in Active Geodetic GPS-Networks under Solar Maximum Conditions*, Proc. ION GPS-99, Nashville, Tennessee, 14-17 September, 1419-1427.

Watson, C. and R. Coleman (1998): *The Batman Bridge: Structural Monitoring Using GPS*, Proc. Int. Workshop on Advances in GPS Deformation Monitoring, Perth, Australia, 24-25 September, paper 16, 8pp.

Wells, D.E., N. Beck, D. Delikaraoglou, A. Kleusberg, E.J. Krakiwsky, G. Lachapelle, R.B. Langley, M. Nakiboglu, K.P. Schwarz, J.M. Tranquilla and P. Vaniček (1987): *Guide to GPS Positioning*, 2nd edition, Canadian GPS Associates, Fredericton, New Brunswick, Canada, 503pp.

Whitaker, C., M.A. Duffy and A. Chrzanowski (1998): *Design of a Continuous Monitoring Scheme for the Eastside Reservoir in Southern California*, Proc. XXI Int. Congress of FIG, Commission 6, Brighton, UK, 19-25 July, 329-344.

Williams, S., Y. Bock, P. Fang, Cecil H. and I.M. Green (1998): *Integrated Satellite Interferometry: Tropospheric Noise, GPS Estimates and Implications for Interferometric Synthetic Aperture Radar Products*, Journal of Geophysical Research, 103(B11), 27051-27068.

Wong, K.-Y., K.-L. Man and W.-Y. Chan (2001): *Monitoring Hong Kong's Bridges – Real-Time Kinematic Spans the Gap*, GPS World, 12(7), 10-18.

Wooden, W.H. (1985): *Navstar Global Positioning System: 1985*, Proc. of the First Int. Symp. on Precise Positioning with the Global Positioning System, Rockville, Maryland, 15-19 April, Vol. 1, 23-32.

Wu, J.T. (1994): *Weighted Differential GPS Method for Reducing Ephemeris Error*, Manuscripta Geodaetica, 20, 1-7.

Yuan, Y. and J. Ou (2001): *An Improvement to Ionospheric Delay Correction for Single-Frequency GPS Users – The APR-I Scheme*, Journal of Geodesy, 75(5/6), 331-336.

Zhang, Q.J. and K.P. Schwarz (1996): *Estimating Double Difference GPS Multipath under Kinematic Conditions*, Proc. IEEE Position Location & Navigation Symp. (PLANS'96), Atlanta, Georgia, 22-26 April, 285-291.