
REFERENCES

- Adams, C.C. 1915. An ecological study of prairie and forest invertebrates. Bulletin of the Illinois State Laboratory of Natural History Article 2.
- Agerer, R. 2001. Exploration types of ectomycorrhizae. *Mycorrhiza* 11:107-114.
- Alcorn, P.J., J.K. Dingle, and J.E. Hickey. 2001. Age and stand structure in a multi-aged wet eucalypt forest at the Warra silvicultural systems trial. *Tasforests* 13(2):245-259.
- Allen, R.B., P.K. Buchanan, P.W. Clinton, and A.J. Cone. 2000. Composition and diversity of fungi on decaying logs in a New Zealand temperate beech (*Nothofagus*) forest. *Canadian Journal of Forest Research* 30:1025-1033.
- Allmér, J., R. Vasiliauskas, K. Ihrmark, J. Stenlid, and A. Dahlberg. 2006. Wood-inhabiting fungal communities in woody debris of Norway spruce (*Picea abies* (L.) Karst.), as reflected by sporocarps, mycelial isolations and T-RFLP identification. *FEMS Microbiological Ecology* 55:57-67.
- Amaranthus, M.P., D.S. Parrish, and D.A. Perry. 1989. Decaying logs as moisture reservoirs after drought and wildfire. P. 191-194 in *A Conference on the Stewardship of Soil, Air and Water Resources: Proceedings of Watershed '89*, Juneau, Alaska, USDA Forest Service, Region 10, Alexander, E.B. (ed.).
- Andersen, H., and L. Ryvarden. 1999. Wood inhabiting fungi on *Populus tremula*. *Windhalia* 24:37-48.
- Anderson, C.A., and P.Y. Ladiges. 1978. A Comparison of three populations of *Eucalyptus obliqua* L'Hérit. growing on acid and calcareous soils in southern Victoria. *Australian Journal of Botany* 26:93-109.
- Anderson, M.J., and T.J. Willis. 2003. Canonical analysis of principal coordinates: a useful method of constrained ordination for ecology. *Ecology* 84(2):511-525.
- Anderson, R. 2001. Fungi and beetles, diversity within diversity. *Field Mycology* 2(3):82-87.
- Annesi, T., G. Curcio, L. D'Amico, and E. Motta. 2005. Biological control of *Heterobasidion annosum* on *Pinus pinea* by *Phlebiopsis gigantea*. *Forest Pathology* 35:127-134.
- Anon. CARSAG APU data 2002
<http://soer.justice.tas.gov.au/2003/bio/4/issue/41/ataglance.php>).
- Anon. <http://www.circuitscape.org/Circuitscape/Welcome.html>
- Anon. http://www.forestrytas.com.au/assets/0000/0226//sfm_annualreport_2005_06.pdf).
-

-
- Anon. http://www.fpa.tas.gov.au/fileadmin/user_upload/PDFs/General/2007_INDICATORS_REPORT_FINAL_24_May_2007.pdf).
- Anon. <http://www.tmag.tas.gov.au/herbarium/TasvascPlants.pdf>
- Anon, 'R' programme, www.r-project.org
- Anon. Warra, <http://www.warra.com>.
- Anon. www.mvb.gov.se Resilience and Sustainable Development: a report for the Swedish environmental advisory council.
- Appelqvist, T. 2008. Species richness patterns and community structure of wood-living basidiomycetes (Agaricomycotina) in Nordic spruce forests. Ph.D. thesis, Göteborg University, Göteborg.
- Araya, K. 1993a. Chemical analyses of the dead wood eaten by larvae of *Ceruchus lignarius* and *Prismognathus angularis*. Applied Entomology and Zoology 28:353-358.
- Araya, K. 1993b. Relationship between the decay types of dead wood and occurrence of Lucanid beetles (Coleoptera: Lucanidae). Applied Entomology and Zoology 28:27-33
- Arnolds, E. 1981. Dynamics of macrofungi in two moist heathlands in Drenthe, The Netherlands. Acta Botanica Neerlandica 37:291-305.
- Arnolds, E. 1988. The changing macromycete flora in the Netherlands. Transactions of the British Mycological Society 90(3):391-406.
- Arnolds, E. 1991. Decline of ectomycorrhizal fungi in Europe. Agriculture, Ecosystems and Environment 35:209-244.
- Arnolds, E. 2001. The future of fungi in Europe: threats, conservation and management. P. 64-50 in Fungal Conservation: Issues and Solutions, Moore, D., M.M. Nauta, S.E. Evans, and M. Rotheroe (eds.). Cambridge University Press, Cambridge.
- Ashton, D.H. 1975. Studies of litter in *Eucalyptus regnans* forests. Australian Journal of Botany 23:413-433.
- Ashton, D.H. 1976a. Studies on the mycorrhizae of *Eucalyptus regnans* F. Muell. Australian Journal of Botany 24:723-741.
- Ashton, D.H. 1976b. The development of even-aged stands of *Eucalyptus regnans* F. Muell. in central Victoria. Australian Journal of Botany 24:397-414.
- Ashton, D.H. 1981a. Fire in tall open-forests (wet sclerophyll forests) in: Fire and the Australian biota. Gill, A.M., R.H. Groves, and I.R. Noble (eds.). Australian Academy of Science, Canberra.
-

-
- Ashton, D.H. 1981b. Tall open-forests. in Australian Vegetation. Groves, R.H. (ed.). Cambridge University Press, Cambridge, pp 121-151.
- Ashton, D.H. 1987. Tall eucalypt forests-an overview. P. 5-20 in The Tall Eucalypt Workshop, Brown, M.J., S.J. Jarman, and K.J. Williams (eds.). Forestry Commission, Tasmania, Hobart.
- Ashton, D.H., and B.J. Macauley. 1972. Winter leaf spot disease of seedlings of *Eucalyptus regnans* and its relation to forest litter. Transactions of the British Mycological Society 58(3):377-386.
- Attiwill, P.M. 1968. The loss of elements from decomposing litter. Ecology 49(1):142-145.
- Attiwill, P.M. 1979. Nutrient cycling in a *Eucalyptus obliqua* (L'Hérit.) forest. III Growth, biomass, and net primary production. Australian Journal of Botany 27:439-458.
- Attiwill, P.M., H.B. Guthrie, and R. Leuning. 1978. Nutrient cycling in a *Eucalyptus obliqua* (L'Hérit.) Forest. 1. Litter production and nutrient return. Australian Journal of Botany 26:79-91.
- Aurora, D. 1986. Mushrooms Demystified. Ten Speed Press, Berkeley.
- Bader, P., S. Jansson, and B.G. Jonsson. 1995. Wood-inhabiting fungi and substratum decline in selectively logged boreal spruce forests. Biological Conservation 72:355-362.
- Barclay, S., J.E. Ash, and D.M. Rowell. 2000. Environmental factors influencing the presence and abundance of a log-dwelling invertebrate, *Euperipatoides rowelli* (Onychophora: Peripatopidae). Journal of Zoology 250:425-436.
- Barnum, S.A., C.J. Manville, J.R. Tester, and W.J. Carmen. 1992. Path selection by *Peromyscus leucopus* in the presence and absence of vegetative cover. Journal of Mammalogy 73(4):797-801.
- Bashford, R. 2008. Species of *Coleoptera* utilising polypore fungi growing on *Eucalyptus obliqua* in southern Tasmania. Australian Entomologist (in press).
- Berg, A., B. Ehnström, L. Gustafsson, T. Hallingback, M. Jonsell, and J. Weslien. 1994. Threatened plant, animal, and fungus species in Swedish forests: distribution and habitat associations. Conservation Biology 8(3):718-731.
- Berg, B., M.P. Berg, P. Bottner, E. Box, A. Breymeyer, R. Calvo de Anta, M. Couteaux, A. Escudero, A. Gallardo, W. Kratz, M. Madeira, E. Mälkönen, C. McLaugherty, V. Meentemeyer, F. Muñoz, P. Piussi, J. Rémacle, and A. Viroz de Santo. 1993. Litter mass loss rates in pine forests of Europe and Eastern United States: some relationships with climate and litter quality. Biogeochemistry 20(3):127-159.
-

-
- Bills, G.F., G.I. Holtzman, and O.K. Miller Jr. 1986. Comparison of ectomycorrhizal-basidiomycete communities in red spruce versus northern hardwood forests of West Virginia. *Canadian Journal of Botany* 64:760-768.
- Binder, M., D.S. Hibbett, K.-H. Larsson, E. Larsson, E. Langer, and G. Langer. 2005. The phylogenetic distribution of resupinate forms across the major clades of mushroom-forming fungi (Homobasidiomycetes). *Systematics and Biodiversity* 3(2):1-45.
- Birk, E.M., and R.W. Simpson. 1980. Steady state and the continuous input model of litter accumulation and decomposition in Australian eucalypt forests. *Ecology* 61(3):481-485.
- Blake T.J., and B.B. Carrodus. 1970. Studies on the lignotubers of *Eucalyptus obliqua* II: Endogenous inhibitor levels correlated with apical dominance. *New Phytologist* 69: 1073-1079.
- Blasius, D., and F. Oberwinkler. 1989. Succession of mycorrhizae: a matter of tree age or stand age? *Annales des Sciences Forestieres* 46 suppl.:758s-761s.
- Boddy, L. 1984. The micro-environment of basidiomycete mycelia in temperate deciduous woodlands. P. 261-289 in *The Ecology and Physiology of the Fungal Mycelium*, Jennings, D.H., and A.D.R. Rayner (eds.). Cambridge University Press, Cambridge.
- Boddy, L. 2001. Fungal community ecology and wood decomposition processes in angiosperms: from standing tree to complete decay of coarse woody debris. *Ecological Bulletins* 49:43-56.
- Boddy, L., and J. Heilmann-Clausen. 2008. Basidiomycete community development in temperate angiosperm wood. P. 211-237 in *Ecology of Saprotrophic Basidiomycetes*, Boddy, L., J.C. Frankland, and P. Van West (eds.). Elsevier Ltd., London.
- Boddy, L., and A.D.M. Rayner. 1983. Ecological roles of basidiomycetes forming decay communities in attached oak branches. *New Phytologist* 93:77-88.
- Bohus, G., and M. Babos. 1960. Coenology of terricolous macroscopic fungi of deciduous forests. *Botanische Jahrbuecher fuer Systematik, Pflanzengeschichte und Pflanzengeogr* 80:1-100.
- Bonet, J.A., C.R. Fischer, and C. Colinas. 2004. The relationship between forest age and aspect on the production of sporocarps of ectomycorrhizal fungi in *Pinus sylvestris* forests of the central Pyrenees. *Forest Ecology and Management* 203:157-175.
- Bougher, N.L. 1995. Diversity of ectomycorrhizal fungi associated with eucalypts in Australia. P. 8-15 in *Mycorrhizas for Plantation Forestry in Asia*, Brundrett, M., B. Dell, and N. Malajczuk (eds.). ACIAR, Canberra.
-

-
- Bougher, N.L., and K. Syme. 1998. Fungi of Southern Australia. Nedlands, University of Western Australia Press. 391p.
- Breitenbach, J., and F. Kränzlin. 1986. Non gilled fungi, Vol.2. Fungi of Switzerland. Verlag Mykologia, Lucerne. 412 p.
- Briones, M.J.I., and P. Ineson. 1996. Decomposition of *Eucalyptus* leaves in litter mixtures. *Soil Biology and Biochemistry* 28:1381-1388.
- Brown, M.J., H.J. Elliott, and J.E. Hickey. 2001. An overview of the Warra Long-Term Ecological Research Site. *Tasforests* 13(1):1-8.
- Brown, S., J. Mo, J.K. McPherson, and D.T. Bell. 1996. Decomposition of woody debris in Western Australian forests. *Canadian Journal of Forest Research* 26:954-966.
- Bruns, T.D. 1995. Thoughts on the processes that maintain local species diversity of ectomycorrhizal fungi. *Plant and Soil* 170:63-73.
- Buchanan, P., P.W. Clinton, and R.B. Allen. 2001. Dead wood in the forest-alive and dynamic. *New Zealand Journal of Forestry*:40-42.
- Buchanan, P.K. 2001. Aphyllophorales in Australasia. *Australian Systematic Botany* 14:417-437.
- Buchanan, P.K., and L. Ryvarden. 2000. An annotated checklist of polypore and polypore-like fungi recorded from New Zealand. *New Zealand Journal of Botany* 38:265-323.
- Burdsall Jr., H.H. 1969. Stephanocysts: unique structures in the Basidiomycetes. *Mycologia* 61(5):915-923.
- Bureau of Meteorology Indigenous seasons,
http://www.bom.gov.au/iwk/climate_culture/Indig_seasons.shtml
- Burns, A., and J.G. Conran. 1997. The phenology of macrofungi in relation to autumn rainfall in the Adelaide Hills. *Muelleria* 10:95-109.
- Busing, R.T., and S.L. Garman. 2002. Promoting old-growth characteristics and long-term wood production in Douglas-fir forests. *Forest Ecology and Management* 160:161-175.
- Cardiff University. (2007, April 25). Fungi respond to climate change in ScienceDaily.
- Carpenter, S.E., J.M. Trappe, and J.J. Ammirati. 1987. Observations of fungal succession in the Mount St Helens devastation zone, 1980-1983. *Canadian Journal of Botany* 65:716-728.
-

-
- Castellano, M.A., and N.L. Bougher. 1994. Consideration of the taxonomy and biodiversity of Australian ectomycorrhizal fungi. *Plant and Soil* 159:37-46.
- Catcheside, P., and D. Catcheside. 2005. Surveys of fungi in South Australia. *Australian Plant Conservation* 14(1):6-7.
- Catcheside, P., and D. Catcheside. 2008. A fungal hotspot: Stringybark Walking Trail, Deep Creek Conservation Park, South Australia, and the conservation status of its fungi. *Journal of the Adelaide Botanic Gardens* 22:9-30.
- Chilvers, G.A. 1968a. Some distinctive types of eucalypt mycorrhiza. *Australian Journal of Botany* 16:49-70.
- Chilvers, G.A. 1968b. Low-power electron microscopy of the root cap region of eucalypt mycorrhizas. *New Phytologist* 67:663-665.
- Chilvers, G.A. 2000. Mycorrhizas of Eucalypts. P. 71-101 in *Diseases and Pathogens of Eucalypts*, Keane, P., G.A. Kile, F.D. Podger, and B.N. Brown (eds.). CSIRO publishing, Collingwood.
- Chilvers, G.A., and L.D. Pryor. 1965. The structure of eucalypt mycorrhizas. *Australian Journal of Botany* 13:245-259.
- Christensen, M., and J. Emborg. 1996. Biodiversity in natural versus managed forest in Denmark. *Forest Ecology and Management* 85:47-51.
- Christensen, M., H.-C. J. R. Walley, and S. Adamcik. 2004. Wood-inhabiting fungi as indicators of nature value in European beech forests. in *EFI Proceedings No. 51. Monitoring and Indicators of Forest Biodiversity in Europe-from Ideas to Operationality*, Marchetti, M. (ed.).
- Christensen, M., S. Bhattarai, S. Devkota, and H.O. Larsen. 2008. Collection and use of wild edible fungi in Nepal. *Economic Botany* 62(1):12-23.
- Claridge, A.W. 2002. Ecological role of hypogeous ectomycorrhizal fungi in Australian forests and woodlands. *Plant and Soil* 244:291-305.
- Cline, S.P., A.B. Berg, and H.M. Wight. 1980. Snag characteristics and dynamics in Douglas-fir forests, Western Oregon. *Journal of Wildlife Management* 44(4):773-786.
- Colpaert, J.V., and K.K. van Tichelen. 1996. Decomposition, nitrogen and phosphorus mineralization from beech leaf litter colonised by ectomycorrhizal or litter-decomposing basidiomycetes. *New Phytologist* 134:123-132.
- Colwell, R.K. 2005. EstimateS: statistical estimation of species richness and shared species from samples. Version 7.5.
- Colwell, R.K., C.X. Mao, and J. Chang. 2004. Interpolating, extrapolating and comparing incidence-based species accumulation curves. *Ecology* 85:2717-2727.
-

-
- Consortium for the Barcode of Life (CBOL) project, <http://www.barcoding.si.edu/>.
- Cooke, R.C., and A.D.M. Rayner. 1984. Ecology of Saprotrophic Fungi. Longman Inc., New York. 415 p.
- Cooke, W.B. 1979. The Ecology of Fungi. CRC, Boca Raton, Florida. 274p
- Cooper, C.F. 1983. Carbon storage in managed forests. Canadian Journal of Forest Research 13:155-166.
- Corbett, S., and J. Balmer. 2001. Map and description of the Warra vegetation. Tasforests 13(1):45-63.
- Cortbase <http://andromeda.botany.gu.se/cortbase.html>.
- Courtecuisse, R. 2001. Current trends and perspectives for the global conservation of fungi. P. 7-18 in Fungal Conservation: Issues and Solutions, Moore, D., M.M. Nauta, S.E. Evans, and M. Rotheroe (eds.). Cambridge University Press, Cambridge.
- Cromack Jr, K., and B.A. Caldwell. 1992. The role of fungi in litter decomposition and nutrient cycling. P. 653-668 in The Fungal Community: Its Organization and Role in the Ecosystem, Carroll, G.C., and D.T. Wicklow (eds.). Marcel Dekker, Inc., New York.
- Cromack Jr, K., B.L. Fichter, A.M. Moldenke, J.A. Entry, and E.R. Ingham. 1988. Interactions between soil animals and ectomycorrhizal fungal mats. Agriculture, Ecosystems and Environment 24:161-168.
- Cunningham, G.H. 1963. The Thelephoraceae of Australia and New Zealand. N.Z. Department of Science and Industry Res. Bulletin 145:359.
- Cunningham, G.H. 1965. Polyporaceae of New Zealand, Government Printer, Wellington, New Zealand, Wellington. 304 p.
- Curtis, W.M., and D.I. Morris. 1975. The Student's Flora of Tasmania, Part 1 Tasmanian Government Printer, Hobart.
- Cwielong, P.P., and M. Rajchenberg. 1995. Wood-rotting on *Nothofagus pumilio* in Patagonia, Argentina. European Journal of Forest Pathology 25:47-60.
- Czederpiltz, D.L.L., G.R. Stanosz, and H.H. Burdsall Jr. 1999. Forest management and the diversity of wood-inhabiting fungi. McIlvainea 14:34-45.
- Da Costa, E.W.B. 1979. Comparative decay resistance of Australian timbers in accelerated laboratory tests. Australian Forest Research 9:119-135.
- Da Costa, E.W.B., T.E.H. Aplin, and N. Tamblyn. 1957. The comparative resistance to decay of eight Australian timbers under different conditions of testing. CSIRO Division of Forest Products.
-

- Daubenmire, R., and D. Prusso. 1963. Studies of the decomposition rates of tree litter. *Ecology* 44(3):589-592.
- Davies, J.L. (e.d.) 1965. Atlas of Tasmania. Lands and Survey Department, Hobart. 128 p.
- De Dominicis, V., and C. Barluzzi. 1983. Coenological research on macrofungi in evergreen oak woods in the hills near Siena (Italy). *Vegetatio* 54:177-187.
- DeBellis, T., G. Kernaghan, R. Bradley, and P. Widden. 2006. Relationships between stand composition and ectomycorrhizal community structure in boreal mixed-wood forests. *Microbial Ecology* 52:114-126.
- Dell, B., R. Sammee, P. Lumyong, and S. Lumyong. Ectomycorrhizal fungi in dry and wet dipterocarp forests in northern Thailand-diversity and use as food. www.apafri.org/8thdip/Session%203/S3_Dell.doc accessed 4 August 2008
- Desjardin, D.E., G.J. Wong, and D.E. Hemmes. 1992. Agaricales of the Hawaiian Islands. 1. Marasmioid fungi: new species, new distributed records, and poorly known taxa. *Canadian Journal of Botany* 70:530-542.
- Dighton, J. 1991. Acquisition of nutrients from organic resources by mycorrhizal autotrophic plants. *Experientia* 47:362-369.
- Dighton, J., and P. Mason. 1985. Mycorrhizal dynamics during forest tree development. P. 117-139 in *Developmental Biology of Higher Fungi*, Moore, D., L.A. Casselton, D.A. Wood, and J.C. Frankland (eds.). Cambridge University Press, New York.
- Dix, N.J., and J. Webster. 1995. Chapter 11. Phoenicoid fungi. P. 302-321 in *Fungal Ecology*. Chapman and Hall, London.
- Donaldson, R., and M. Stoddart. 1994. Detection of hypogeous fungi by Tasmanian Bettong (*Bettongia gaimardi*: Marsupialia; Macropodoidea). *Journal of Chemical Ecology* 20(5):1201-1207.
- Donk, M.A. 1964. A conspectus of the families of Aphyllophorales. *Persoonia* 3:199-324.
- Driscoll, D.A., G. Milkovits, and D. Freudenberger. 2000. Impact and use of firewood in Australia. Australian Government Department of the Environment and Heritage. 1-5.
- Durall, D.M., M.D. Jones, and K.J. Lewis. 2005. Effects of forest management on fungal communities. P. 833-855 in *The Fungal Community: Its Organization and Role in the Ecosystem*, Dighton, J., J.F. White, and P. Oudemans (eds.). Taylor and Francis, Boca Raton.
-

-
- Durall, D.M., S. Gamiel, S.W. Simard, L. Kudrna, and S. Sakakibara. 2006. Effects of clearcut logging and tree species composition on the diversity and community composition of epigeous fruit bodies formed by ectomycorrhizal fungi. *Canadian Journal of Botany* 84:966-980.
- Edmonds, R.L., and D.S. Lebo. 1998. Diversity, production, and nutrient dynamics of fungal sporocarps in an old-growth temperate rain forest, Olympic National Park, Washington. *Canadian Journal of Forest Research* 28:665-672.
- Entry, J.A., C.L. Rose, and K. Cromack Jr. 1991. Litter decomposition and nutrient release in ectomycorrhizal mat soils of a Douglas Fir ecosystem. *Soil Biology and Biochemistry* 23(3):285-290.
- Eriksson, J., and L. Ryvardeen. 1973. The Corticiaceae of North Europe Volume 2: *Aleurodiscus—Confertobasidium*. 59-261 p.
- Eriksson, J., and L. Ryvardeen. 1975. The Corticiaceae of North Europe Volume 3: *Coronicium—Hyphoderma*.
- Eriksson, J., and L. Ryvardeen. 1976. The Corticiaceae of North Europe Volume 4: *Hyphodermella—Mycoacia*, Oslo.
- Eriksson, J., K. Hjorstam, and L. Ryvardeen. 1978. The Corticiaceae of North Europe Volume 5: *Mycoaciella—Phanerochaete*, Oslo.
- Eriksson, J., K. Hjorstam, and L. Ryvardeen. 1981. The Corticiaceae of North Europe Volume 6: *Phlebia—Sarcodontia*, Oslo.
- Eriksson, J., K. Hjortstam, and L. Ryvardeen. 1984. The Corticiaceae of North Europe Volume 7: *Schizopora—Suillosporium*, Oslo.
- Erland, S., and A.F.S. Taylor. 2002. Diversity of ecto-mycorrhizal fungal communities in relation to the abiotic environment. P. 163-200 in *Mycorrhizal Ecology*. Springer-Verlag, Berlin.
- Eveling, D.W., R.N. Wilson, E.S. Gillespie, and A. Bataillé. 1990. Environmental effects on sporocarp counts over fourteen years in a forest area. *Mycological Research* 94(7):998-1002.
- Facelli, J.M., and B. Ladd. 1996. Germination requirements and responses to leaf litter of four species of eucalypt. *Oecologia* 107:441-445.
- Facelli, J.M., and S.T.A. Pickett. 1991. Plant litter: its dynamics and effects on plant community structure. *The Botanical Review* 57:1-32.
- Fernández-Toirán, L., T. Ágredda, and J.M. Olano. 2006. Stand age and sampling year effect on the fungal fruit body community in *Pinus pinaster* forests in central Spain. *Canadian Journal of Botany* 84:1249-1258.
-

-
- Ferris, R., A.J. Peace, J.W. Humphrey, and A.C. Broome. 2000. Relationships between vegetation, site type and stand structure in coniferous plantations in Britain. *Forest Ecology and Management* 136:35-51.
- Fischer, J., D.B. Lindenmayer, and A.D. Manning. 2006. Biodiversity, ecosystem function, and resilience: ten guiding principles for commodity production landscapes. *Frontiers in Ecology and the Environment* 4(2):80-86.
- Florence, R.G. 1996. Succession and the role of fire. P. 413 in *Ecology and Silviculture of Eucalypt Forests* Short, E., and M. Veroni (eds.). CSIRO, Australia, Melbourne.
- Folke, J., and H. Knudsen. 1994. The role and use of ectomycorrhizal fungus biodiversity as an indicator of "sustainable forestry". *Tappi Journal* 77(4):57-59.
- Forest Practices Authority. 2005. *Forest Botany Manual 6–D'Entrecasteaux Region*. Forest Practices Authority, Tasmania.
- Forestry Tasmania 2008. *Sustainability Charter: Forest Management Plan*. Forestry Tasmania. 84 pp.
- Forestry Tasmania. 2009. *A new silviculture for Tasmania's public forests: a review of the variable retention program*. 107p.
- Fox, F.M. 1986. Groupings of ectomycorrhizal fungi of birch and pine, based on establishment of mycorrhizas on seedlings from spores in unsterile soils. *Transactions of the British Mycological Society* 87(3):371-380.
- Frank, A.B. 1885. Über die auf Wurzelsymbiose beruhende Ernährung gewisser Bäume durch unterirdische Pilze. *Berichte der Deutschen Botanischen Gesellschaft* 3:128-145. (English translation: Trappe, J.M. 2005. On the nutritional dependence of certain trees on root symbiosis with belowground fungi. *Mycorrhiza* 15:267-275).
- Frankland, J.C. 1981. Mechanisms in fungal succession. P. 403-426 in *The Fungal Community: Its Organization and Role in the Ecosystem*.
- Frankland, J.C. 1984. Autecology and the mycelium of a woodland litter decomposer. P. 241-259 in *The Ecology and Physiology of the Fungal Mycelium*, Jennings, D.H., and A.D.R. Rayner (eds.). Cambridge University Press, Cambridge.
- Franklin, J.F., H.H. Shugart, and M.E. Harmon. 1987. Tree death as an ecological process. *Bioscience* 37(8):550-556.
- Fuhrer, B. 2005. *A Field Guide to Australian Fungi*. Bloomings Books, Melbourne. 360 p.
- Fukasawa, Y., T. Osono, and H. Takeda. 2009. Dynamics of physicochemical properties and occurrence of fungal fruit bodies during decomposition of coarse woody debris of *Fagus crenata*. *Journal of Forest Research* 14:20-29.
-

-
- Gadgil, P.D., and A.D. Bawden. 1981. Infection of wounds in *Eucalyptus delegatensis*. *New Zealand of Forestry Science* 11(3):262-270
- Gadgil, R.L., and P.D. Gadgil. 1971. Mycorrhiza and litter decomposition. *Nature* 233:133.
- Gange, A.C., E.G. Gange, T.H. Sparks, and L. Boddy. 2007. Rapid and recent changes in fungal fruiting patterns. *Science* 316:71.
- Gardner, J.H., and N. Malajczuk. 1988. Recolonisation of rehabilitated bauxite mine sites in western Australia by mycorrhizal fungi. *Forest Ecology and Management* 24:27-42.
- Gates, G.M., and D.A. Ratkowsky. 2004. A preliminary census of the macrofungi of Mt Wellington, Tasmania-the non-gilled Basidiomycota. *Papers and Proceedings of the Royal Society of Tasmania* 138:53-59.
- Gates, G.M., and D.A. Ratkowsky. 2009. Comparing indigenous and European-based weather concepts for predicting macrofungal activity in Tasmania. *Australasian Mycologist*, in press.
- Gates, G.M., D.A. Ratkowsky, and S.J. Grove. 2005. A comparison of macrofungi in young silviculture regeneration and mature forest at the Warra LTER Site in the southern forests of Tasmania. *Tasforests* 16:153-168.
- Gates, G.M., D.A. Ratkowsky, and S.J. Grove. 2009. Aggregated retention and macrofungi, a case study from the Warra LTER site, Tasmania. *Tasforests* 18:??-??
- Gibbons, P., and J.B. Lindenmayer. 1996. Issues associated with the retention of hollow-bearing trees within eucalypt forests managed for wood production. *Forest Ecology and Management* 83:235-279.
- Gilbert, J.M. 1959. Forest succession in the Florentine Valley, Tasmania. *Papers and Proceedings of the Royal Society of Tasmania* 93:129-151.
- Gilbertson, R.L. 1980. Wood-rotting fungi of North America. *Mycologia* 71(1):1103-1327.
- Gill, A.M. 1975. Fire and the Australian flora: a review. *Australian Forestry* 38:4-25.
- Gill, A.M. 1997. Eucalypts and fires:interdependent or independent? P. 151-167 in *Eucalypt Ecology: Individuals to Ecosystems*, Williams, J., and J. Woinarski (eds.). Cambridge University Press, Cambridge.
- Glen, M., N.L. Bougher, I.J. Colquhoun, S. Vlahos, W.A. Lonergan, P.A. O'Brien, and G.E. St J. Hardy. 2008. Ectomycorrhizal fungal communities of rehabilitated bauxite mines and adjacent, natural jarrah forest in Western Australia. *Forest Ecology and Management* 255:214-225.
-

-
- Gough, C.M., C.S. Vogel, C. Kazanski, L. Nagel, C.E. Flower, and P.S. Curtis. 2007. Coarse woody debris and the carbon balance of a north temperate forest. *Forest Ecology and Management* 244:60-67.
- Graham, S.A. 1925. The felled tree trunk as an ecological unit. *Ecology* 6(4):397-411.
- Grainger, J. 1946. Ecology of the larger fungi. *Transactions of the British Mycological Society* 29:52-63.
- Grant, J.C., M.D. Laffan, R.B. Hill, and W.A. Neilsen. 1995. *Forest Soils of Tasmania: A handbook for identification and management*. Forestry Tasmania. 189 p.
- Greslebin, A.G. 1998. *Hongos xilofilos de Nothofagus pumilio* (Poepp. et Endl.) Krass. (Lenga). 189 p.
- Gricius, A., V. Urbonas, E. Kutorga, and A. Matelis. 1999. Succession of fungi on dead timber of various trees. *Botanica Lithuanica* 5:61-70.
- Griffiths, R.P., M.A. Castellano, and B.A. Caldwell. 1991. Hyphal mats formed by two ectomycorrhizal fungi and their association with Douglas-fir seedlings: A case study. *Plant and Soil* 134:255-259.
- Grove, S.J. 2002. Saproxylic insect ecology and the sustainable management of forests. *Annual Review of Ecology and Systematics* 33:1-23.
- Grove, S., and D. Bashford. 2005. Warra log decay project: establishment report. Forestry Tasmania.
- Grove, S., and J. Meggs. 2003. Coarse woody debris, biodiversity and management: a review with particular reference to Tasmanian wet eucalypt forests. *Australian Forestry* 66(4):258-272.
- Grove, S., J. Meggs, and A. Goodwin. 2002. A review of biodiversity conservation issues relating to coarse woody debris management in the wet eucalypt production forests of Tasmania. *Forestry Tasmania*. 1-65.
- Grove, S.J. 2006. A long-term experimental study of saproxylic beetle succession in Tasmanian *Eucalyptus obliqua* logs: findings from the first five years.
- Grove, S.J., L. Stamm, and C. Barry. 2009. Log decomposition rates in Tasmanian *Eucalyptus obliqua* determined using an indirect chronosequence approach. *Forest Ecology and Management* 258:389-397.
- Haas, H. 1933. Die bodenbewohnenden Großpilze in den Waldformationen einiger Gebiete von Württemberg. *Beihefte zum Botanischen Zentralblatt* 50:35-134.
- Hagan, J.M., and S.L. Grove. 1999. Coarse woody debris: Humans and nature competing for trees. *Journal of Forestry* 97(1):6-11.
-

-
- Hall, I., P.K. Buchanan, W. Yun, and A.L.J. Cole. 1998. Edible and Poisonous Mushrooms: an introduction. The Caxton Press, Christchurch. 189p.
- Hallenberg, N. 1995. Dispersal ability and distributional patterns in Aphyllophorales, with emphasis on corticioid fungi. *Symbolae Botanicae Upsalienses* 30(3):95-100.
- Hansen, L., and H. Knudsen (eds.). 1997. Nordic Macromycetes Nordsvamp, Copenhagen.
- Harley, J.L. 1989. The significance of mycorrhiza. *Mycological Research* 92(2):129-139.
- Harley, J.L., and S.E. Smith. 1983. Mycorrhizal Symbiosis. Academic Press, London. 483p.
- Harmon, M.E., and J. Sexton. 1996. Guidelines for measurements of woody detritus in forest ecosystems. Publication No. 20. US Long-Term Ecological Research Network Office. University of Washington. 42p.
- Harmon, M.E., and J.F. Franklin. 1989. Tree seedlings on logs in *Picea-Tsuga* forests of Oregon and Washington. *Ecology* 70(1):48-59.
- Harmon, M.E., J. Sexton, B.A. Caldwell, and S.E. Carpenter. 1994. Fungal sporocarp mediated losses of Ca, Fe, K, Mg, Mn, N, P, and Zn from conifer logs in the early stages of decomposition. *Canadian Journal of Forest Research* 24:1883-1893.
- Harmon, M.E., J.F. Franklin, F. Swanson, P. Sollins, S.V. Gregory, J.D. Lattin, N.H. Anderson, S.P. Cline, N.G. Aumen, J.R. Sedell, G.W. Lienkaemper, K. Cromack Jr, and K.W. Cummins. 1986. Ecology of Coarse Woody Debris in Temperate Ecosystems. P. 133-302 in *Advances in Ecological Research*, MacFadyen, A., and E.D. Ford (eds.). Harcourt Brace Jovanovich, Publishers Academic Press.
- Harrington, T.J. 2003. Relationships between macrofungi and vegetation in the burren. *Biology and Environment: Proceedings of the Royal Irish Academy* 103B(3):147-159.
- Harris, J.A., R.J. Hobbs, E. Higgs, and J. Aronsen. 2006. Ecological restoration and global climate change. *Restoration Ecology* 14(2):170-176.
- Harrison, K. 2008. Saproxylic beetles associated with habitat features in *Eucalyptus obliqua* trees in the wet eucalypt forests of southern Tasmania. Ph.D. thesis, School of Agricultural Science, University of Tasmania.
- Hättenschwiler, S., A.V. Tiunov, and S. Scheu. 2005. Biodiversity and litter decomposition in terrestrial ecosystems. *Annual Review of Ecology and Evolutionary Systems* 36:191-218.
- Hattori, T. 2005. Diversity of wood-inhabiting polypores in temperate forests with different vegetation types in Japan. *Fungal Diversity* 18:73-88.
-

- Hawksworth, D.L., P.M. Kirk, B.C. Sutton, and D.N. Pegler (eds.). 1985. Ainsworth & Bisby's Dictionary Of The fungi. Cambridge University Press, Cambridge. 616p.
- Heilmann-Clausen, J. 2001. A gradient analysis of communities of macrofungi and slime moulds on decaying beech logs. *Mycological Research* 105(5):575-596.
- Heilmann-Clausen, J. 2005. Diversity of saproxylic fungi on decaying beech wood in protected forests in the county of Halland. edited by Örjan Fritz 64p.
- Heilmann-Clausen, J., and M. Christensen. 2003. Fungal diversity on decaying beech logs-implications for sustainable forestry. *Biodiversity and Conservation* 12:953-973.
- Heilmann-Clausen, J., and M. Christensen. 2004. Does size matter? On the importance of various dead wood fractions for fungal diversity in Danish beech forests. *Forest Ecology and Management* 201:105-117.
- Heilmann-Clausen, J., and M. Christensen. 2005. Wood-inhabiting macrofungi in Danish beech-forests-conflicting diversity patterns and their implications in a conservation perspective. *Biological Conservation* 122:633-642.
- Hering, T.F. 1966. The terricolous higher fungi of four Lake District woodlands. *Transactions of the British Mycological Society* 49(3):369-383.
- Hering, T.F. 1967. Fungal decomposition of oak leaf litter. *Transactions of the British Mycological Society* 50(2):267-273.
- Hering, T.F. 1982. Decomposer activity of basidiomycetes in forest litter. P. 213-225 in *Decomposer basidiomycetes: their biology and ecology*, Frankland, J.C., J.N. Hedger, and M.J. Swift (eds.). Cambridge University Press, London.
- Hibbett, D.S., and M. Binder. 2002. Evolution of complex fruiting-body morphologies in homobasidiomycetes. *Proceedings of the Royal Society of London B* 269:1963-1969.
- Hickey, J.E. 1994. A floristic comparison of vascular species in Tasmanian oldgrowth mixed forest with regeneration resulting from logging and wildfire. *Australian Journal of Botany* 42:383-404.
- Hickey, J.E., and G.R. Wilkinson. 1999. The development and current implementation of silvicultural practices in native forests in Tasmania. *Australian Forestry* 62(3):245-254.
- Hickey, J.E., M.G. Neyland, and O.D. Bassett. 2001. Rationale and design for the Warra silvicultural systems trial in wet *Eucalyptus obliqua* forests in Tasmania. *Tasforests* 13(2):155-182.
- Hickey, J.E., W. Su, P. Rowe, B.M.J. and, and L. Edwards. 1999. Fire history of the tall wet eucalypt forests of the Warra ecological research site, Tasmania. *Australian Forestry* 52(1):66-71.
-

-
- Hilton, R.N., N. Malajczuk, and M.H. Pearce. 1989. Larger fungi of the jarrah forest :an ecological and taxonomic survey. P. 89-109 in *The Jarrah Forest. A Complex Mediterranean Ecosystem*, Dell, B., J.J. Havel, and N. Malajczuk (eds.). Kluwer Academic Publishers, Dordrecht, The Netherlands.
- Hirst, J.M., O.J. Stedman, and G.W. Hurst. 1967. Long-distance spore transport: vertical sections of spore clouds over the sea. *Journal of General Microbiology* 48:357-377.
- Hjortstam, K., and K.H. Larsson. 1997. Corticioid fungi growing on ferns in northern Europe. *Windhalia* 22:49-55.
- Hjortstam, K., K.-H. Larsson, and L. Ryvarde. 1987. *The Corticiaceae of North Europe Volume 1: Introduction and keys.* 59p.
- Hjortstam, K., K.-H. Larsson, and L. Ryvarde. 1988. *The Corticiaceae of North Europe Volume 8: Phlebiella, Thanatephorus—Ypsilonidium*, Oslo
- Hodgson, A. 1968. Control burning in eucalypt forests in Victoria, Australia. *Journal of Forestry* 66(8):601-605.
- Høiland, K., and E. Bendiksen. 1996. Biodiversity of wood-inhabiting fungi in a boreal coniferous forest Sør-Trøndelag County, Central Norway. *Nordic Journal of Botany* 16(6):643-659.
- Holec, J. 1992. Ecology of macrofungi in the beech woods of the Sumava mountains and Sumava foothills. *Ceska Mykologie* 46:163-202.
- Holland, J.D., D.G. Bert, and L. Fahrig. 2004. Determining the spatial scale of species' response to habitat. *Bioscience* 54(3):227-233.
- Holownia, I. 1985. Phenology of fruit-bodies of fungi in the Las Piwnicki reserve (Poland) in the period 1972-1975. *Acta Universitatis Nicolai Copernici Biologia* 27:47-56.
- Hood, I. 2003. *An Introduction to Fungi on Wood in Queensland.* University of New England, Armidale. 388 p.
- Hood, I.A., P.N. Beets, M.O. Kimberley, J.F. Gardner, G.R. Oliver, and S. Pearce. 2004. Colonisation of podocarp coarse woody debris by decomposer basidiomycete fungi in an indigenous forest in the central North Island of New Zealand. *Forest Ecology and Management* 196:311-325.
- Hopkins, A.J. 2007. *The taxonomy and ecology of wood decay fungi in Eucalyptus obliqua trees and logs in the wet sclerophyll forests of southern Tasmania.* Ph.D. thesis, School of Agricultural Science, University of Tasmania.
- Horton, T.R., and T.D. Bruns. 2001. The molecular revolution in ectomycorrhizal ecology: peeking into the black box. *Molecular Ecology* 10:1855-1871.
-

Hottola, J., and J. Siitonen. 2008. Significance of woodland key habitats for polypore diversity and red-listed species in boreal forests. *Biodiversity and Conservation* 17:2559-2577.

Huhndorf, S.M., D.J. Lodge, C.-J. Wang, and J.N. Stokland. 2004. Terrestrial and lignicolous macrofungi: macrofungi on woody substrate. P. 159-163 in *Biodiversity of Fungi Inventory and Monitoring Methods*, Mueller, G.M., G.F. Bills, and M. Foster (eds.). Elsevier Academic Press, Burlington, USA.

Hurlbert, S.H. 1984. Pseudoreplication and the design of ecological field experiments. *Ecological Monographs* 54:187-211

Index Fungorum <http://www.indexfungorum.org/Names/Names.asp>

Ingold, C.T. 1971. Spores in the air. P. 172-199 in *Fungal Spores: Their Liberation and Dispersal*. Clarendon Press, Oxford.

Ishida, T.A., K. Nara, and T. Hogetsu. 2007. Host effects on ectomycorrhizal fungal communities: insights from eight host species in mixed conifer-broadleaf forests. *New Phytologist* 174:430-440.

Jackson, W.D. 1968a. Fire, air, water and earth — an elemental ecology of Tasmania. *Proceedings of the Ecological Society of Australia* 3:9-16.

Jackson, W.D. 1968b. Fire and the Tasmanian Flora. P. 50-55 in *Tasmanian Year Book No. 2*, Commonwealth Bureau of Census and Statistics Tasmania (ed.). Government Printer Hobart.

Jackson, W.D. 1999. Vegetation Types. P. 456 in *Vegetation of Tasmania*, Reid, J.B., R.S. Hill, M.J. Brown, and M.J. Hovenden (eds.). Australian Biological Resources Study, Hobart.

Jacobs, M.R. 1955. *Growth Habits of the Eucalypts*. Government Printer, Canberra. 262p.

Jarman, S.J., and G. Kantvilas. 2001. Bryophytes and lichens at the Warra LTER site. II. Understorey habitats in *Eucalyptus obliqua* wet sclerophyll forest. *Tasforests* 13(2):217-243.

Johansson, T., J. Olsson, J. Hjältén, B.G. Jonsson, and L. Ericson. 2006. Beetle attraction to sporocarps and wood infected with mycelia of decay fungi in old-growth spruce forests of northern Sweden. *Forest Ecology and Management* 237:335-341.

Johnson, C., and I. Barmuta. 2006. *Quantitative Methods In Biology (KZA 357): Notes on the design and analysis of biological experiments*. P. 295. University of Tasmania, Hobart.

Johnson, C.N. 1995. Interactions between fire, mycophagous mammals, and dispersal of ectomycorrhizal fungi in *Eucalyptus* forests. *Oecologia* 104:467-475.

-
- Johnson, C.N. 1997. Fire and habitat management for a mycophagous marsupial, the Tasmanian bettong *Bettongia gaimardi*. *Australian Journal of Ecology* 22:101-105.
- Johnston, P.R., T.W. May, D. Park, and E. Horak. 2007. *Hypocreopsis amplexens* sp. nov., a rare fungus from New Zealand and Australia. *New Zealand Journal of Botany* 45:715-719.
- Jones, M.D., B.D. Twieg, D.M. Durrall, and S.M. Berch. 2008. Location relative to a retention patch affects the ECM fungal community more than patch size in the first season after timber harvesting on Vancouver Island, British Columbia. *Forest Ecology and Management* 255:1342-1352.
- Jones, M.D., D.M. Durall, and J.W.G. Cairney. 2003. Ectomycorrhizal fungal communities in young forest stands regenerating after clearcut logging. *New Phytologist* 157:399-422.
- Jonsell, M., and G. Nordlander. 2002. Insects in polypore fungi as indicator species: a comparison between forest sites differing in amounts and continuity of dead wood. *Forest Ecology and Management* 157:101-118.
- Jonsson, B.G. 2000. Availability of coarse woody debris in a boreal old-growth *Picea abies* forest. *Journal of Vegetation Science* 11:51-56.
- Jonsson, B.G., N. Kruys, and T. Ranius. 2005. Ecology of species living on dead wood-lessons for dead wood management. *Silva Fennica* 39(2):289-309.
- Jülich, W., and J.A. Stalpers. 1980. The resupinate non-poroid Aphyllophorales of the temperate Northern Hemisphere. North-Holland Publishing Company, Amsterdam. 335 p.
- Jung, H.S. 1987. Wood-rotting Aphyllophorales of the southern Appalachian spruce-fir forest. *Bibliotheca Mycologia* 119:1-122.
- Junninen, K., M. Similä, J. Kouki, and H. Kotiranta. 2006. Assemblages of wood-inhabiting fungi along the gradients of succession and naturalness in boreal pine-dominated forests in Fennoscandia. *Ecography* 29:75-83.
- Käärik, A.A. 1974. Decomposition of Wood. P. 129-174 in *Biology of Plant Litter Decomposition*, Dickinson, C.H., and G.J.F. Pugh (eds.). Academic Press, London.
- Kaila, L., P. Martikainen, P. Punttila, and E. Yakovlev. 1994. Saproxylic beetles (Coleoptera) on dead birch trunks decayed by different polypore species. *Annales Zoologici Fennici* 31:97-107.
- Kangas, J., and J. Kuusipalo. 1993. Integrating biodiversity into forest management planning and decision -making. *Forest Ecology and Management* 61:1-15.
- Keller, H.W., and K.L. Snell. 2002. Feeding activities of slugs on Myxomycetes and macrofungi. *Mycologia* 94(5):757-760.
-

- Kendrick, B. 2000. *The Fifth Kingdom*. Focus Publishing, Newburyport. 373 p.
- Kernaghan, G., P. Widden, Y. Bergeron, S. Légaré, and D. Paré. 2003. Biotic and abiotic factors affecting ectomycorrhizal diversity in boreal mixed-woods. *Oikos* 102:497-504.
- Kirk, T.K., and E.B. Cowling. 1984. *Biological Decomposition of Solid Wood*. The chemistry of solid wood. Based on a short course and symposium sponsored by the Division of Paper and Textile Chemistry at the 185th meeting of the American Chemical Society, Seattle, Washington, March 20-25, 1983. (ed. R. M. Rowell). P. 455-487. American Chemical Society, Seattle USA.
- Kirkpatrick, J.B., and S. Backhouse. 1981. *Native trees of Tasmania*. Pandani Press, Hobart. 135 p.
- Klironomos, J.N., and W.B. Kendrick. 1993. Research on mycorrhizas: trends in the past 40 years as expressed in the 'MYCOLIT' database. *New Phytologist* 125:595-600.
- Kobayashi, H., and K. Hatano. 2001. A morphological study on the mycorrhiza of *Entoloma clypeatum* f. *hybridum* on *Rosa multiflora*. *Mycoscience* 42:83-90.
- Koide, R.T., B. Xu, and J. Sharda. 2005. Contrasting below-ground views of an ectomycorrhizal fungal community. *New Phytologist* 166:251-262.
- Komonen, A. 2001. Structure of insect communities inhabiting old-growth forest specialist bracket fungi. *Ecological Entomology* 26:63-75.
- Komonen, A., R. Pentilla, M. Lindgren, and I. Hanski. 2000. Forest fragmentation truncates a food chain based on an old-growth forest bracket fungus *Oikos* 90(1):119-126.
- Kornerup, A., and J.H. Wanscher. 1978. *Methuen Handbook of Colour*. 3rd Edition. Reprinted in 1989 by Methuen, London, England.
- Kranabetter, J.M., J. Friesen, S. Gamiet, and P. Kroeger. 2005. Ectomycorrhizal mushroom distribution by stand age in western hemlock-lodgepole pine forests of northwestern British Columbia. *Canadian Journal of Forest Research* 35:1527-1539.
- Kropp, B.R. 1982a. Fungi from decayed wood as ectomycorrhizal symbionts of western hemlock. *Canadian Journal of Forest Research* 12:36-39.
- Kropp, B.R. 1982b. Rotten wood as mycorrhizal inoculum for containerized western hemlock. *Canadian Journal of Forest Research* 12:428-431.
- Kruys, N., and B.G. Jonsson. 1999. Fine woody debris is important for species richness on logs in managed boreal forests of northern Sweden. *Canadian Journal of Forest Research* 29:1295-1299.
-

-
- Küffer, N., and B. Senn-Irlet. 2005a. Diversity and ecology of wood-inhabiting aphyllphoroid basidiomycetes on fallen woody debris in various forest types in Switzerland. *Mycological Progress* 4(1):77-86.
- Küffer, N., and B. Senn-Irlet. 2005b. Influence of forest management on the species richness and composition of wood-inhabiting basidiomycetes in Swiss forests. *Biodiversity and Conservation* 14:2419-2435.
- Laffan, M.D. 2001. Geology and soils of the Warra LTER Site: a preliminary description. *Tasforests* 13(1):23-29.
- Laiho, R., and C.E. Prescott. 2004. Decay and nutrient dynamics of coarse woody debris in northern coniferous forests: a synthesis. *Canadian Journal of Forest Research* 34:763-777.
- Lambert, R.L., G.E. Lang, and W.A. Reiners. 1980. Loss of mass and chemical change in decaying boles of a subalpine balsam fir forest. *Ecology* 61(6):1460-1473.
- Lange, M. 1948. The Agarics of Maglemose. *Dansk Botanisk Arkiv*. 1-141.
- Lange, M. 1978. Fungus Flora in August: Ten years observations in a Danish beech wood district. *Botanisk Tidskrift* 73:21-54.
- Lange, M. 1984. Fleshy fungi in grass fields: II. Precipitation and fructification. *Nordic Journal of Botany* 4:491-501.
- Larsson, K.-H. 2007. Molecular phylogeny of *Hyphoderma* and the reinstatement of *Peniophorella*. *Mycological Research* 111:186-195.
- Larsson, K.-H., E. Larsson, and U. Kõljalg. 2004. High phylogenetic diversity among corticioid homobasidiomycetes. *Mycological Research* 108(9):983-1002.
- Last, F., J. Dighton, and P.A. Mason. 1987. Successions of sheathing mycorrhizal fungi. *TREE* 2(6):157-161.
- Leake, J.R., D.P. Donnelly, and L. Boddy. 2002. Interactions between ectomycorrhizal and saprotrophic fungi. P. 346-372 in *Mycorrhizal Ecology* van der Heijden, M.G.A., and I. Sanders (eds.). Springer-Verlag, Berlin.
- Leonard, P. 2007. A Russula Lost. P. 5 in *Fungimapnewsletter* 33.
- Letcher, A. 2006. *Shroom: a cultural history of the magic mushroom*. Faber and Faber Limited, London. 360 p.
- Lilleskov, E.A., T.J. Fahey, and G.M. Lovett. 2001. Ectomycorrhizal fungal aboveground community change over an atmospheric nitrogen deposition gradient. *Ecological Applications* 11(2):397-410.
- Lillie, R.D. (ed.) 1997. *H.J.Conn's Biological Stains*. The Williams and Wilkins Company, Baltimore. 692 p.
-

- Lindahl, B., and J. Boberg. 2008. Distribution and function of litter basidiomycetes in coniferous forests. P. 183-196 in *Ecology of Saprotrophic Basidiomycetes*, Boddy, L., J.C. Frankland, and P. Van West (eds.). Elsevier Ltd., London.
- Lindblad, I. 1997. Wood-inhabiting fungi on fallen logs of Norway spruce: relations to forest management and substrate quality. *Nordic Journal of Botany* 18(2):243-255.
- Lindeberg, G. 1981. Roles of litter-decomposing and ectomycorrhizal fungi in nitrogen cycling in the Scandinavian coniferous forest ecosystem. P. 653-664 in *The Fungal Community: Its organization and role in the ecosystem*, Wicklow, D.T., and G.C. Carroll (eds.). Marcel Dekker, Inc., New York.
- Lindenmayer, D.B., A.W. Claridge, A.M. Gilmore, D. Michael, and B.D. Lindenmayer. 2002. The ecological roles of logs in Australian forests and the potential impacts of harvesting intensification on log-using biota. *Pacific Conservation Biology* 8:121-140.
- Lindenmayer, D.B., and K. Ough. 2006. Salvage logging in the Montane Ash eucalypt forests of the Central Highlands of Victoria and its potential impacts on biodiversity. *Conservation Biology* 20(4):1005-1015.
- Lindenmayer, D.B., C.R. Margules, and D.B. Botkin. 2000. Indicators of biodiversity for ecologically sustainable forest management. *Conservation Biology* 14:941-950.
- Lindenmayer, D.B., T.W. Norton, and M.T. Tanton. 1990. Differences between wildfire and clearfelling on the structure of montane ash forests of Victoria and their implications for fauna dependent on tree hollows. *Australian Forestry* 53(2):61-68.
- Lindhe, A., N. Åsenblad, and H.-G. Toresson. 2004. Cut logs and high stumps of spruce, birch, aspen and oak-nine years of saproxylic fungi succession. *Biological Conservation* 119:443-454.
- Lindner, D.L., H.H.J. Burdsall, and G.R. Stanosz. 2006. Species diversity of polyporoid and corticioid fungi in northern hardwood forests with differing management histories. *Mycologia* 98(2):195-217.
- Lisiewska, M. 1974. Macromycetes of beech forests within the eastern part of the Fagus area in Europe. *Acta Mycologica* 10:3-72.
- Lodge, D.J., and C.E. Asbury. 1988. Basidiomycetes reduce export of organic matter from forest slopes. *Mycologia* 80(6):888-890.
- Lodge, D.J., J.F. Ammirati, T.E. O'Dell, G.M. Mueller, S.M. Huhndorf, C.-J. Wang, J.N. Stokland, J.P. Schmit, L. Ryvarden, P.R. Leacock, M. Mata, L. Umaña, Q.F. Wu, and D.L.L. Czederpiltz. 2004. Terrestrial and lignicolous macrofungi. P. 127-172 in *Biodiversity of Fungi Inventory and Monitoring Methods*, Mueller, G.M., G.F. Bills, and M.S. Foster (eds.). Elsevier Academic Press, Burlington, USA.
-

-
- Lonsdale, D., M. Pautasso, and O. Holdenrieder. 2008. Wood-decaying fungi in the forest: conservation needs and management options. *European Journal of Forest Research* 127(1):1-22.
- Luke, R.H., and A.G. McArthur. 1978. *Bushfires in Australia*. P. 359. Australian Government Publishing Service, Canberra.
- Luoma, D.L., J.L. Eberhart, R. Molina, and M.P. Amaranthus. 2004. Response of ectomycorrhizal fungus sporocarp production to varying levels and patterns of green-tree retention. *Forest Ecology and Management* 202:337-354.
- Macauley, R.J., and L.B. Throter. 1966. Succession of fungi in leaf litter of *Eucalyptus regnans*. *Transactions of the British Mycological Society* 49(3):509-520.
- MacNally, R., G. Horrocks, and L. Pettifer. 2002. Experimental evidence for potential beneficial effects of fallen timber in forests. *Ecological Applications* 12(6):1588-1594.
- Maire, R., P. Dumée, and L. Lutz. 1901. Prodrome d'une flore mycologique de la Corse. *Bulletin de la Société Botanique de France* 4:184-253.
- Malloch, D., and M. Blackwell. 1992. Dispersal of fungal spores. P. 147-172 in *The Fungal Community: Its organization and Role in the Ecosystem.*, Carroll, G.C., and D.T. Wicklow (eds.). Marcel Dekker Inc., New York.
- Marmeisse, R., P. Jargeat, F. Wagner, G. Gay, and J.C. Debaud. 1998. Isolation and characterization of nitrate reductase deficient mutants of the ectomycorrhizal fungus *Hebeloma cylindrosporum*. *New Phytologist* 140:311-318.
- Marks, G.C., B.A. Fuhrer, and N.E.M. Walters. 1982. *Tree Diseases in Victoria.* Huebner, M.L. (ed.). Forests Commission Victoria, Melbourne.
- Marsden-Smedley, J. 1989. A preliminary survey of mycorrhizal associations in three mixed forest communities in southeastern Tasmania. Undergraduate report.
- Maser, C., A.W. Claridge, and J.M. Trappe. 2008. *Trees, Truffles, and Beasts: How forests function*. Rutgers University Press, New Brunswick. 280 p.
- Maser, C., S.P. Cline, K. Cromack Jr., J.M. Trappe, and E. Hansen. 1988. What we know about large trees that fall to the forest floor. P. 25-45 in Maser, C., R.F. Tarrant, J.M. Trappe and J.F. Franklin (Tech.Eds.). *From the forest to the sea: A story of fallen trees*. USDA Forest Service, General Technical Report PNW-GTR-229. USDA. 25-45.
- Matthewman, W.G., and D.P. Pielou. 1971. Arthropods inhabiting the sporocarps of *Fomes fomentarius* (Polyporaceae) in Gatineau Park, Quebec. *The Canadian Entomologist* 103(6):775-847.
-

-
- May, T., and B. Fuhrer. 1989. Notes on fungi occurring after fire in Australia 1. Introduction and description of *Gerronema postii*. Victorian Naturalist 106(4):133-137.
- May, T.W., and A.E. Wood. 1997. Catalogue and Bibliography of Australian Macrofungi1. Basidiomycota p.p (Fungi of Australia, Volume 2A) Australian Biological Resources Study, Canberra. 348 p.
- May, T.W., and J.A. Simpson. 1997. Fungal diversity and ecology in eucalypt ecosystems. P. 246-277 in Eucalypt Ecology: Individuals to Ecosystems, Williams, J.E., and J.C.Z. Woinarski (eds.). University Press, Cambridge.
- May, T.W., J. Milne, S. Shingles, and R.H. Jones. 2002. Catalogue and Bibliography of Australian Macrofungi2. Basidiomycota p.p & Myxomycota.p.p.(Fungi of Australia, Volume 2B). Australian Biological Resources Study, Canberra. 452 p.
- McAfee, B.J., and J.A. Fortin. 1987. The influence of pH on the competitive interactions of ectomycorrhizal mycobionts under field conditions. Canadian Journal of Forest Research 17:859-864.
- McComb, W., and D. Lindenmayer. 1999. Dying, dead, and down trees P. 335-372 in Maintaining Biodiversity in Forest Ecosystems, Hunter Jr, M.L. (ed.). Cambridge University Press, Cambridge.
- McCullough, H. 1948. Plant succession on fallen logs in a virgin spruce-fir forest. Ecology 29:508-513.
- McElhinny, C., P. Gibbons, C. Brack, and J. Bauhus. 2005. Forest and woodland stand structural complexity: Its definition and measurement. Forest Ecology and Management 218:1-24.
- McGee, P. 1986. Mycorrhizal associations of plant species in a semiarid community. Australian Journal of Botany 34:585-593.
- McKenny, H.J.A., and J.B. Kirkpatrick. 1999. The role of fallen logs in the regeneration of tree species in Tasmanian mixed forest. Australian Journal of Botany 47:745-753.
- McMullan-Fisher, S.J.M. 2008. Surrogates for cryptogam conservation-association between mosses, macrofungi, vascular plants and environmental variables. Ph.D. thesis, School of Geography and Environmental Studies, University of Tasmania.
- McMullan-Fisher, S.J.M., T.W. May, and P.J. Keane. 2002. The macrofungal community and fire in a Mountain Ash forest in southern Australia. P. 57-76 in Fungal Succession, Hyde, K.D., and E.B.G. Jones (eds.). Fungal Diversity Press.
- Meggs, J.M. 1996. Pilot study of the effects of modern logging practices on the decaying-log habitat in wet eucalypt forest in South-East Tasmania: a report to the Tasmanian RFA Environment and Heritage Technical Committee. Forestry Tasmania, Hobart, Tasmania, Australia.
-

Mehus, H. 1986. Fruit body production of macrofungi in some North Norwegian forest types. *Nordic Journal of Botany* 6(5):679-702.

Midtgaard, F., B.A. Rukke, and A. Sverdrup-Thygeson. 1998. Habitat use of the fungivorous beetle *Bolitophagus reticulatus* (coleoptera: Tenebrionidae): effects of basidiocarp size, humidity and competitors. *European Journal of Entomology* 95:559-570.

Molina, R., and J.M. Trappe. 1982. Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi. *Forest Science* 28:423-458.

Moncalvo, J.-M., and P.K. Buchanan. 2008. Molecular evidence for long distance dispersal across the Southern Hemisphere in the *Ganoderma applanatum-australe* species complex (Basidiomycota). *Mycological Research* 112:425-436.

Motta, R., R. Berretti, E. Lingua, and P. Piussi. 2006. Coarse woody debris, forest structure and regeneration in the Valbona Forest Reserve, Paneveggio, Italian Alps. *Forest Ecology and Management* 235:155-163.

Mount, A.B. 1964. The interdependence of the eucalypts and forest fires in Southern Australia. *Australian Forestry* 28(3):166-172.

Mueller, G.M., and J.P. Schmit. 2007. Fungal biodiversity: what do we know? What can we predict? *Biodiversity and Conservation* 16:1-5.

Müller, M.M., M. Varma, J. Heinonen, and A.-M. Hallaksela. 2002. Influence of insects on the diversity of fungi on decaying spruce wood in managed and natural forests. *Forest Ecology and Management* 166:165-181.

Muñoz, J., Á.M. Felicísimo, F. Cabezas, A.R. Burgaz, and I. Martínez. 2004. Wind as a long-distance dispersal vehicle in the Southern Hemisphere. *Science* 304:1144-1147.

Munsell. 1992. Determination of soil colour. U.S. Department of Agriculture Handbook 18-Soil Survey Manual.

Murphy, J., and J.P. Riley. 1962. A modified single solution method for the determination of phosphate in natural waters. *Analytica Chimica Acta* 27:31-36.

Naeem, S., and S. Li. 1997. Biodiversity enhances ecosystem reliability. *Nature* 390(4):507-509.

Nakasone, K.K. 1993. Diversity of lignicolous basidiomycetes in coarse woody debris. P. 35-42 in *Coarse Woody Debris in Southern Forests*, McMinn, J.W., and D.A. Crossley Jr. (eds.). USDA Forest Service, Southern Research Station, General technical report SE-94, Athens, GA.

Nakasone, K.K. 1997. Studies in *Phlebia*. Six species with teeth. *Sydowia* 49(1):49-79.

- Nantel, P., and P. Neumann. 1992. Ecology of ectomycorrhizal-basidiomycete communities on a local vegetation gradient. *Ecology* 73(1):99-117.
- Nara, K., H. Nakaya, and T. Hogetsu. 2003. Ectomycorrhizal sporocarp succession and production during early primary succession on Mount Fuji. *New Phytologist* 158(1):193-206.
- Neitro, W.A., V.W. Binkley, S.P. Cline, R.W. Mannan, B.G. Marcot, D. Taylor, and F.F. Wagner. 1985. Snags (Wildlife Trees) in E. R. Brown Technical Editor. Management of wildlife and fish habitats in forests of Western Oregon and Washington. USDA Forest Service Publication. R6-F and WL-192, Portland, Oregon, USA pp. 129-169.
- Newbound, M. 2009. Fungal diversity in remnant vegetation patches along an urban to rural gradient. Ph.D. University of Melbourne, Melbourne.
- Newell, K. 1984a. Interaction between two decomposer basidiomycetes and a collembolan under Sitka Spruce: distribution, abundance and selective grazing. *Soil Biology and Biochemistry* 16(3):227-233.
- Newell, K. 1984b. Interaction between two decomposer basidiomycetes and a collembolan under Sitka Spruce: grazing and its potential effects on fungal distribution and litter decomposition. *Soil Biology and Biochemistry* 16(3):235-239.
- Newton, A.C. 1992. Towards a functional classification of ectomycorrhizal fungi. *Mycorrhiza* 2:75-79.
- New Zealand Landcare Research <http://www.landcareresearch.co.nz/html/mycology.asp>.
- Neyland, M.G., M.J. Brown, and W. Su. 2000. Assessing the representativeness of long-term ecological research sites: a case study at Warra in Tasmania. *Australian Forestry* 63(3):194-198.
- Niemelä, T., P. Renvall, and R. Penttilä. 1995. Interactions of fungi at late stages of wood decomposition. *Annales Botanici Fennici* 32:141-152.
- Niemälä, T., T. Wallenius, and H. Kotiranta. 2002. The kelo tree, a vanishing substrate of specified wood-inhabiting fungi. *Polish Botanical Journal* 47:91-101.
- Nilsson, R.H., N. Hallenberg, B. Nordén, N. Maekawa, and S.-H. Wu. 2003. Phylogeography of *Hyphoderma setigerum* (Basidiomycota) in the Northern Hemisphere. *Mycological Research* 107(6):645-652.
- Nobles, M.K. 1948. Identification of cultures of wood-rotting fungi. P. 282-431 in *Studies in Forest Pathology*. National Research Council of Canada, Ottawa
-

-
- Nordén, B., and K.-H. Larsson. 2000. Basidiospore dispersal in the old-growth forest fungus *Phlebia centrifuga* (Basidiomycetes). *Nordic Journal of Botany* 20(2):215-219.
- Nordén, B., F. Götmark, M. Ryberg, H. Paltto, and J. Allmér. 2008. Partial cutting reduces species richness of fungi on woody debris in oak-rich forests. *Canadian Journal of Forest Research* 38:1807-1816.
- Nordén, B., M. Ryberg, F. Götmark, and B. Olausson. 2004. Relative importance of coarse and fine woody debris for the diversity of wood-inhabiting fungi in temperate broadleaf forests. *Biological Conservation* 117:1-10.
- Nordén, B., T. Appelquist, B. Lindahl, and M. Henningsson. 1999. Cubic rot fungi–corticoid fungi in highly brownrotted spruce stumps. *Mycologica Helvetica* 10(2):13-24.
- Norstedt, G., P. Bader, and L. Ericson. 2001. Polypores as indicators of conservation value in Corsican pine forests. *Biological Conservation* 99:347-354.
- Norvell, L.L., and R.L. Exeter. 2004. Ectomycorrhizal epigeous basidiomycete diversity in Oregon Coast Range *Pseudotsuga menziesii* forests-preliminary observations *Memoirs of The New York Botanical Gardens* 89:159-189.
- Núñez, M., and L. Ryvarden. 1997. The genus *Aleurodiscus* (Basidiomycotina). Sats & Trykk, Oslo. 164 p.
- O'Connell, A.M. 1987. Litter dynamics in Karri (*Eucalyptus diversicolor*) forests of south-western Australia. *Journal of Ecology* 75:781-796.
- O'Connell, A.M. 1988. Nutrient dynamics in decomposing litter in Karri (*Eucalyptus diversicolor* F. Muell.) forests of south-western Australia. *Journal of Ecology* 76:1186-1203.
- O'Connell, A.M. 1997. Decomposition of slash residues in thinned regrowth eucalypt forest in Western Australia. *Journal of Applied Ecology* 34:111-122.
- O'Hanlon-Manners, D.L., and P.M. Kotanen. 2004. Logs as refuges from fungal pathogens for seeds of Eastern Hemlock (*Tsuga canadensis*). *Ecology* 85(1):284-289.
- Olszewski, J.L. 1968. Role of uprooted trees in the movement of rodents in forests. *Oikos* 19:99-104.
- Osono, T., and H. Takeda. 2002. Comparison of litter decomposing ability among diverse fungi in a cool temperate deciduous forest in Japan. *Mycologia* 94:421-427.
- Osono, T., and H. Takeda. 2006. Fungal decomposition of *Abies* needle and *Betula* leaf litter. *Mycologia* 98(2):172-179.
-

-
- Packham, J.M., T.W. May, M.J. Brown, T.J. Wardlaw, and A.K. Mills. 2002. Macrofungal diversity and community ecology in mature and regrowth wet eucalypt forest in Tasmania: A multivariate study. *Austral Ecology* 27:149-161.
- Parkin, G. 1942. Fungi associated with typical truewood decays observed in Victorian forest trees. *Australian Forestry* V1(2):82-86.
- Paulus, B., H. Nilsson, and N. Hallenberg. 2007. Phylogenetic studies in *Hypochnicium* (Basidiomycota), with special emphasis on species from New Zealand. *New Zealand Journal of Botany* 45:139-150.
- Paulus, B., N. Hallenberg, P.K. Buchanan, and G.K. Chambers. 2000. A phylogenetic study of the genus *Schizopora* (Basidiomycota) based in ITS DNA sequences. *Mycological Research*. 104:1155-1163.
- Pavoir-Smith, K. 1960. The fruiting-bodies of macrofungi as habitats for beetles of the family Ciidae (Coleoptera). *Oikos* 11(1):43-71.
- Penttilä, R., and H. Kotiranta. 1996. Short-term effects of prescribed burning on wood-rotting fungi. *Silva Fennica* 30(4):399-419.
- Penttilä, R., J. Siitonen, and M. Kuusinen. 2004. Polypore diversity in managed and old-growth boreal *Picea abies* forests in southern Finland. *Biological Conservation* 117:271-283.
- Penttilä, R., M. Lindgren, O. Miettinen, H. Rita, and I. Hanski. 2006. Consequences of forest fragmentation for polyporous fungi at two spatial scales. *Oikos* 114:225-240.
- Perini, C., A. Dahlberg, and A. Fraiture. 2008. Conservation and mapping of macrofungi in Europe—Advancement during the last decade. *Coolia* 51(4):181-195.
- Pest Management Regulatory Agency. 2002. Proposed Regulatory Decision Document PRDD2002-01 *Chondrostereum purpureum* (HQ1) pmra_publications@hc-sc.gc.ca.
- Peter, M., F. Ayer, and S. Egli. 2001b. Nitrogen addition in a Norway spruce stand altered macromycete sporocarp production and below-ground ectomycorrhizal species composition. *New Phytologist* 149:311-325.
- Peter, M., F. Ayer, S. Egli, and R. Honegger. 2001a. Above-and below-ground community structure of ectomycorrhizal fungi in three Norway spruce (*Picea abies*) stands in Switzerland. *Canadian Journal of Botany* 79:1134-1151.
- Petersen, P.M. 1970. Danish fireplace fungi—An ecological investigation on fungi on burns. *Dansk Botanisk Arkiv* 27(3):1-97.
- Pielou, D.P., and A.N. Verma. 1968. The arthropod fauna associated with the birch bracket fungus, *Polyporus betulinus*, in eastern Canada. *The Canadian Entomologist* 100:1179-1199.
-

-
- Pryor, L.D. 1976. *The Biology of the Eucalypts*. Edward Arnold, London. 83 p.
- Pugh, G.J.F. 1974. Terrestrial fungi. in *Biology of Plant Litter Decomposition*, Dickinson, C.H., and G.J.F. Pugh (eds.). Academic Press, New York.
- Pugh, G.J.F., and L. Boddy. 1988. A view of disturbance and life strategies in fungi. *Proceedings of the Royal Society of Edinburgh* 94B:3-11.
- Pyle, C., and M.M. Brown. 1999. Heterogeneity of wood decay classes within hardwood logs. *Forest Ecology and Management* 114:253-259.
- Rajchenberg, M. 2006. *Los Políporos (basidiomycetes) de los Bosques Andino Patagónicos de Argentina*. J.Cramer, Berlin. 300 p.
- Ratkowsky, D.A. 2007. Visualising macrofungal species assemblage compositions using canonical discriminant analysis. *Australasian Mycologist* 26(2-3):75-85.
- Ratkowsky, D.A., and G. Gates, M. 2002. A preliminary census of the macrofungi of Mount Wellington, Tasmania-the Agaricales. *Papers and Proceedings of the Royal Society of Tasmania* 136:89-100.
- Ratkowsky, D.A., and G.M. Gates. 2005. An inventory of macrofungi observed in Tasmanian forests over a six-year period. *Tasforests* 16:153-168.
- Ratkowsky, D.A., and G.M. Gates. 2008. Generalised canonical correlations analysis for explaining macrofungal species assemblages. *Australasian Mycologist* 27(1):32-40.
- Rayment, G.E., and F.R. Higginson. 1992. *Australian Handbook of Soil and Water Chemical Methods*. Inkata Press. 15-19 p.
- Rayner, A.D.M., and L. Boddy. 1988. *Fungal Decomposition of Wood: Its biology and ecology*. John Wiley & Sons Ltd., Chichester. 587 p.
- Refshauge, L.D. 1938. Types of decay occurring in mature and young *Eucalyptus regnans* (Mountain Ash) as observed during a preliminary investigation. *Victorian Forester* 2(3):24-28.
- Renvall, P. 1995. Community structure and dynamics of wood-rotting Basidiomycetes on decomposing conifer trunks in northern Finland. *Karstenia* 35:1-51.
- Richard, F., P.-A. Moreau, M.-A. Selosse, and M. Gardes. 2004. Diversity and fruiting patterns of ectomycorrhizal and saprobic fungi in an old-growth mediterranean forest dominated by *Quercus ilex* L. *Canadian Journal of Botany* 82:1711-1729.
- Robinson, R.M. 1986. *Biological aspects of Heterobasidium hemitephrum* Honours Thesis., University of Tasmania, Hobart. 56 p.
-

- Robinson, R.M. 2001. The effect of wildfire on the fruiting of macrofungi in regrowth Karri forests III. Results from third year monitoring. Department of Conservation and Land Management CALM Science Division. 30 p.
- Robinson, R.M., A.E. Mellican, and R.H. Smith. 2008. Epigeous macrofungal succession in the first five years following a wildfire in karri (*Eucalyptus diversicolor*) regrowth forest in Western Australia. *Austral Ecology* 33:807-820.
- Robinson, R.M, and K. Pearce, and R.H. Smith. 2003. Macrofungi. Forestcheck Report of Progress 2002-2003, CALM, Science Division:42-67.
- Robinson, R.M., and V.L. Tunsell. 2007. A list of macrofungi recorded in burnt and unburnt *Eucalyptus diversicolor* regrowth forest in the southwest of Western Australia: 1998-2002. *Conservation Science Western Australia* 6(1):75-96.
- Rolley, E.R. 2001. Foreword. *Tasforests* 13(1).
- Royal Botanic Gardens Melbourne Interactive Catalogue www.rbg.vic.gov.au.
- Rubino, D.L., and B.C. McCarthy. 2003. Composition and ecology of macrofungal and myxomycete communities on oak woody debris in a mixed-oak forest of Ohio. *Canadian Journal of Forest Research* 33(11):2151-2163.
- Rudman, P. 1964. Durability in the genus *Eucalyptus*. *Australian Forestry* 28:242-257.
- Rühling, Å., and G. Tyler. 1990. Soil factors influencing the distribution of macrofungi in oak forests of southern Sweden. *Holarctic Ecology* 13:11-18.
- Salerni, E., A. Laganà, C. Perini, S. Loppi, and V. De Dominicis. 2002. Effects of temperature and rainfall on fruiting of macrofungi in oak forests of the Mediterranean area. *Israel Journal of Plant Sciences* 50:189-198.
- Salo, K. 1993. The composition and structure of macrofungus communities in boreal upland type forests and peatlands in North Karelia, Finland. *Karstenia* 33:61-99.
- Samuel, G. 1926. Note on the distribution of mycorrhiza. *Transactions of the Royal Society of South Australia* 50:245-246.
- Savely Jr., H.E. 1939. Ecological relations of certain animals in dead pine and oak logs. *Ecological Monographs* 9:321-385.
- Scanlan, I. 2007. A methodology for modelling canopy structure: An exploratory analysis in the tall wet eucalypt forests of southern Tasmania. Honours thesis, Australian National University, Canberra.
- Schigel, D.S. 2007. Fleshy fungi of the genera *Armillaria*, *Pleurotus*, and *Grifola* as habitats of Coleoptera. *Karstenia* 47:37-48.
-

-
- Schigel, D.S., T. Niemelä, and J. Kinnunen. 2006. Polypores of western Finnish Lapland and seasonal dynamics of polypore beetles. *Karstenia* 46:37-64.
- Schiegg, K. 2000. Effects of dead wood volume and connectivity on saproxylic insect species diversity. *Ecoscience* 7:290-298.
- Schmit, J.P., and D.J. Lodge. 2005. Classical methods and modern analysis for studying fungal diversity. P. 193-214 in *The Fungal Community: Its organization and role in the ecosystem*, Dighton, J., J.F. White, and P. Oudemans (eds.). Taylor and Francis, Boca Raton.
- Schwarze, F.W.M.R., J. Engels, and C. Mattheck. 2000. *Fungal Strategies of Wood Decay in Trees*. Springer-Verlag, Berlin. 185 p.
- Senn-Irlet, B., and G. Bieri. 1999. Sporocarp succession of soil-inhabiting macrofungi in an autochthonous subalpine Norway spruce forest of Switzerland. *Forest Ecology and Management* 124:169-175.
- Siitonen, J. 2001. Forest management, coarse woody debris and saproxylic organisms: Fennoscandian boreal forests as an example. *Ecological Bulletins* 49:11-41.
- Siitonen, J. Sampling of saproxylic beetles and polyporus fungi in boreal forests. http://www.aisf.it/biodv/PPT/17_Siitonen.pdf.
- Siitonen, J., P. Martikainen, P. Punttila, and J. Rauh. 2000. Coarse woody debris and stand characteristics in mature managed and old-growth boreal mesic forests in southern Finland. *Forest Ecology and Management* 128:211-225.
- Simard, S.W., D.A. Perry, M.D. Jones, M.D. D, D.M. Durall, and R. Molina. 1997. Net transfer of carbon between ectomycorrhizal tree species in the field. *Nature* 388:579-582.
- Simpson, J.A. 1996. Wood decay fungi. P. 95-128 in *Fungi of Australia Volume 1B: Introduction-Fungi in the Environment Australian Biological Resources Study*, Canberra.
- Sippola, A.-L., M. Mönkkönen, and P. Renvall. 2005. Polypore diversity in the herb-rich woodland key habitats of Koli National Park in eastern Finland. *Biological Conservation* 126:260-269.
- Sippola, A.-L., T. Lehesvirta, and P. Renvall. 2001. Effects of selective logging on coarse woody debris and diversity of wood-decaying polypores in eastern Finland. *Ecological Bulletins* 49:243-254.
- Smith, J.E., R. Molina, M. Huso, M.D. Luoma, and M.A. Castellano. 2002. Species richness, abundance, and composition of hypogeous and epigeous ectomycorrhizal fungal sporocarps in young, rotation-age, and old-growth stands of Douglas-fir (*Pseudotsuga menziesii*) in the Cascade Range of Oregon, U.S.A. *Canadian Journal of Botany* 80:186-204.
-

-
- Smith, S.E., and D.J. Read. 2008. *Mycorrhizal Symbiosis*. Elsevier, Amsterdam. 605 p.
- Sohn, J. 2007. Variation in coarse woody debris attributes in Tasmanian tall wet *Eucalyptus obliqua* (L.Hérit.) forests and implications for its monitoring. Honours Thesis, Albert-Ludwig Universität, Freiberg.
- Sollins, P. 1982. Input and decay of coarse woody debris in coniferous stands in western Oregon and Washington. *Canadian Journal of Forest Research* 12:18-28.
- Spies, T.A., J.F. Franklin, and T.B. Thomas. 1988. Coarse woody debris in Douglas-Fir forests of Western Oregon and Washington. *Ecology* 69(6):1689-1702.
- Staaf, H. 1988. Litter decomposition in beech forests—effects of excluding tree roots. *Biology and Fertility of Soils* 6:302-305.
- Stalpers, J.A. 1978. Identification of wood-inhabiting Aphylophorales in pure culture. in *Studies in Mycology*.
- Stamets, P. 1996. *Psilocybin Mushrooms of the World*. Ten Speed Press, Berkeley, California. 245 p.
- Stamets, P. 2000. *Growing Gourmet and Medicinal Mushrooms*. Ten Speed Press, Berkeley, California. 574 p.
- Stamm, L. 2006. Measuring and modelling coarse woody debris in tall eucalypt forests in Southern Tasmania. Honours thesis. School of Agricultural Science, University of Tasmania.
- Stark, N. 1972. Nutrient cycling pathways and litter fungi. *BioScience* 22(6):355-360.
- Stevens, V. 1997. The ecological role of coarse woody debris: An overview of the ecological importance of CWD in British Columbia forests. Research Branch, B.C. Ministry of Forests, Victoria, B.C. Working Paper No. 30.:1-26.
- Stokland, J., and H. Kauserud. 2004. *Phellinus nigrolimitatus*—a wood-decomposing fungus highly influenced by forestry. *Forest Ecology and Management* 187:333-343.
- Stokland, J.N. 2001. The coarse woody debris profile: an archive of recent forest history and an important biodiversity indicator. *Ecological Bulletins* 49:71-83.
- Stokland, J.N., and A.-L. Sippola. 2004. Monitoring protocol for wood-inhabiting fungi in the Alberta biodiversity monitoring program. P. 1-58 in *Alberta Biodiversity Monitoring Program, Norway and Finland*.
- Straatsma, G., and I. Krisai-Greilhuber. 2003. Assemblage structure, species richness, abundance, and distribution of fungal fruit bodies in a seven year plot-based survey near Vienna. *Mycological Research* 107(5):632-640.
-

-
- Straatsma, G., F. Ayer, and S. Egli. 2001. Species richness, abundance, and phenology of fungal fruit bodies over 21 years in a Swiss forest plot. *Mycological Research* 105(5):513-523.
- Swift, M.J. 1977. The ecology of wood decomposition. *Science Progress* 64:175-199.
- Swift, M.J. 1982. Basidiomycetes as components of forest ecosystems. P. 307-337 in *Decomposer Basidiomycetes: Their biology and ecology*, Frankland, J.C., J.N. Hedger, and M.J. Swift (eds.). Cambridge University Press.
- Swift, M.J. 2005. Human impacts on biodiversity and ecosystem services: an overview. P. 627-641 in *The Fungal Community: Its organization and role in the ecosystem*, Dighton, J., J.F. White, and P. Oudemans (eds.). Taylor and Francis, Boca Raton.
- Syme, K. 2004. Fungi information for the south coast regional natural resources management strategy. A report commissioned by the South Coast Regional Strategy for Natural Resource Management. *SCRIPT*. 49p.
- Takahashi, K.H., and T. Kagaya. 2005. Guild structure of wood-rotting fungi based on volume and decay stage of coarse woody debris. *The Ecological Journal of Japan* 20:215-222.
- Talbot, J.M., S.D. Allison, and K.K. Treseder. 2008. Decomposers in disguise: mycorrhizal fungi as regulators of soil C dynamics in ecosystems under global change. *Functional Ecology* doi: 10. 1111/j.1365-2435.2008.01402.x.
- Talbot, P.H.B. 1952. Dispersal of fungus spores by small animals inhabiting wood and bark. *Transactions of the British Mycological Society* 35:123-128.
- Tanesaka, E., H. Masuda, and K. Kinugawa. 1993. Wood degrading ability of basidiomycetes that are wood decomposers, litter decomposers, or mycorrhizal symbionts. *Mycologia* 85(3):347-354.
- Taylor, R.J. 1992. Seasonal changes in the diet of the Tasmanian Bettong (*Bettongia gaimardi*), a mycophagous marsupial. *Journal of Mammalogy* 73(2):408-414.
- Tedersoo, L., G. Gates, C. Dunk, T. Lebel, T. May, U. Kõljalg, and J. Teele. 2009. Establishment of ectomycorrhizal fungi on *Nothofagus cunninghamii* seedlings regenerating on dead wood in Australian wet temperate forests. *Mycorrhiza* (in press).
- Tedersoo, L., K. Hansen, B.A. Perry, and R. Kjoller. 2006. Molecular and morphological diversity of pezizalean ectomycorrhiza. *New Phytologist* 170:581-596.
- Tedersoo, L., T. Jairus, B.M. Horton, K. Abarenkov, T. Suvi, I. Saar, and U. Kõljalg. 2008. Strong host preference of ectomycorrhizal fungi in a Tasmanian wet
-

-
- sclerophyll forest as revealed by DNA barcoding and taxon-specific primers. *New Phytologist* 180(2):479-490.
- Tedersoo, L., U. Kõljalg, N. Hallenberg, and K.-H. Larsson. 2003. Fine scale distribution of ectomycorrhizal fungi and roots across substrate layers including coarse woody debris in a mixed forest. *New Phytologist* 159:153-165.
- Termorshuizen, A.J. 1991. Succession of mycorrhizal fungi in stands of *Pinus sylvestris* in the Netherlands. *Journal of Vegetation Science* 2(4):555-564.
- Thunes, K.H. 1994. The coleopteran fauna of *Piptoporus betulinus* and *Fomes fomentarius* (Aphyllphorales: Polyporaceae) in western Norway. *Entomologica Fennica* 5:156-168.
- Tofts, R.J., and P.D. Orton. 1998. The species accumulation curve for Agarics and Boleti from a Caledonian pinewood. *Mycologist* 12(3):98-103.
- Tommerup, I.C., and N.L. Bougher. 2000. The role of ectomycorrhizal fungi in nutrient cycling in temperate Australian woodlands. P. 190-224 in *Temperate Eucalypt Woodlands in Australia. Biology, Management and Restoration Conservation*, Hobbs, R.J., and C.J. Yeats (eds.). Surrey Beatty and Sons.
- Townsend, C.H.T. 1886. Coleoptera found in dead trunks of *Tilia americana* L., in October. *The Canadian Entomologist* XVIII:65-68.
- Trappe, J.M. 1962. Fungus associates of ectotrophic mycorrhizae. *The Botanical Review* 28:538-606.
- Trocha, L.K., M. Rudawska, B. Werner, W. Nowak, J. Oleksyn, M. Stainska, I. Kałucka, and T. Leski. 2007. Ectomycorrhizal community structure of 12 tree species growing in a common garden. P. 232 in *XV Congress of European Mycologists*, Saint Petersburg, Russia.
- Trudell, S., and R.L. Edmonds. 2004. Macrofungus communities correlate with moisture and nitrogen abundance in two old-growth conifer forests, Olympic National Park, Washington, USA. *Canadian Journal of Botany* 82:781-800.
- Turnbull, C.R.A., and J.L. Madden. 1986. Litter accession, accumulation and decomposition in cool temperate forests of southern Tasmania. *Australian Forest Research* 16:145-153.
- Turner, P., S.J. Grove, and C. Airey. 2007. Wildfire chronosequence project establishment report. Division of Forest Research and Development, Forestry Tasmania.
- Turner, P.A.M., J. Balmer, and J.B. Kirkpatrick. 2009. Stand replacing wildfire? The incidence of multi-aged and even-aged *Eucalyptus regnans* and *E. obliqua* forests in southern Tasmania. *Forest Ecology and Management* 258:366-375.
-

-
- Twieg, B.D., D.M. Durall, and S.W. Simard. 2007. Ectomycorrhizal fungal succession in mixed temperate forests. *New Phytologist* 176:437-447.
- Tyler, G. 1985. Macrofungal flora of Swedish beech forest related to soil organic matter and acidity characteristics. *Forest Ecology and Management* 10:13-29.
- Tyler, G. 1989. Edaphical distribution patterns of macrofungal species in deciduous forest of south Sweden. *Acta (Ecologica/Ecol.Gener.)* 10(3):309-326.
- Unestam, T. 1991. Water repellency, mat formation, and leaf-stimulated growth of some ectomycorrhizal fungi. *Mycorrhiza* 1:13-20.
- Unestam, T., and Y.-P. Sun. 1995. Extramatrical structures of hydrophobic and hydrophilic ectomycorrhizal fungi. *Mycorrhiza* 5:301-311.
- Unwin, G., and S. Jennings. 2006. Native Blackwood Regrowth - The good form on light regulation. (www.afg.asn.au/resources/pdfs/Conference2006-PresentationB3.4.pdf)
- van der Heijden, M.G.A., J.N. Klironomos, M. Ursic, P. Moutoglis, R. Streitwolf-Engel, T. Boller, A. Wiemken, and I.R. Sanders. 1998. Mycorrhizal fungal diversity determines plant biodiversity, ecosystem variability and productivity. *Nature* 396:69-72.
- Vartiamäki, H., P. Maijala, A. Uotila, and J. Hantula. 2008. Characterization of growth and enzyme production of *Chondrostereum purpureum* isolates and correlation of these characteristics with their capability to prevent sprouting of birch in field. *Biological Control* 47:46-54.
- Vernes, K., C.N. Johnson, and M.A. Castellano. 2004. Fire-related changes in biomass of hypogeous sporocarps at foraging points used by a tropical mycophagous marsupial. *Mycological Research* 108(12):1438-1446.
- Villeneuve, N., M.M. Grandtner, and J.A. Fortin. 1989. Frequency and diversity of ectomycorrhizal and saprophytic macrofungi in the Laurentide mountains of Quebec. *Canadian Journal of Botany* 67:2616-2629.
- Visser, S. 1995. Ectomycorrhizal fungal succession in jack pine stands following wildfire. *New Phytologist* 129:389-401.
- Visser, S., and D. Parkinson. 1975. Fungal succession on aspen poplar leaf litter. *Canadian Journal of Botany* 53:1640-1651.
- Vogt, K.A., R.L. Edmonds, and C.C. Grier. 1981. Biomass and nutrient concentrations of sporocarps produced by mycorrhizal and decomposer fungi in *Abies amabilis* stands. *Oecologia* 50:170-175.
- von Runge, A. 1975. Pilzsukzession auf Laubholzstümpfen. *Zeitschrift für Pilzkunde* 41:31-38.
-

-
- Walker, B. 1995. Conserving biological diversity through ecosystem resilience. *Conservation Biology* 9:747-752.
- Waltert, B., V. Wiemken, H.-P. Rusterholz, T. Boller, and B. Baur. 2002. Disturbance of forest by trampling: Effects on mycorrhizal roots of seedlings and mature trees of *Fagus sylvatica*. *Plant and Soil* 243:143-154.
- Warcup, J.H. 1980. Ectomycorrhizal associations of Australian indigenous plants. *New Phytologist* 85:531-535.
- Warcup, J.H. 1981. Effect of fire on the soil microflora and other non-vascular plants in Fire and the Australian Biota. Gill, A.M., R.H. Groves, and I.R. Noble (eds.). Australian Academy of Science, Canberra.
- Warcup, J.H. 1991. The fungi forming mycorrhizas on eucalypt seedlings in regeneration coupes in Tasmania. *Mycological Research* 95(3):329-332.
- Ward, S.C., J.D. Majer, and A.M. O'Connell. 1991. Decomposition of eucalypt litter on rehabilitated bauxite mines. *Australian Journal of Ecology* 6:251-257.
- Watling, R. 1995. Assessment of fungal diversity: macromycetes, the problems. *Canadian Journal of Botany* 73(supplement 1):S15-S24.
- Watling, R. 2004. Dawyck Botanic Garden: the Heron Wood Cryptogamic Project. *Botanical Journal of Scotland* 56(2):109-118.
- Watling, R. 2005. Fungal conservation: some impressions-a personal view. P. 881-896 in *The Fungal Community: Its Organization and Role in the Ecosystem*, Dighton, J., J.F. White, and P. Oudemans (eds.). Taylor and Francis, Boca Raton.
- Webber, E. 2006. Coarse Woody Debris Decomposition, Carbon Sequestration, and Management, in Eastern Australian Forests. Ph.D. thesis School of Resources, Environment and Society, ANU, Canberra.
- Webster, J. 2007. *Mycology Vol.2. Higher fungi*. I.W.F Wissen und Medien gGmbH, Goettingen.
- Wells, P., and J. Hickey. 1999. Wet sclerophyll, mixed and swamp forest. P. 224-243 in *Vegetation of Tasmania*, Reid, J.B., R.S. Hill, M.J. Brown, and M.J. Hovenden (eds.). Australian Biological Resources Study.
- Wilcke, W., T. Hess, C. Bengel, J. Homeier, C. Valarezo, and W. Zech. 2005. Coarse woody debris in a montane forest in Ecuador: mass, C and nutrient, and turnover. *Forest Ecology and Management* 205:139-147.
- Wilkins, W.H., and G.C.M. Harris. 1946. The ecology of the larger fungi. V. An investigation into the influence of rainfall and temperature on the seasonal production of fungi in a beechwood and a pinewood. *Annals of Applied Biology* 33:179-190.
-

-
- Wilkins, W.H., E.M. Ellis, and J.L. Harley. 1937. The Ecology of the Larger Fungi 1. Constancy and frequency of fungal species in relation to certain vegetation communities, particularly oak and beech. *Annals of Applied Biology* 24:703-732.
- Woldendorp, G., and R.J. Keenan. 2005. Coarse woody debris in Australian forest ecosystems: A review. *Austral Ecology* 30:834-843.
- Woldendorp, R.D., R.J. Keenan, and M.F. Ryan. 2002. Coarse woody debris in Australian forest ecosystems. Bureau of Rural Science. 1-75.
- Wood, T.G. 1974. Field investigations on the decomposition of leaves of *Eucalyptus delegatensis* in relation to environmental factors. *Pedobiologia* 14:343-371.
- Woods, P.V., and R.J. Raison. 1983. Decomposition of litter in sub-alpine forests of *Eucalyptus delegatensis*, *E. pauciflora* and *E. dives*. *Australian Journal of Ecology* 8:287-299.
- Wu, J.-B., D.-X. Guan, S.-J. Han, M. Zhang, and C.-J. Jin. 2005. Ecological functions of coarse woody debris in forest ecosystem. *Journal of Forestry Research* 16(3):247-252.
- Yee, M. 2005. Ecology of saproxylic beetles native to Tasmanian wet eucalypt forests. Ph.D. thesis. School of Agricultural Science, University of Tasmania.
- Yee, M., Z.-Q. Yuan, and C. Mohammed. 2001. Not just waste wood: decaying logs as key habitats in Tasmania's wet sclerophyll *Eucalyptus obliqua* production forests: the ecology of large and small logs compared. *Tasforests* 13:119-128.
